

P1 1106365

10/531331

15 APR 2005

REC'D 22 DEC 2003

WIPO PCT

# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office

December 18, 2003

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/419,463

FILING DATE: October 18, 2002

RELATED PCT APPLICATION NUMBER: PCT/US03/33142



By Authority of the  
COMMISSIONER OF PATENTS AND TRADEMARKS

*M. Sias*  
M. SIAS  
Certifying Officer

**PRIORITY  
DOCUMENT**  
SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

10-2528-5463-101897

PTO/SB/16 (10-01)

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Approved for use through 10/31/2002 OMB 0651-0032  
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE**PROVISIONAL APPLICATION FOR PATENT COVER SHEET**

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Express Mail Label No.

ET552826798US

**INVENTOR(S)**

Given Name (first and middle [if any])	Family Name or Surname	Residence (City and either State or Foreign Country)
Monique	Royer	Montpellier, France

☒ Additional inventors are being named on the 1 separately numbered sheets attached hereto**TITLE OF THE INVENTION (500 characters max)**COMPLETE BIOSYNTHETIC GENE SET FOR SYNTHESIS OF POLYKETIDE  
ANTIBIOTICS, INCLUDING THE ALBICIDIN FAMILY, RESISTANCE GENES, AND  
USES THEREOF

Direct all correspondence to:

**CORRESPONDENCE ADDRESS**☐ Customer Number

OR

Type Customer Number here

Place Customer Number  
Bar Code Label here☒ Firm or  
Individual Name

Martin L. McGregor

Address

26415 Oak Ridge Drive

Address

City

Spring

State

TX

ZIP

77380

Country

USA

Telephone

832-585

Fax

**ENCLOSED APPLICATION PARTS (check all that apply)**☒ Specification Number of Pages

277

☒ CD(s), Number

1

☒ Drawing(s) Number of Sheets

11

☐ Application Data Sheet. See 37 CFR 1.76☐ Other (specify)**METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT**☒ Applicant claims small entity status. See 37 CFR 1.27.☒ A check or money order is enclosed to cover the filing fees☐ The Commissioner is hereby authorized to charge filing  
fees or credit any overpayment to Deposit Account Number:☐ Payment by credit card. Form PTO-2038 is attached.FILING FEE  
AMOUNT (\$)

\$75.00

The invention was made by an agency of the United States Government or under a contract with an agency of the  
United States Government.☒ No.☐ Yes, the name of the U.S. Government agency and the Government contract number are:

Respectfully submitted,

SIGNATURE

Date 10/18/2002

TYPED or PRINTED NAME Martin L. McGregor

REGISTRATION NO.  
(if appropriate)  
Docket Number:

29,329

TELEPHONE 832-585-0946

79-1

**USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT**

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Assistant Commissioner for Patents, Washington, D.C. 20231.

**PROVISIONAL APPLICATION COVER SHEET**  
*Additional Page*

PTO/SB/16 (02-01)  
Approved for use through 10/31/2002 OMB 0851-0032  
U S Patent and Trademark Office; U S DEPARTMENT OF COMMERCE  
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

Docket Number		79-1
INVENTOR(S)/APPLICANT(S)		
Given Name (first and middle (if any))	Family or Surname	Residence (City and either State or Foreign Country)
Dean W.	Gabriel	Gainseville, Florida
Roger	Frutos	Montpellier FRANCE
Philippe	Rott	Montpellier FRANCE

Number 2 of 2

**WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.**

Attorney Docket 79-1

In the UNITED STATES PATENT and TRADEMARK OFFICE

APPLICATION OF M. ROYER, D. W. GABRIEL, R. FRUTOS AND P. ROTT

**COMPLETE BIOSYNTHETIC GENE SET FOR SYNTHESIS OF POLYKETIDE ANTIBIOTICS, INCLUDING THE ALBICIDIN FAMILY, RESISTANCE GENES, AND USES THEREOF**

**TECHNICAL FIELD**

The invention is in the field of genetic engineering, and in particular the isolation and expression of the biosynthetic genes that produce a family of antibiotics known generically as albicidins.

5

**BACKGROUND OF THE INVENTION**

U.S. Patent No. 4,525,354 to Birch and Patil described a "non-peptide" antibiotic of M.W. "about 842" called "albicidin". Albicidin is described as produced by culturing chlorosis-inducing strains of *Xanthomonas albilineans* isolated from diseased sugarcane, and mutants thereof. The antibiotic was isolated from the culture medium by adsorption on resin and was purified by gel filtration and High Performance Liquid Chromatography (HPLC). The chemical structure of this antibiotic was not determined and remained unknown, although the Birch and Patil patent disclosed spectral data for a fraction having antibiotic activity and the presence of approximately 38 carbon atoms and at least one COOH group. The present invention describes and characterizes the family of antibiotics that is produced by culturing chlorosis-inducing strains of *X. albilineans* and mutants thereof, together with the complete set of twenty biosynthetic genes capable of producing the unique and previously uncharacterized family of antibiotics produced by *X. albilineans* and previously lumped together as "albicidins". The set of twenty biosynthetic genes isolated, purified and cloned from a culture of *X. albilineans* revealed that this set of biosynthetic genes is capable of synthesizing products exhibiting a high level of variation among the products, indicating that albicidins comprise a family of polyketide antibiotics. The albicidins described in the present invention are synthesized by twenty genes, including one polyketide-peptide synthase, one polyketide synthase and two peptide synthases, but the substrates of the polyketide-peptide synthase and of one peptide synthase are not  $\alpha$ -amino acids. The biosynthetic enzymes represent a previously undescribed and unique polyketide antibiotic biosynthetic system.

10

15

20

25



*Xanthomonas albilineans* is a systemic, xylem-invading pathogen that causes leaf scald disease of sugarcane (interspecific hybrids of *Saccharum* species) (Ricaud and Ryan, 1989 ; Rott and Davis, 2000). Leaf scald symptoms include chlorosis, necrosis, rapid wilting, and plant death. Chlorosis-inducing strains of the pathogen produce several toxic compounds. The major toxic component, named albicidin, inhibits chloroplast DNA replication, resulting in blocked chloroplast differentiation and chlorotic leaf streaks that are characteristic of the plant disease (Birch and Patil, 1983, 1985b, 1987a and 1987b). Several studies established that albicidin plays a key role in pathogenesis and especially in the development of disease symptoms (Wall and Birch, 1997; Zhang and Birch, 1997; Zhang *et al.*, 1999; Birch, 2001).

The prior art indicates that albicidin inhibits prokaryotic DNA replication and is bactericidal to a range of gram-positive and gram-negative bacteria (Birch and Patil, 1985a). Albicidin is therefore of interest as a potential clinical antibiotic (Birch and Patil, 1985a). However, low yield of toxin production in *X. albilineans* has slowed down studies into the chemical structure of albicidin and its therapeutic application (Zhang *et al.*, 1998). The chemical structure of this albicidin remains unknown, however this albicidin has been partially characterized as a non-peptide antibiotic with a molecular weight of about 842 that contains approximately 38 carbon atoms with three or four aromatic rings, at least one COOH group, two OCH<sub>3</sub> groups, a trisubstituted double bond and a CN linkage (Birch and Patil, 1985a; Huang *et al.*, 2001).

Molecular cloning and characterization of the genes governing the biosynthesis of albicidin is of considerable interest because such information indicates approaches to engineer overproduction of albicidin, to characterize its chemical structure, to allow therapeutical applications and to clarify the relationship between toxin production and the ability to colonize sugarcane. Two similar mutagenesis and complementation studies have been conducted to identify the genetic basis of albicidin production in *X. albilineans* strains isolated in two different geographical locations, Australia and Florida.

One study of *X. albilineans* strain LS155 from Australia revealed that genes for albicidin biosynthesis and resistance span at least 69kb (Wall and Birch, 1997). Subsequently, three genes required for albicidin biosynthesis were identified, cloned and sequenced from two Australian strains of *X. albilineans* (LS155 and Xa13): *xabA*, *xabB* and *xabC* (Huang *et al.*, 2001; Huang *et al.* 2000a, 2000b). The *xabB* gene encodes a large protein with a predicted size of 525.6 kDa, with a modular architecture indicative of a multi functional polyketide synthase (PKS) linked to a nonribosomal peptide synthetase (NRPS) (Huang *et al.*, 2001). The *xabC* gene, located immediately downstream from *xabB*, encodes an S-adenosyl-L-methionine (SAM)-dependent O-

methyltransferase (Huang *et al.*, 2000a). The *xabA* gene, located in another region of the genome, encodes a phosphopantetheinyl transferase required for post-translational activation of PKS and NRPS enzymes (Huang *et al.*, 2000b).

5 These first results demonstrated that the albicidin biosynthesis apparatus is a PKS and/or NRPS system. Such systems assemble simple acyl-coenzyme A or amino acid monomers to produce polyketides and/or nonribosomal peptides (Marahiel *et al.*, 1997; Cane, 1997; Cane and Walsh, 1999). These metabolites form very large classes of natural products that include numerous important pharmaceuticals, agrochemicals, and veterinary agents such as antibiotics, immunosuppressants, anti-cholesterolemic, as well as antitumor, antifungal and antiparasitic agents. Genetic studies of prokaryotic PKS and NRPS produced detailed information regarding the function and the organization of genes responsible for the biosynthesis of polyketides and nonribosomal peptides. Such knowledge, in turn, made it possible to produce combinations of PKS and NRPS genes from different microorganisms in order to produce novel antibiotics (McDaniel *et al.*, 1999; Rodriguez and McDaniel, 2001; Pfeifer *et al.*, 2001). Investigating the complete albicidin biosynthesis apparatus is therefore of great interest because such results may contribute to the knowledge as to how PKS and NRPS interact and how they might be manipulated to engineer novel molecules.

15 A second study with *X. albilineans* strain Xa23R1 from Florida revealed that at least two gene clusters, one spanning more than 48 kb, are involved in albicidin production (Rott *et al.*, 1996). This conclusion was based on the following data: (i) fifty Xa23R1 mutants defective in albicidin production were isolated; (ii) a Xa23R1 genomic library of 845 clones, designated pALB1 to pALB845, was constructed; (iii) two overlapping DNA inserts of approximately 47 kb and 41 kb, from clones pALB540 and pALB571 respectively, complemented forty-five mutants and were supposed to contain a major gene cluster involved in albicidin production; (iv) a DNA insert of approximately 36 kb, from clone pALB639, complemented four of the five remaining mutants not complemented by pALB540 and pALB571, and was supposed to contain a second region involved in albicidin production; and (v) the remaining mutant, AM37, which was not complemented by any of the three cosmids pALB540, pALB571 and pALB639, was supposed to be mutated in a third region of the genome involved in albicidin production.

25 30 The DNA sequences of all of the genes required to produce the albicidin family of polyketide antibiotics, the expressed protein amino acid sequences of all of the genes and the deduced structure of Albicidin have not been previously reported, although fragmentary sequences that include three of the biosynthetic genes have been reported. Identification of one albicidin gene, *xabC*, as a methyltransferase gene involved in albicidin biosynthesis is reported

by Huang, G., Zhang, L. & Birch, R.G. (2000a, Gene 255, 327-333) and claimed as biologically active in producing a polyketide antibiotic in PCT WO 02/24736 A1. Identification of a second albicidin gene, *xabA*, as a phosphopantetheinyl transferase gene is reported by Huang, G., Zhang, L. and Birch, R.G. (2000b) Gene 258, 193-199 and claimed as biologically active in producing a polyketide antibiotic in PCT WO 02/24736 A1. Huang, G., Zhang, L. & Birch, R.G. (2001) Microbiology 147, 631-642, report a DNA sequence of *xabB* (GenBank accession # AF239749), a multi functional polyketide-peptide synthetase that may be essential for albicidin biosynthesis in *Xanthomonas albilineans*. This *xabB* gene is reported as full length by Birch in PCT WO 02/24736 A1 (their seq. ID #1) and claimed by Birch in PCT WO 02/24736 A1 as a biologically active polyketide synthase of 4,801 amino acids in length, enabling production of albicidin. However, the DNA sequence reported by Huang et al (2001) in GenBank AF239749 and by Birch in PCT WO 02/24736 A1 (their seq. ID #1) appears to be incomplete and missing 6,234 bp of DNA sequence encoding 2,078 amino acids. We claim the complete DNA sequence of *xabB* (*albI*, our seq. 20) as 20,637 bp, encoding a biologically active polyketide synthase of 6,879 amino acids of in this application (our seq ID #26). Factors affecting biosynthesis by *Xanthomonas albilineans* of albicidins antibiotics and phytotoxins are discussed in J. Appl. Microbiol. 85, 1023-1028. and Wall, M.K. & Birch, R.G. (1997). Genes for albicidin biosynthesis and resistance span at least 69 kb in the genome of *Xanthomonas albilineans*. Lett. Appl. Microbiol. 24, 256-260. A gene from *X. albilineans* strain Xa13, designed AlbF, which confers high level albicidin resistance in *Escherichia coli* and which encodes a putative albicidin efflux pump, was directly submitted to Genbank by Bostock and Birch (Accession n° AF403709).

#### **SUMMARY OF THE INVENTION**

The invention provides a novel antibiotic family, Albicidins, produced by three novel biosynthetic gene clusters (XALB1, XALB2, and XALB3) contained within a host cell DNA in which one strand comprises non-contiguously SEQ. ID No. 1, SEQ. ID No. 2 and SEQ ID No. 3, and the cell expresses the DNA to provide peptides including those named AlbI (SEQ ID No. 26) (encoded by SEQ ID No. 20), AlbII (SEQ ID No. 27) (encoded by SEQ ID No. 21), AlbIII (SEQ ID No. 28) (encoded by SEQ ID No. 22), AlbIV (SEQ ID No. 29) (encoded by SEQ ID No. 23), AlbVI (SEQ ID No. 31) (encoded by SEQ ID No. 18), AlbVII (SEQ ID No. 32) (encoded by SEQ ID No. 17), AlbVIII (SEQ ID No. 33) (encoded by SEQ ID No. 16), AlbIX (SEQ ID No. 34) (encoded by SEQ ID No. 15), AlbX (SEQ ID No. 35) (encoded by SEQ ID No. 10), AlbXI (SEQ ID No. 36) (encoded by SEQ ID No. 9), AlbXII (SEQ ID No. 37) (encoded by SEQ ID No. 8), AlbXIII (SEQ ID No. 38) (encoded by SEQ ID No. 7),

AlbXIV (SEQ ID No. 39) (encoded by SEQ ID No. 6), AlbXV (SEQ ID No. 40) (encoded by SEQ ID No. 5), AlbXVII (SEQ ID No. 42) (encoded by SEQ ID No. 11), AlbXVIII (SEQ ID No. 43) (encoded by SEQ ID No. 12), AlbXIX (SEQ ID No. 44) (encoded by SEQ ID No. 13), AlbXX (SEQ ID No. 45) (encoded by SEQ ID No. 14), AlbXXI (SEQ ID No. 46) (encoded by SEQ ID No. 24), and AlbXXII (SEQ ID No. 47) (encoded by SEQ ID No. 25), that in turn interact within the host cell to produce one or more antibiotics as more fully illustrated in Figure 11. In one embodiment the invention comprises a plurality of isolated and purified DNA strands which comprise nucleotide sequences of the group consisting of SEQ ID No: 1 to SEQ. ID No. 25, each individual sequence, except the transposases AlbV (SEQ ID No. 30) (encoded by SEQ ID No. 19) and AlbXVI (SEQ ID No. 41) (encoded by SEQ ID No. 4) found in the XALB1 cluster, being necessary to the biosynthesis of the novel family of antibiotics, Albicidins. The invention also includes the peptides or proteins encoded by the genes of the biosynthetic complex expressed by the combination of DNA with a strand having sequences SEQ ID Nos. 1 to 3. Proteins are named with roman numerals and the prefix Alb from AlbI to Alb XXII have the amino acid sequences of SEQ ID Nos. 26 to 47 (not in Roman numeral order but in the order of placement of the genes within sequences SEQ ID Nos. 1 to 3 that express each protein). Expression of the peptides having the amino acid sequences of SEQ ID Nos. 26 to 29, 31 to 40 and 42 to 47, have been found to be all required for the successful biosynthesis of Albicidins. The invention provides a method for producing Albicidins comprising providing a modified host cell with a heterologous DNA Albicidin Biosynthetic Gene Cluster or set of genes defined as DNA operably comprising DNA sequences substantially similar to SEQ ID Nos. 1 to 3. Substantially the same means DNA having sufficient homology to provide expressed proteins that function to provide an antibiotic material having the structural components identified herein. Preferably a given sequence will have at least 70 percent homology to one of SEQ ID Nos. 1 to 3, preferably 85% homology and most preferably at least 95% homology. The method includes the steps consisting of, modifying the DNA of the host cell to comprise an operable expression system for maintaining the modified host cell under conditions supporting biosynthesis of Albicidins and isolation of Albicidins from the host cell or its environment. The invention further provides a method of production of a group of novel antibiotic materials utilizing at least three of the Sequences selected from the group consisting of DNA SEQ ID No. 1 to SEQ ID No. 25 (excluding transposases encoded by SEQ IDs No. 4 and 19) inclusive in combination with additional sequences to produce a modified Albicidin- like material.

More specifically, the invention provides DNA Sequences comprising at least about 68,498 base pairs more or less and including an about 55,839 bp region from the genome of *X.*

*albilineans* designated as XALB1 (SEQ ID. No. 1) and additional non contiguous regions having about 2,986 bp, XALB2 (SEQ ID. No. 2), and about 9,673 bp, XALB3 (SEQ ID. No. 3). These sequences were found to be required for biosynthesis of Albicidins. Homology analysis revealed the presence of (i) four large genes with a modular architecture characteristic of polyketide synthases (PKS) and nonribosomal peptide synthetases (NRPS) potentially involved in albicidin precursor biosynthesis; (ii) four smaller genes potentially involved in albicidin substrate biosynthesis (iii) four modifying genes; (iv) one enzyme activating gene, (v) two regulatory genes, (vi) one chaperone gene, (vii) two genes of unknown function; and (viii) two resistance genes. These are named and discussed more fully below. Together these genes allow the successful operation of the biosynthetic pathway when cloned into suitable host cells. Alignment of individual NRPS and PKS domains revealed an extraordinary biosynthetic apparatus believed to involve a *trans*-action of separate PKS and NRPS domains which could contribute to the production of multiple, structurally related albicidins by the same gene cluster. Furthermore, analysis of selectivity-conferring residues indicated that four NRPS modules of XALB1 specify an unusual substrate. Through the interaction of these genes the following methods are enabled:

a) In an alternate embodiment the invention provides a method of producing a polyketide carrying para-aminobenzoic acid and/or carbamoyl benzoic acid by inserting at least one DNA Fragment that encodes a PKS protein into a cell and causing the cell to express the encoded PKS protein under conditions such that the PKS protein functions to produce a polyketide carrying either a para-aminobenzoic acid or a carbamoyl benzoic acid or both. b) Another alternate embodiment is a method of producing polyketide/peptides carrying para-aminobenzoic acid and/or carbamoyl benzoic acid by inserting at least one DNA Fragment that encodes a PKS protein into a cell and causing the cell to express the encoded PKS protein under conditions such that the PKS protein functions to produce a polyketide carrying either a para-aminobenzoic acid or a carbamoyl benzoic acid or both. Or c) In another alternate embodiment the invention provides a method of activating nonproteinogenic amino acids like paraminobenzoic acid and/or carbamoyl benzoic acid for incorporation into peptides or polyketides by inserting at least one DNA Fragment that encodes a PKS protein into a cell and causing the cell to express the encoded PKS protein under conditions such that the PKS protein functions to produce a polyketide carrying either a para-aminobenzoic acid or a carbamoyl benzoic acid or both.

There are three regions of the *X. albilineans* genome specifying albicidin production. The XALB2 and XALB3 regions each contain only one gene, both of which are required for post-translational activation and folding of albicidin PKS and NRPS enzymes. The XALB1, XALB2 and XALB3 gene clusters are characterized by an unusual hybrid NRPS-PKS system, indicating

The invention results from a number of unpredictable results namely the number and complexity of the enzymes involved in biosynthesis. The discovery of the complete sequence required for biosynthesis of Albicidins is previously unreported. The invention provides for a novel process for production of molecule having a polyketide-polypeptide backbone and the formula  $C_{40}H_{35}O_{13}N_6$ , a molecular weight of 839, and the structural elements shown in Figure 11. The invention further includes (a) the Albicidin Family Biosynthetic Gene Cluster including (b) the structural and regulatory elements of the operons that encode c) the enzymes PKS-1, PKS-2, PKS-3, PKS-4, NRPS-1, NRPS-2, NRPS-3, NRPS-4, NRPS-5, NRPS-6 and NRPS-7 as well as (e) the proteins AlbI to AlbXXII, (f) the isolated enzymes, proteins, and active forms thereof, as well as mutants, fragments, and fusion proteins comprising any of the forgoing; (g) the uses of the enzymes or proteins encoded by the Albicidins Biosynthesis Gene Cluster or any one of its operons, (h) a host cell expressing one or more enzymes or proteins encoded by the Albicidin Family Biosynthetic Gene Cluster; (i) use of host cells having the Albicidins Biosynthesis Gene Cluster to produce an antibiotic; (j) methods of modifying the DNA sequences to produce members of a series of antibiotic compounds having structures related to Albicidins; (k) DNA sequences that encode the same proteins as any of SEQ. ID. Nos. 1 to 25 but differ in specific codons due to the multiplicity of codons that lead to expression of the same amino acid, (l) antibiotics produced by the process of expression of the Albicidin Family Biosynthetic Genes in a genetically modified host cell sustained in a culture medium and thereafter separation of the antibiotic from the host cell and culture medium, (m) an isolated and purified antibiotic produced by a process that includes at least three proteins coded by DNA sequences selected for the group consisting of SEQ. ID Nos. 1 to 25 in combination with additional enzymes that modify the product to provide a non-naturally occurring Albicidins like product having at least one of the useful properties reported for albicidin and (n) a process for producing an antibiotic that comprises modifying a host cell to enhance expression of the DNA of the Albicidin Family

Biosynthetic Gene Cluster by insertion of expression enhancing DNA into the genome of a *Xanthomonas albilineans* strain in a position operative to enhance expression of the enzymes of the Albicidin Family Biosynthetic Gene Cluster, culturing the modified host cell to produce an antibiotic and isolating the antibiotic. The products and methods described above have utility as proteins or as nucleic acids as the case may be, including such uses sources of pyrimidine or purine bases or amino acids, or as animal food supplements and the like, as well as the more important uses to provide antibiotics, plant disease treatment methods, genetically modified disease resistant plants, phytotoxins and the like.

# **BRIEF DESCRIPTION OF THE DRAWINGS**

Figure 1 is a Physical Map and genetic organization of the DNA Region containing the major gene cluster XALB1 involved in the biosynthesis of Albicidins.

Figure 2 is an illustration of the organization of the four PKS modules and the seven NRPS modules identified in cluster XALB1 and comparison with the organization of the prior art material XabB.

Figure 3 shows the conserved sequence motifs in O-methyltransferases and C-methyltransferases involved in antibiotic biosynthesis in bacteria and in AlbII.

Figure 4 shows the conserved sequence motifs in O-methyltransferases and in different tcmP-like hypothetical proteins and AlbVI.

Figure 5 is an illustration of the alignment of the primary sequences between the conserved motifs A4 and A5 of Alb NPRSs and PKS-4 in *Xanthomonas albilineans* with the corresponding sequences of GrsA (Phe) accession number:P14687 and Blm NRPS-2 ( $\beta$ -Ala) accession number AF210249.

Figure 6 shows Rho-independent transcription terminators identified in the intergenic regions of XALB1 and XALB3 clusters.

Figure 7A shows sequences identified as a putative bidirectional promoter between albX and albXVII in XALB1 for transcriptional control of operons 3 and 4.

Figure 7B shows sequences identified as a putative unidirectional promoter upstream from albXIX for transcriptional control of operon 5 if albXVIII is not expressed.

Figure 8 is a physical map and genetic organization of the DNA region containing the gene clusters XALB2 and XALB3 involved in albicidin production.

Figure 9A is linear model 1 leading to the biosynthesis of only one polyketide-polypeptide albicidin backbone.

Figure 9B is linear model 2 leading to the biosynthesis of four different polyketide-polypeptide

backbone.

Figure 10A is an alignment of the conserved motifs in AT domains from RifA-1, -2, -3, RifB-1, RifE-1 (Rifamycin PKSs, August *et al.*, 1998) and BlmVIII (Bleomycin PKS; Du *et al.*, 2000).

Figure 10B is a comparison of AlbXIII, FenF (a malonyl-CoA transacylase located upstream from *mycA*, Duitman *et al.*, 1999) and LipA (a lipase; Valdez *et al.*, 1999).

Figure 11A is a proposed model for biosynthesis of albicidin, including putative substrates of PKS and NRPS modules.

Figure 11B shows the proposed compositions and structures of albicidins.

## 10 **DETAILED DESCRIPTION OF THE INVENTION**

The invention results from the DNA sequencing of the complete major gene cluster XALB1, as well as the noncontiguous fragments XALB2 and XALB3. XALB1 is present in the two overlapping DNA inserts of clones pALB540 and pALB571. Reading frame analysis and homology analyses allow one to predict the genetic organization of XALB1 and to assign a function to the genes potentially required for albicidin production. Based on the alignment of the different PKS and/or NRPS enzymes encoded by XALB1 we proposed a model for the albicidin backbone biosynthesis. However the invention disclosed herein does not depend upon the accuracy of the proposed model. The invention includes the successful cloning and DNA sequencing of the second region of the genome (XALB2) involved in albicidin production and mutated in mutant AM37.

The invention includes the characterization of the third region of the genome (XALB3) involved in albicidin production present in clone pALB639. These results allowed the possibility to characterize all enzymes of the albicidin biosynthesis pathway including structural, resistance and regulatory elements and to engineer overproduction of albicidin.

### **EXAMPLE 1: Materials and methods**

**Bacterial strains and plasmids.** The source of bacterial strains and their relevant characteristics are described in Table 1.

**Media, antibiotics, and culture conditions.** *X. albilineans* strains were routinely cultured on modified Wilbrink's (MW) medium at 30°C without benomyl (Rott *et al.*, 1994). For long-term storage, highly turbid distilled water suspensions of *X. albilineans* were supplemented with



glycerol to 15% (vol/vol) and frozen at  $-80^{\circ}\text{C}$ . For *X. albilineans*, MW medium was supplemented with the following antibiotics as required at the concentrations indicated: kanamycin, 10 or 25  $\mu\text{g/ml}$ ; and rifampicin, 50  $\mu\text{g/ml}$ . *E. coli* strains were grown on Luria-Bertani (LB) agar or in LB broth at  $37^{\circ}\text{C}$  and were maintained and stored according to standard protocols (Sambrook *et al.*, 1989). For *E. coli*, LB medium was supplemented with the following antibiotics as required at the concentrations indicated: kanamycin, 50  $\mu\text{g/ml}$ ; ampicillin, 50  $\mu\text{g/ml}$ .

**Bacterial conjugation.** DNA transfer between *E. coli* donor (DH5 $\alpha$ MCR/pAlb389 or pAC389.1, Table 1) and rifampicin-resistant *X. albilineans* recipients (*X.* strains AM10, AM12, AM13, AM36 and AM37, Table 1) was accomplished by triparental conjugation with plasmid pRK2073 as the helper as described previously (Rott *et al.*, 1996).

**Table 1 : Bacterial strains and plasmids used in this study**

	Relevant characteristics <sup>a</sup>	Reference or source
<b>Strains</b>		
<i>E. coli</i>		
DH5 $\alpha$	F-f80dlacZAM15 $\Delta$ (lacZYA-argF)U169 deoR recA1 endA1 hsdR17( $t_k^- m_k^+$ ) supE44 thi-1 gyrA96 relA1	Gibco-BRL
DH5 $\alpha$ MCR	DH5 $\alpha$ mcrA mcrBC mrr	"
<i>X. albilineans</i>		
Xa23	Wild type from sugarcane (Florida)	Rott <i>et al.</i> , 1996
Xa23R1	Spontaneous Rif <sup>r</sup> derivative of Xa23	"
15 AM strains	Xa23R1::Tn5-gusA, Km <sup>r</sup> , Rif <sup>r</sup> , Tox <sup>r</sup>	"
<b>Plasmids</b>		
PBR325	Tc <sup>r</sup> , Ap <sup>r</sup> , Cm <sup>r</sup>	Gibco-BRL
pBCKS (+)	Cm <sup>r</sup>	Stratagene
pBluescript II KS (+)	Ap <sup>r</sup>	"
PRK2073	PRK2013 derivative, Km <sup>r</sup> (npt::Tn7), Sp <sup>r</sup> , Tra <sup>+</sup> , helper plasmid	Leong <i>et al.</i> , 1982
pUFR043	IncW Mob <sup>+</sup> LacZ $\alpha$ , Gm <sup>r</sup> , Km <sup>r</sup> , Cos	De Feyter and Gabriel, 1991
pAlb540	47 kb insert from Xa23R1 in pUFR043, Gm <sup>r</sup> , Km <sup>r</sup>	Rott <i>et al.</i> , 1996
pAlb571	36.8 kb insert from Xa23R1 in pUFR043, Gm <sup>r</sup> , Km <sup>r</sup>	"
pAlb639	36 kb insert from Xa23R1 in pUFR043, Gm <sup>r</sup> , Km <sup>r</sup>	"

	pAM15.1	24 kb <i>EcoR</i> I fragment carrying Tn5 and flanking sequences of mutant AM15 in pBR325, Km <sup>r</sup> , Tc <sup>r</sup> , Ap <sup>r</sup> , Cm <sup>r</sup>	"
	pAM40.2	11 kb <i>EcoR</i> I fragment carrying Tn5 and flanking sequences of mutant AM40 in pBR325, Km <sup>r</sup> , Tc <sup>r</sup> , Ap <sup>r</sup> , Cm <sup>r</sup>	"
	pAM45.1	12 kb <i>EcoR</i> I fragment carrying Tn5 and flanking sequences of mutant AM45 in pBR325, Km <sup>r</sup> , Tc <sup>r</sup> , Ap <sup>r</sup> , Cm <sup>r</sup>	"
	pAM12.1	13 kb <i>EcoR</i> I fragment carrying Tn5 and flanking sequences of mutant AM12 in pBR325, Km <sup>r</sup> , Tc <sup>r</sup> , Ap <sup>r</sup> , Cm <sup>r</sup>	"
5	PAM36.2	9 kb <i>EcoR</i> I fragment carrying Tn5 and flanking sequences of mutant AM36 in pBR325, Km <sup>r</sup> , Tc <sup>r</sup> , Ap <sup>r</sup> , Cm <sup>r</sup>	"
	pAlb389	37 kb insert from Xa23R1 in pUFR043, Gm <sup>r</sup> , Km <sup>r</sup>	This study
	pAC389.1	2.9 kb insert from Xa23R1 in pUFR043, Gm <sup>r</sup> , Km <sup>r</sup>	"
	pAlb639A	9.4 kb insert from Xa23R1 in pUFR043, Gm <sup>r</sup> , Km <sup>r</sup>	"
	PEV639	2.6 kb <i>Sal</i> I insert from Xa23R1 in pUFR043, Gm <sup>r</sup> , Km <sup>r</sup>	"
10	pBC/A'	7.5 kb <i>Kpn</i> I fragment carrying a part of fragment A from pAlb571 in pBCKS (+), Cm <sup>r</sup>	"
	pBC/AF	15.2 kb <i>EcoR</i> I fragment carrying fragments A and F from pALB540 in pBCKS (+), Cm <sup>r</sup>	"
	pBC/B	11.0 kb <i>Kpn</i> I fragment B from pAlb571 in pBCKS (+), Cm <sup>r</sup>	"
	pBC/C	6.0 kb <i>Kpn</i> I fragment C from pAlb571 in pBCKS (+), Cm <sup>r</sup>	"
	pBC/E	2.8 kb <i>Kpn</i> I fragment E from pAlb571 in pBCKS (+), Cm <sup>r</sup>	"
15	pBC/F	2.5 kb <i>Kpn</i> I- <i>EcoR</i> I fragment F from pAlb571 in pBCKS (+), Cm <sup>r</sup>	"
	pBC/G	1.9 kb <i>EcoR</i> I fragment G from pAlb571 in pBCKS (+), Cm <sup>r</sup>	"
	pBC/I	1.4 kb <i>Kpn</i> I- <i>EcoR</i> I fragment I from pAlb571 in pBCKS (+), Cm <sup>r</sup>	"
	pBC/J	0.6 kb <i>EcoR</i> I fragment J from pALB540 in pBCKS (+), Cm <sup>r</sup>	"
	pBC/K	4.7 kb <i>EcoR</i> I fragment K from pALB540 in pBCKS (+), Cm <sup>r</sup>	"
20	pBC/L	0.4 kb <i>EcoR</i> I fragment L from pALB540 in pBCKS (+), Cm <sup>r</sup>	"
	pBC/N	7.7 kb <i>EcoR</i> I fragment N from pALB540 in pBCKS (+), Cm <sup>r</sup>	"
	pUFR043/D'	2.2 kb <i>EcoR</i> I- <i>Sau</i> 3A I fragment carrying a part of fragment D from pAlb571 in pUFR043	"
	pAM1	5 kb <i>EcoR</i> I fragment carrying Tn5 and flanking sequences of mutant AM1 in pBluescript II KS (+), Km <sup>r</sup> , Ap <sup>r</sup>	"
	pAM4	12 kb <i>EcoR</i> I fragment carrying Tn5 and flanking sequences of mutant AM4 in pBluescript II KS (+), Km <sup>r</sup> , Ap <sup>r</sup>	"
25	pAM7	6 kb <i>EcoR</i> I fragment carrying Tn5 and flanking sequences of mutant AM7 in pBluescript II KS (+), Km <sup>r</sup> , Ap <sup>r</sup>	"
	pAM10	7 kb <i>EcoR</i> I fragment carrying Tn5 and flanking sequences of	"

	mutant AM10 in pBluescript II KS (+), Km <sup>r</sup> , Ap <sup>r</sup>	
pAM29	10 kb <i>Eco</i> R I fragment carrying Tn5 and flanking sequences of mutant AM29 in pBluescript II KS (+), Km <sup>r</sup> , Ap <sup>r</sup>	"
pAM37	6 kb <i>Eco</i> R I fragment carrying Tn5 and flanking sequences of mutant AM37 in pBR325, Km <sup>r</sup> , Tc <sup>r</sup> , Ap <sup>r</sup> , Cm <sup>r</sup>	"
pAM52	5 kb <i>Eco</i> R I fragment carrying Tn5 and flanking sequences of mutant AM52 in pBluescript II KS (+), Km <sup>r</sup> , Ap <sup>r</sup>	"
<b>DNA Fragment</b>		
PR37	1.1 kb <i>Hind</i> III- <i>Hind</i> III from pAM37	"

\* Ap<sup>r</sup>, Cm<sup>r</sup>, Gm<sup>r</sup>, Km<sup>r</sup>, Rif<sup>r</sup>, Sp<sup>r</sup>, Tc<sup>r</sup>: resistant to ampicillin, chloramphenicol, gentamycin, kanamycin, rifampicin, spectinomycin, tetracycline, respectively. Tox<sup>-</sup>, deficient in albicidin production. Tn5-*gusA*, Tn5-*uidA*1 Km<sup>r</sup> Tc<sup>r</sup>, forms transcriptional fusions.

**Assay of albicidin production.** Albicidin production was tested by a microbiological assay as described previously (Rott *et al.*, 1996). Rifampicin and kanamycin exconjugants were spotted with sterile toothpicks (2-mm-diameter spots) onto plates of SPA medium (2% sucrose, 0.5% peptone, 1.5% agar) and incubated at 28°C for 2-5 days. The plates were then overlaid with a mixture of *E. coli* DH5α (10<sup>7</sup> cells in 2 ml of distilled water) plus 2 ml of molten 1.5% (wt/vol) Noble agar (Difco) at ca. 65°C and examined for inhibition zones after 24 h at 37°C.

**Nucleic acid manipulations.** Standard molecular techniques were used to manipulate DNA (Sambrook *et al.*, 1989) except for total genomic DNA preparation. Total genomic DNA for southern blot hybridization was prepared as described by Gabriel and De Feyter (1992).

**PCR Conditions.** PCR amplifications were performed in an automated thermal cycler PTC-100™ (MJ Research, Inc). The 25 µl PCR reaction mix consisted of 100 ng of genomic DNA or 1 ng of plasmid DNA, 2.5 µl of 10X PCR buffer without MgCl<sub>2</sub> (Eurobio), 80 µM dNTP mix, 2.5 units of EUROBIOTAQII® (Eurobio), 25 pmoles of each primer, 2.0 mM MgCl<sub>2</sub> (Eurobio) and sterilized distilled water to final volume. The PCR program was 95°C for 2 min, 25 cycles at 94°C for 1 min, T<sub>m</sub> for 1 min and 72°C for 1 min, with a final 72°C extension for 5 min. T<sub>m</sub> temperature was determined for each couple of primers and varied between 55°C and 60°C. A 5 µl aliquot of each amplified product was analyzed by electrophoresis through a 1% agarose gel. For sequencing, PCR products were cloned with the pGEM®-T Easy Vector System (Promega).

**Oligonucleotide synthesis.** Oligonucleotides were purchased from Genome Express (Grenoble or Montreuil, France).

5 **DNA sequencing.** Automated DNA sequencing was carried out on double-stranded DNA by the dideoxynucleotide chain termination (Sanger *et al.*, 1977) using a Dye Terminator Cycle Sequencing kit and an ABI Perkin-Elmer sequencer according to the manufacturer's procedure. Both DNA strands were sequenced with universal primers or with internal primers (20mers). This service was provided by Genome Express (Grenoble, France). Computer-aided sequence analyses were carried out using Sequence Navigator™ (Applied Biosystems, Inc) and SeqMan  
10 (DNASTAR Inc.) programs.

**Sequence analysis.** Nucleotide sequences were translated in all six reading frames using EditSeq (DNASTAR Inc.). Potential products of ORFs longer than 100 b were compared to protein data bases by the PSI-BLAST program (Swiss-Prot and Genbank) on the NCBI site  
15 (<http://www.ncbi.nlm.nih.gov/>) using Altschul program (Altschul *et al.*, 1997). The TERMINATOR program of the Genetics Computer Group was used to identify putative Rho-independent transcription terminators.

## 20 Procedures

### EXAMPLE 2: Sequencing of the double strand region of 55,839 bp from *X. albilineans* containing XALB1 SEQ ID NO. 1

In Figure 1 is presented a physical map and genetic organization of XALB1. In the figure, E and K are restriction endonuclease sites for *EcoRI* and *KpnI*, respectively. Rectangular  
25 boxes represent DNA fragments labeled A through N. The numbers below each rectangular box are the number of Tn5-*gus* insertion sites previously located in each DNA fragment (Rott *et al.*, 1996). The DNA inserts carried by plasmids pALB571 and pALB540 are represented by bold bars above the physical map. The location and direction of putative orfs identified in the XALB1 gene cluster are shown by arrows. Precise positions and proposed functions for individual orfs  
30 are summarized in tables 2 and 3, respectively. Position of insertional sites of eight albicidin-defective mutants determined by sequencing are indicated by vertical arrows. The location and direction of putative ORFS identified in the XALB1 gene cluster are shown by arrow shapes. These twenty putative ORFs are potentially organized in four or five operons, as

indicated at the bottom of the figure. Patterns indicate NRPS and PKS genes (diagonal crosshatch), methyl transferase and esterase genes (hollow rectangles), carbamoyl transferase gene (fine crosshatch), benzoate-derived products biosynthesis genes (white), regulatory genes (vertical lined), resistance genes (diagonal lines) and other genes with function of unknown significance to albicidin production (black), and three insertional sites of eight albicidin-defective mutants determined by sequencing are indicated by vertical arrows. Dotted regions in the physical map and in ORFs represent the two internal duplicated DNA regions of XALB1.

The sequence illustrated in Figure 1 was generated as follows. The sources of DNA are set out in Table 1. DNA fragments F, E, B, C, I, and G, generated by the digestion of cosmid pALB571 (Rott *et al.*, 1996) with *Eco*RI and/or *Kpn*I, were subcloned into pBCKS (+) and were sequenced from the resulting subclones, pBC/F, pBC/E, pBC/B, pBC/C, pBC/I and pBC/G. DNA fragment D' which corresponds to the part of fragment D present in cosmid pALB571 was sequenced from plasmid pUFR043/D' obtained following self ligation of the complete *Eco*RI digested cosmid pALB571. DNA fragment H was sequenced from pAM45.1 (Rott *et al.*, 1996), obtained following cloning into vector pBR325 of the 12kb *Eco*RI fragment carrying Tn5 and flanking sequences from mutant strain XaAM45. DNA fragment A' contains the part of fragment A present in cosmid pALB571 and was subcloned into vector pBCKS (+) and the resulting plasmid pBC/A' was used for sequencing. The presence of a large internal duplication made alignment of sequence data obtained from pBC/A' difficult. This difficulty was resolved using sequence data obtained from an additional plasmid, pAM4, obtained following cloning into vector pBluescript II KS (+) of the 12kb *Eco*RI fragment carrying Tn5 and flanking sequences from mutant strain XaAM4, which contains only one copy of the large internal duplication. Sequence data from pBC/A' were used to determine the first 1542 bp of fragment A' between nucleotides C-19001 and G-20543. Sequence data from pAM4 and pBC/A' were used to determine the last 4823bp of fragment A' between nucleotides G-21653 and G-26477. The overlapping region between nucleotides G-20469 and C-22159 was amplified by PCR from cosmid pALB571 using primers contig13-1160 (5'gcgtagcgtgtgtccagtagg3') SEQ ID NO. 48 and pAM4-14 (5'gctggaaccgagaatctga3') SEQ ID NO. 49, and was sequenced. Resulting sequence data were used to complete

sequencing of DNA fragment A'. The junctions A/F, F/H, H/E, E/B, B/C, C/I, I/G, G/D between corresponding DNA fragments were sequenced directly from cosmid pALB571. EcoRI DNA fragment containing fragments A and F was subcloned from pALB540 into pBCKS (+), and the resulting plasmid pBC/AF was used to determine the part of DNA  
5 fragment A which was not present in cosmid pALB571 between nucleotides G-13682 and G-19001. EcoRI DNA fragments J, K, L, N were subcloned from pALB540 into pBCKS (+) and were sequenced from resulting plasmid pBC/J, pBC/K, pBC/L, and pBC/N. The junctions L/K, K/J and J/A between corresponding DNA fragments were sequenced directly from cosmid pALB540. DNA region between nucleotides G-7517 and T-8721  
10 was amplified by PCR from cosmid pALB540 using primers E114 (5'gacacgatcagccgctagga3') SEQ ID NO. 50 and EI4-380 (5'accagcagttgggccagcct3') SEQ ID NO. 51 and was sequenced. Resulting sequence data were used to determine the sequence of fragment M and of junctions N/M and M/L. The nucleotide sequence of 55,839 bp containing the entire major gene cluster involved in Albicidin production was  
15 sequenced on both strands.

**EXAMPLE 3: Analysis of the large internal duplications in the DNA sequence of XALB1**

The sequence of the 55,839 bp genomic region (SEQ ID NO. 1) contains two  
20 large internal duplications as shown by the dotted regions in the physical map of Figure 1. A direct duplication of 1736 bp was located in DNA fragment A between nucleotides G-19904 and G-21639 and between nucleotides G-23057 and G-24792. Another direct duplication of a 2727 bp was found in DNA fragments B and C between nucleotides C-40410 and G-43136 and between nucleotides C-46644 and G-49370. Comparison of the  
25 two copies of each duplication revealed that the two copies of the 1736 bp duplication are identical except for one nucleotide at position 21058, and that the two copies of the 2727 bp duplication are 98.8% identical and differ by 30 nucleotides.

**EXAMPLE 4: Comparison of XALB1 with the *xabB* EcoRI fragment**

30 Comparison of the DNA sequence of the 55,839 bp genomic region described in this study with the partial DNA sequence of 16,511 bp of the same region in Huang et al.,

2001 (described by Huang et al. as an *EcoRI* fragment including full length *xabB* from *X. albilineans* strain Xa13 [GenBank accession N° AF239749]), revealed that the DNA sequence from strain Xa13 over 16,511 bp is identical to the sequence from strain Xa23R1, described herein, with the following exceptions: 1) five nucleotides are different at positions 42963, 42972, 42980, 43014 and 43071 of the XALB1 sequence, and 2) nucleotides from positions 43137 to 49370 are missing (internal to *albI*; refer Fig. 1). Analysis of genomic DNA of seven strains isolated from different countries (Australia, Reunion Island, Kenya, Zimbabwe and USA), digested by *KpnI* and hybridized with the pBC/C plasmid (Table 1) labeled with <sup>32</sup>P, revealed that two DNA fragments corresponding to the XALB1 fragments B and C were present in all strains (data not shown). This result indicated that all studied strains contain *albI* and not *xabB* because in *albI* the pBC/C plasmid probe hybridizes with the large internal duplication present in both DNA fragments B and C (Figure 1). Based on this observation we postulated that the DNA sequence of *XabB* reported as full length by Birch in PCT WO 02/24736 A1 (Their seq. ID#1) appears to be incomplete and missing 6,234 bp of DNA sequence encoding 2,078 amino acids.

#### EXAMPLE 5: Reading frame analysis in XALB1

Analysis of the 55,839 bp double strand region for coding sequences revealed the presence of 20 open reading frames (ORFs) designated *albI* to *albXX* (Table 2 below) which are distributed in four groups of genes according to their position and their orientation in the XALB1 cluster (Figure 1). Genes of each group may form part of the same operon as judged by their overlapping stop and start codons, or by the relatively short intergenic region which varies from 5 to 274 nucleotides. The 20 ORFs appear to be organized in four operons: operon 1 formed by *albI* - *albIV*; operon 2 by *albV* - *albIX*; operon 3 by *albX* - *albXVI*; operon 4 by *albXVII* - *albXX*. The majority of *alb* ORFs are initiated with an ATG codon, except *albI* and *albXVII* which are initiated with a TTG codon, and *albIV* and *albVI* which are initiated with a GTG start codon. In seven ORFs of XALB1, start codons are preceded by the consensus sequence GAGG which may correspond to the ribosome binding site. Other ORFs are preceded by a less conserved sequence which contain at least three nucleotides A or G and which may serve as a weak

ribosome binding site.

**EXAMPLE 6: Sequencing of the Tn5 insertional site of eight *tox*<sup>-</sup> mutants previously located in XALB1**

5 Eight of the 45 *X. albilineans* *Tox*<sup>-</sup> mutants complemented by cosmid pALB540 and/or cosmid pALB571 and previously described (Rott *et al.*, 1996) were further analyzed. All eight mutants contain a single Tn5 insertion and correspond to the following *X. albilineans* strains: XaAM7, XaAM15, XaAM45, and XaAM52 which are  
10 complemented by pALB571 but not by pALB540; XaAM4, XaAM29 and XaAM40 which are complemented by both cosmids; and XaAM1 which is complemented by pALB540 but not by pALB571. The Tn5 insertional site of each *Tox*<sup>-</sup> mutant was sequenced from plasmids obtained following cloning in pBR325 or in pBluescript II KS (+) of the EcoRI fragments carrying Tn5 and flanking sequence using the sequencing  
15 primer GUSN (5'tgccacaggccgtcgagt3') SEQ ID No. 52 that annealed 135 bp downstream from the insertional sequence IS50L of Tn5-*gusA*. The sequence of the Tn5 insertional site was compared with the 55,839 bp sequence containing XALB1 in order to determine the *alb* gene disrupted in each *Tox*<sup>-</sup> mutant. *albI* is disrupted by the Tn5 insertion in XaAM15 and XaAM45 at position 33443 and 34229, respectively (Figure 1). *albIV* is disrupted by the Tn5 insertion in XaAM7 and XaAM52 at position 53704 and  
20 53915, respectively. *albIX* is disrupted by the Tn5 insertion in XaAM4, XaAM29 and XaAM40 at position 21653, 23444 and 24376, respectively. *albXI* is disrupted by the Tn5 insertion in XaAM1 at position 13301. These results are in accordance with the previous characterization of *Tox*<sup>-</sup> mutants using Southern blot hybridization (Rott *et al.*, 1996), except for XaAM1. The Tn5-*gusA* insertion site of XaAM1 was previously located in  
25 DNA fragment A (Rott *et al.*, 1996) but results of this study showed that this site is located in DNA fragment J (Figure 1).

**Table 2: Analysis of putative translational signals and location of all putative orfs identified in the XALB1 gene cluster**



	Intergenic spacing between consecutive orfs in each putative operon	Orf	Potential RBS <sup>a</sup> (distance from start codon)	Start codon (position)	Stop codon (position)
5	Operon 1 (strand +)				
		<i>albI</i>	GAGGG (5 b)	TTG (30166)	TAG (50805)
	45 b	<i>albII</i>	GAGGG (5 b)	ATG (50851)	TAA (51882)
	ATG overlaps TAA	<i>albIII</i>	GAGGG (7 b)	ATG (51882)	TGA (52385)
10	GTG overlaps TGA	<i>albIV</i>	GAGG (7 b)	GTG (52382)	TAA (55207)
	Operon 2 (strand -)				
		<i>albV</i>	GGAGG (8 b)	ATG (29929)	TAA (29210)
	87 b	<i>albVI</i>	AAGG (4 b)	GTG (29122)	TGA (28262)
	61 b	<i>albVII</i>	GAG (4 b)	ATG (28200)	TAG (25903)
15	7 b	<i>albVIII</i>	AGGTG (4 b)	ATG (25895)	TAA (24903)
	20 b	<i>albIX</i>	GGTG (3 b)	ATG (24882)	TGA (19003)
	Operon 3 (strand -)				
		<i>albX</i>	GGGGG (8 b)	ATG (14497)	TGA (14246)
20	81 b	<i>albXI</i>	AGGAAA (6 b)	ATG (14164)	TGA (13217)
	5 b	<i>albXII</i>	GGCCTGA (5 b)	ATG (13211)	TAA (11856)
	36 b	<i>albXIII</i>	GGGG (3 b)	ATG (11819)	TAA' (10866)

12 b	<i>albXIV</i>	GGAG (8 b)	ATG (10853)	TAG (9363)
41 b	<i>albXV</i>	GGAA (6 b)	ATG (9321)	TAG (7567)
208 b	<i>albXVI</i>	GGAGG (4 b)	ATG (7358)	TAG (7092)
5 Operon 4 (strand +)				
	<i>albXVII</i>	GGGAGG (5 b)	TTG (14909)	TGA (17059)
274 b	<i>albXVIII</i>	GCTCAG (8 b)	ATG (17334)	TGA (17747)
Overlap (17 b)	<i>albXIX</i>	AGG (9 b)	ATG (17728)	TGA (18330)
41 b	<i>albXX</i>	GCAA (8 b)	ATG (18372)	TAG 18980)
10				

<sup>a</sup>: Ribosomal Binding Site

**EXAMPLE 7: Homology analysis of proteins potentially encoded by XALB1**

Preliminary functional assignments of individual ORFs were made by comparison of the deduced gene products with proteins of known functions in the Genbank database. The results are set out in Table 3 below. Among the ORFs identified from the sequenced XALB1 gene cluster, we found (i) four genes, *albI* SEQ ID No. 20, *albIV* SEQ ID No. 23, *albVII* SEQ ID No. 17 and *albIX* SEQ ID No. 15, encoding PKS and/or NRPS modules; (ii) one carbamoyl transferase gene, *albXV* SEQ ID No. 5; (iii) two esterase genes, *albXI* SEQ ID No. 9 and *albXIII* SEQ ID No. 7; (iv) two methyltransferase genes, *albII* SEQ ID No. 21 and *albVI* SEQ ID No. 18; (v) two benzoate-derived products biosynthesis genes, *albXVII* SEQ ID No. 11 and *albXX* SEQ ID No.14; (vi) two putative albicidin biosynthesis regulatory genes, *albIII* SEQ ID No. 22 and *albVIII* SEQ ID No. 16; (vii) two putative albicidin resistance genes, *albXIV* SEQ ID No. 6 and *albXIX* SEQ ID No. 13; and (viii) two additional ORFs encoding proteins similar to transposition proteins, *albV* SEQ ID No. 19 and *albXVI* SEQ ID No. 4. No known function was found in the database for *albX* SEQ ID No. 10 and *albXII* SEQ ID No. 8. The potential product of *albXVIII* SEQ ID No. 12

appeared to be a truncation of an enzyme with strong similarity to 4-amino-4-deoxychorismate lyase and branched-chain amino acid aminotransferase. Since the gene encoding the predicted product is roughly half the length of other such lyase or aminotransferase genes, *albXVIII* may be the result of a recombination event and may be non functional.

**Table 3: Deduced functions of the ORFs in the major albicidin biosynthetic cluster X-ALB1**

Orf	Number of amino acids	Sequence homolog	Proposed function
Operon 1			
<i>albI</i>	6879	XabB (AAK15074)	Polyketide- peptide synthase <u>PKS modules</u> <u>PKS domains</u> PKS-1            AL   ACP1 PKS-2            KS1 KR ACP2 ACP3 PKS-3            KS2 PCP1  <u>NRPS modules</u> <u>NRPS domains</u> NRPS-1          C   A   PCP2 NRPS-2          C <u>A</u> PCP3 NRPS-3          C   A   PCP4 NRPS-4          C
<i>albII</i>	343	XabC (AAK15075)	C-methyltransferase
<i>albIII</i>	167	ComAB (CAA71583)	Activator of <i>alb</i> genes transcription
<i>albIV</i>	941	MycA (T44806) WbpG (E83253)	Peptide synthase <u>NRPS module</u> <u>NRPS domains</u> NRPS-5            A   PCP5
Operon 2			
<i>albV</i>	239	Thp (AAK15074)	No function (transposition)
<i>albVI</i>	286	TcmP (AAA67510)	O-methyltransferase
<i>albVII</i>	765	HbaA (A58538)	4-hydroxybenzoate CoA ligase
<i>albVIII</i>	330	SyrP (AAB63253)	Regulation
<i>albIX</i>	1959	DhbF (CAB04779)	Peptide synthase <u>NRPS modules</u> <u>NRPS domains</u>

			NRPS-6 NRPS-7	A C	PCP6 A	PCP7
Operon 3						
<i>albX</i>	83	MbtH (O05821)	Unknown			
<i>albXI</i>	315	SyrC (U25130)	Thioesterase			
<i>albXII</i>	451	BoxB (AAK006000.1)	Unknown			
<i>albXIII</i>	317	hp <sup>d</sup> (AAK25001)	Esterase			
<i>albXIV</i>	496	ActII-2 (p46105)	Albicidin transporter			
<i>albXV</i>	584	hp <sup>d</sup> (08390)	Carbamoyl transferase			
<i>AlbXVI</i>	88	OrfA (AAC03166)	No function (transposition)			
Operon 4						
<i>albXVII</i>	716	PabAB (CAC22117)	Para-amino benzoate synthase			
Operon 5						
<i>albXVIII</i>	137	ADCL (AAG06352)	No function (not functional)			
<i>albXIX</i>	200	McbG (P05530)	Immunity against albicidin			
<i>albXX</i>	202	UbiC (S25660)	4-hydroxybenzoate synthetase			

<sup>a</sup>Protein accession numbers in Genbank are given in parentheses.

<sup>b</sup>NRPS and PKS domains are abbreviated as follows: A, adenylation; ACP, acyl carrier protein, AL, acyl CoA ligase; C, condensation; KR, ketoreductase; KS, ketoacyl synthase; PCP, peptidyl carrier protein

<sup>c</sup>Underlined domains are likely inactive due to the lack of highly conserved motifs.

<sup>d</sup>hypothetical protein

#### EXAMPLE 8: The *alb* PKS and/or NRPS genes

The potential product of *albI*, designated AlbI SEQ ID No. 20, is a protein of 6879 aa with a predicted size of 755.9 kDa. This protein is very similar to the potential product of the *xabB* gene from *X. albilineans* strain Xa13 from Australia (Huang *et al.*, 2001), but it differs in length and size (See Table 4 below). XabB is a protein of 4801 aa with a predicted size of 525.7 kDa. Comparison of AlbI with XabB revealed that the N-terminal regions from Met-1 to Ile-4325 of both proteins are identical except for five amino-acids which are Tyr-3941, Pro-3952, Ala-4054, Ala-4271 and Gln-4284 in AlbI and His-3941, Ala-3952, Val-4054, Val-4271 and Glu-4284 in XabB. The same comparison revealed that the AlbI C-terminal region from Arg-6404 to the stop codon is 100% identical to the XabB C-terminal region from Arg-4326 to the stop codon.

The N-terminal region (from Met-1 to Asp-3235) of AlbI is 100% identical to the corresponding region in XabB which was previously described as similar to many microbial modular PKS (Huang *et al.*, 2001). This PKS region may be divided into three modules (Figure 2). Abbreviations used in the Figure are: A, adenylation; ACP, acyl carrier protein; 5 AL, acyl-CoA ligase; C, condensation; KR,  $\beta$ -ketoacyl reductase; KS,  $\beta$ -ketoacyl synthase; NRPS, nonribosomal peptide synthase; PCP, peptidyl carrier protein; PKS, polyketide synthase; TE, thioesterase; HBCL, 4-hydroxybenzoate-CoA ligase. The question mark in the NRPS-2 domain indicates that this A domain is incomplete. The first module designated PKS-1 contains acyl-CoA ligase (AL) and acyl carrier protein (ACP1) domains. The second 10 module designated PKS-2 contains  $\beta$ -ketoacyl synthase (KS1) and  $\beta$ -ketoacyl reductase (KR) domains followed by two consecutive ACP domains (ACP2 and ACP3). The third module designated PKS-3 contains a KS domain (KS2) followed by a PCP domain (PCP1). Apart their very high similarity with XabB, these three PKS modules exhibited the highest degree of overall similarity with polyketide synthases SafB and PksM from *Myxococcus xanthus* and 15 *Bacillus subtilis*, respectively (Table 4). The motifs characteristic of these domains are 100% identical to those of XabB which were previously aligned with those from other organisms (Huang *et al.*, 2001). The AL domain contains the conserved adenylation core sequence (SGSSG) and the ATPase motif (TGD). The three ACP domains contain a 4'-phosphopantetheinyl-binding cofactor box GxDS(IL), except that A replaced G in ACP1. 20 Both KS domains contain motif GPxxxxxxCSxSL around the active site Cys, and two His residues downstream from the active site Cys, in motifs characteristic of these enzymes. The KR domain contains the NAD(P)H-binding site GGxGxLG.

The PKS part of AlbI is linked by the PCP1 domain to the four apparent nonribosomal peptide synthase modules designated NRPS-1, NRPS-2, NRPS-3 and NRPS-4 (Figure 2). 25 NRPS-1, NRPS-2 and NRPS-3 modules display the ordered condensation, adenylation (A) and PCP domains typical of such enzymes (Marahiel *et al.*, 1997), and NRPS-4 consists of an extra C domain which may correspond to an incomplete NRPS module. Known conserved sequences, characteristic of the domains commonly found in peptide synthases (Marahiel *et al.*, 1997), were compared to those from NRPS-1, NRPS-2, NRPS-3 and NRPS-4 (Tables 5, 6 30 and 7). Sequences characteristic of C, A, or PCP domains are conserved in these four NRPS, except in A domain of NRPS-2 module, suggesting that this latter A domain may be not functional. Comparison of the four NRPS modules among themselves revealed that NRPS-2, NRPS-3 and NRPS-4 modules were 30.7%, 94.4% and 47.5% similar to NRPS-1 module, respectively. Comparison with XabB revealed NRPS-2 and NRPS-3 modules were not present

in XabB which contains only NRPS-1 and NRPS-4 modules (Figure 2). The dotted box in Figure 2 corresponds to the apparent deletion of the NRPS-2 and NRPS-3 modules in XabB as compared to AlbI. Apart their very high similarity with XabB, Alb I NRPS modules exhibited the highest degree of overall similarity with non-ribosomal peptide synthases NosA and NosC from *Nostoc* sp..

*albIV* potentially encodes a protein of 941 aa (AlbIV) with a predicted size of 104.8 kDa. AlbIV is similar to several non-ribosomal peptide synthases such as the BA3 peptide synthase involved in bacitracin biosynthesis in *Bacillus licheniformis* (Table 4). AlbIV forms one NRPS module designated NRPS-5 that contains only an A domain and a PCP domain (Figure 2). Sequences characteristic of the domains A and PCP commonly found in peptide synthases (Marahiel *et al.*, 1997) are conserved in AlbIV (Tables 6 and 7). However the A domain present in AlbIV differs from A domains commonly found in peptide synthases: conserved sequences corresponding to cores A8 and A9 in AlbIV are separated by a very long peptide sequence of 390 amino-acids. This additional peptide sequence exhibits a significant similarity with the protein WbpG of 377 amino acids involved in the biosynthesis of a lipopolysaccharide in *Pseudomonas aeruginosa* (Table 4).

*albVII* potentially encodes a protein of 765 aa (AlbVII) with a predicted size of 83.0 kDa similar to the 4-hydroxybenzoate-CoA ligase from several bacteria and the closest protein (HbaA) was from *Rhodopseudomonas palustris* (Table 4). High similarity between AlbVII and HbaA suggests that AlbVII is a 4-hydroxybenzoate-CoA ligase and constitutes a fourth PKS module designed PKS-4. The size of HbaA is smaller (539 aa) and the similarity between the two proteins starts only at the residue 277 of AlbVII and at the residue 28 of HbaA. Comparison of AlbVII sequence located upstream from residue 277 produced no significant alignment. AlbVII, like 4-hydroxybenzoate-CoA ligases, contains some conserved sequences characteristic of the A domain commonly found in peptide synthases (Table 6).

*albIX* potentially encodes a protein of 1959 aa (AlbIX) with a predicted size of 218.4 kDa similar to non-ribosomal peptide synthases. Known conserved sequences, characteristic of the domains commonly found in peptide synthases (Marahiel *et al.*, 1997), were compared with those from AlbIX which forms two NRPS modules designated NRPS-6 and NRPS-7 (Tables 5, 6 and 7). NRPS-6 contains only one A and one PCP domain. NRPS-7 contains the three domains characteristic of NRPS modules (A-C-PCP) followed by a TE domain (Figure 2). Apart their very high similarity with XabB, NRPS-6 and NRPS-7 modules exhibited the highest degree of overall similarity and identity with non-ribosomal peptide synthases Dhbf from *B. subtilis* and NosA from *Nostoc* sp. (Table 4).



Table 4 : Summary of results obtained from BLAST analyses.

Putative Alb protein	No. of aa residues	Protein homolog	Origin	Genbank accession #	Score	Expect	Identities	Positives	Gaps
AlbI	6879								
PKS-1		XabB (4801 aa) SafB (1770 aa)	<i>Xanthomonas albilineans</i> <i>Mycococcus xanthus</i>	AAK15074 AAC44128	1352 bits (3498) 231 bits (589)	0.0 2e-59	730/730 (100%) 175/532 (32%)	730/730 (100%) 269/532 (49%)	23/532 (4%)
PKS-2		XabB (4801 aa) PksM (4273 aa)	<i>X. albilineans</i> <i>Bacillus subtilis</i>	AAK15074 CAB13603	3464 bits (8983) 887 bits (2292)	0.0 0.0	1882/1882 (100%) 626/1896 (33%)	1882/1882 (100%) 938/1896 (49%)	140/1896=7%
PKS-3		XabB (4801 aa) PksM (4273 aa)	<i>X. albilineans</i> <i>B. subtilis</i>	AAK15074 CAB13603	1274 bits (3296) 577 bits (1486)	0.0 e-163	653/653 (100%) 293/584 (50%)	653/653 (100%) 391/584 (66%)	17/584 (2%)
NRPS-1		XabB (4801 aa) NosA (4379 aa)	<i>X. albilineans</i> <i>Nostoc</i> sp	AAK15074 AF204805	1934 bits (5010) 618 bits (1594)	0.0 e-176	1035/1046 (99%) 398/1104 (36%)	1039/1046 (99%) 586/1104 (53%)	86/1104 (7%)
NRPS-2		NosA (4379 aa) Peptide synthase (5060 aa)	<i>Nostoc</i> sp <i>Anabaena</i> sp	AF204805 CAC01604	416 bits (1069) 402 bits (1034)	e-115 e-111	337/1127 (29%) 315/1073 (29%)	496/1127 (43%) 479/1073 (44%)	128/1127 (11%) 114/1073 (10%)
NRPS-3		XabB (4801 aa) NosA (4379 aa)	<i>X. albilineans</i> <i>Nostoc</i> sp.	AAK15074 AF204805	1847 bits (4784) 610 bits (1573)	0.0 e-173	997/1044 (95%) 392/1069 (36%)	1007/1044 (96%) 571/1069 (52%)	86/1069 (8%)



NRPS-4		XabB (4801 aa) NosC (3317 aa)	<i>X. albilineans</i> <i>Nostoc sp</i>	AAK15074 AAF17280	889 bits (2297) 240 bits (613)	0.0 2e-62	468/468 (100%) 156/438 (35%)	468/468 (100%) 229/438 (51%)	20/438 (4%)
AlbII	343	XabC (343 aa) MtmMII (326 aa) TcmO (339 aa)	<i>X. albilineans</i> <i>Streptomyces argillaceus</i> <i>S. glaucescens</i>	AAK15075 AAD55584 P39896	633 bits (1633) 144 bits (361) 81.7 bits (199)	0.0 1e-34 1e-14	343/343 (100%) 98/323 (30%) 79/314 (25%)	343/343 (100%) 154/323 (47%) 140/314 (44%)	4/323 (1%) 12/314 (3%)
AlbIII	167	comA operon protein 2 (136 aa) ComAB (116 aa)	<i>E. coli</i> <i>Bacillus licheniformis</i>	AAC74756 CAA71583	133 bits (335) 97.6 bits (242)	1e-30 8e-20	68/135 (50%) 53/111 (47%)	89/135 (65%) 68/111 (60%)	1/111 (0%)
AlbIV	941								
PKS-4		BA3 (6359 aa) WbpG (377 aa)	<i>B. licheniformis</i> <i>Pseudomonas aeruginosa</i>	AAC06348 E83253	361 bits (926) 81.6 bits (200)	2e-98 4e-15	190/441 (43%) 44/119 (36%)	267/441 (60%) 70/119 (57%)	14/441 (3%) 4/119 (3%)
AlbV	239	Thp (240 aa) IS transposase (260 aa)	<i>X. albilineans</i> <i>Yersinia pestis</i>	nd AAC82714	nd 160 bits (404)	0.0 1e-38	240/240 (100%) 87/183 (47%)	240/240 (100%) 122/183 (66%)	2/183 (1%)

AlbVI	286	Hypothetical protein TcmP (276 aa)	<i>Mycobacterium tuberculosis</i> <i>Pasteurella multocida</i> Rhodospseudomonas palustris	AAK46042 AAK03406	138 bits (347) 36.6 bits (83)	6e-32 0.24	92/224 (41%) 32/132 (28%)	125/224 (55%) 65/132 (49%)	18/224 (8%) 29/197 (6%)
AlbVII	765	4-hydroxybenzoate- CoA ligase (539 aa)	<i>S. verticillus</i> Pseudomonas syringae	AAA62604 AF210249 AAB63253	203 bits (513) 245 bits (619) 182 bits (458)	5e-51 6e-64 5e-45	156/492 (31%) 130/309 (42%) 106/306 (34%)	242/492 (48%) 182/309 (58%) 155/306 (50%)	31/492 (6%) 2/309 (0%) 4/306 (1%)
AlbVIII	330	SyrP Like (339 aa) SyrP (353 aa)							
AlbIX	1959								

NRPS-6	XabB (4801 aa) DhbF (1278 aa)	<i>X. albilineans</i>	AAK15074	481 bits (1239)	e-135	286/608 (47%)	374/608 (61%)	23/208 (3%) 21/608 (3%)
NRPS-7	XabB (4801 aa) NosA (4379 aa)	<i>X. albilineans</i> <i>Nostoc</i> sp.	CAB15186 AAK15074 AF204805	354 bits (908) 874 bits (2258) 551 bits (1420)	1e-96 0.0 e-155	222/608 (36%) 515/1110 (46%) 388/1148 (33%)	341/608 (55%) 682/1110 (61%) 583/1148 (49%)	52/1110 (4%) 84/1148 (7%)
AlbX	Hypothetical protein (72 aa) MbtH (71 aa)	<i>P. aeruginosa</i> <i>M. tuberculosis</i>	AAG05800 CAB08480	75.6 bits (185) 59 bits (142)	1e-13 9e-09	34/61 (55%) 25/55 (45%)	44/61 (71%) 37/55 (66%)	- -
AlbXI	SyrC (433 aa) Hydrolase (261 aa)	<i>P. syringae</i> <i>S. coelicolor</i>	AA85161 CAA16200	34.4 bits (78) 34 bits (77)	1.9 2.9	23/93 (24%) 19/60 (31%)	40/93 (42%) 30/60 (49%)	- -
AlbXII	BoxB (473 aa)	<i>Azoarcus evansii</i>	AAK00599	293 bits (751)	3e-78	174/448 (38%)	243/448 (53%)	12/448 (2%)
AlbXIII	Hypothetical protein (335 aa) Plasma PAF acetylhydrolase (444 aa)	<i>Caulobacter crescentus</i> <i>Canis familiaris</i>	AAK25001 AAC48484	99.5 bits (247) 37.5 bits (86)	5e-200	88/296 (29%) 43/156	125/296 (41%) 56/156	5/296 (1%) 44/156 (28%)
AlbXIV	Putative transmembrane efflux protein (505 aa) AlbF, putative albicidin efflux pump (496 aa)	<i>S. coelicolor</i> <i>X. albilineans</i>	CAB90983 AF403709	225 bits (574) 736 bits (1900)	0	154/465 (33%) 496/496 (100%)	240/465 (51%) 496/496 (100%)	8/465 (1%) -
AlbXV	Probable carbamoyl transferase (585 aa) BlmD (545 aa)	<i>P. aeruginosa</i> <i>S. verticillius</i>	AAG08390 AAG02370	201 bits (513) 192 bits (506)	1e-50 1e-47	158/458 (34%) 149/441 (33%)	222/458 (47%) 209/441 (46%)	39/458 (8%) 33/441 (7%)

AlbXVI	88	Transposase (363 aa) Transposase OrfA (88 aa)	<i>X. axonopodis</i> <i>Desulfovibrio vulgaris</i>	AF263433 AAC03166	64.8 bits (157) 61.0 bits (147)	2e-10 3e-09	27/45 (60%) 29/54 (53%)	40/45 (88%) 38/54 (69%)	- -
AlbXVII	716	Para-aminobenzoate synthase (723 aa)	<i>Streptomyces griseus</i>	CAC22117	503 bits (1295)	e-141	302/699 (43%)	409/699 (58%)	36/699 (5%)
AlbXVIII	137	4-amino-4-deoxychorismate lyase (271 aa)	<i>P. aeruginosa</i>	AAG06352	81.4 bits (200)	4e-15	46/105 (43%)	65/105 (61%)	-
AlbXIX	200	McbG (187 aa)	<i>E. coli</i>	CAA30724	60.5 bits (145)	9e-09	36/141 (25%)	58/141 (40%)	5/141 (3%)
AlbXX	202	4-hydroxybenzoate synthase (202 aa)	<i>E. coli</i>	AAC77009	45.6 bits (107)	5e-04	42/161 (26%)	21/161 (13%)	-
AlbXXI	278	XabA (278aa)	<i>X. albilineans</i>	AAG28384	430 bits (1106)	0	278/278 (100%)	278/278 (100%)	-
AlbXXII	634	Heat shock protein HspG (634) Heat shock protein HspG (624)	<i>P. aeruginosa</i> <i>E. coli</i>	AAG04985 AAC73575	1051 bits (2688) 743 bits (1899)	0 0	523/634 (82%) 376/624 (60%)	588/634 (92%) 476/624 (76%)	- 4/624 (0%)

**Table 5 : Comparison of conserved sequences in C domains of peptide synthetases and in putative C domains of the Alb modules**

	Core	Sequences conserved in peptide synthetases*	Sequence	Alb module
5	C1	SxAQxR (L/M) (W/Y) xL	TYAQERLWLV STAQERMWFL SYAQERLWLV SLFQERLWLV SYQQERLWLV	NRPS-1 NRPS-2 NRPS-3 NRPS-4 NRPS-7
10	C2	RHExLRTxF	RHEVLRTF RHAVLRTHF RHEILRTF RHETLRTRI	NRPS-1 and NRPS-3 NRPS-2 NRPS-4 NRPS-7
15	C3	MHHxISDG (W/V) S	IHHIISDGWS IHHIVFDGWS MHHLIYDAWS MHHIICDGWS	NRPS-1 and NRPS-3 NRPS-2 NRPS-4 NRPS-7
20	C4	YxD (F/Y) AVW	YADYALW YADYARW YADYAIW YADYATW	NRPS-1 and NRPS-3 NRPS-2 NRPS-4 NRPS-7
25	C5	(I/V) Gx FVNT (Q/L) (C/A) xR	IGFFINILPLR IGLFVNTLAVR IGFFVNILAVR	NRPS-1, NRPS-3 and NRPS-4 NRPS-2 NRPS-7
30	C6	(H/N) QD (Y/V) PFE	HQSVPFPE HQDVPFE NQALPFE HRALPFE	NRPS-1 and NRPS-3 NRPS-2 NRPS-4 NRPS-7
35	C7	RDxSRNPL	RDSSQIPL RDTARNPL RDTSRIPPL RDSSQIPL	NRPS-1 and NRPS-3 NRPS-2 NRPS-4 NRPS-7

\*Sourced from Marahiel *et al.*, 1997

40 **Table 6 : Comparison of conserved sequences in A domains of peptide synthetases and in putative A domains of the Alb modules**

	Core	Sequences conserved in peptide synthetases*	Sequence	Alb module
45	A1	L (T/S) YxEL	WSYAQL LSYAQL MSYGQL FSYRQL LSYAQL	NRPS-1 and NRPS-3 NRPS-2 NRPS-5 PKS-4 NRPS-6 and NRPS-7
50	A2	LKAGxAYL (V/L) P (L/I) D	FKAGACYVPID SLCGAASVLID MKAGAAAYVPID LAGGLVFAPIN LKAGGCYVPLD	NRPS-1 and NRPS-3 NRPS-2 NRPS-5 PKS-4 NRPS-6 and NRPS-7
55	A3	LAYxxYTSG (S/T) TGxPKG	LACVMVTSGSTGRPKG ?TRTIMVESGSLSSRL? PVYCIYTSGSTGSPKG PAVMICTSGSTGTPKA LAYVMYTSGSTGRPKG	NRPS-1 and NRPS-3 NRPS-2 NRPS-5 PKS-4 NRPS-6 et NRPS-7
60	A4	FDxS	FAVS FDAA FDLT FAYG FAIS	NRPS-1 and NRPS-3 NRPS-2 NRPS-5 PKS-4 NRPS-6 and NRPS-7
65				
70	A5	NxYGPTE	NNYGCTE ?AAYGNAE? NEYGPTE DGIGCTE	NRPS-1 and NRPS-3 NRPS-2 NRPS-5 PKS-4

		YIYGCTE	NRPS-6 and NRPS-7
5	A6 GELxIxGxG (V/L) ARGYL	GELHVHSGVMARGYW np GQIHIGGAGVAIGYV GSLWVRGNTLTRGYV GEVHIESLGITHGYW	NRPS-1 and NRPS-3 NRPS-2 NRPS-5 PKS-4 NRPS-6 and NRPS-7
10	A7 Y (R/K) TGD L	YKTGDM ?YKTDAL? YASGDL ?FDTRDL? YRTGDM	NRPS-1 and NRPS-3 NRPS-2 NRPS-5 PKS-4 NRPS-6 and NRPS-7
15	A8 GRxDxQVKIRGxRIELGEIE	GRQDFEVKVRGHRVDTRQVE ?GSLDVQSRIDDPRIDLCVVE? GRKDSQIKLRGYRIELGEIE ?GRMGSAIKINGCWLSPETLE? GRRDYEYKVRGYRVDVRQVE	NRPS-1 and NRPS-3 NRPS-2 NRPS-5 PKS-4 NRPS-6 and NRPS-7
20	A9 LPxYM (I/V) P	LPTYMLP ?LPDYLLP? LPEYMLP ?LGKHHYP? LPTYMLP	NRPS-1 and NRPS-3 NRPS-2 NRPS-5 PKS-4 NRPS-6 and NRPS-7
25	A10 NGK (V/L) DR	NGKLDR ?HGRVDL? NGKVNR ?SGKVIR? NGKLDT	NRPS-1 and NRPS-3 NRPS-2 NRPS-5 PKS-4 NRPS-6 and NRPS-7

30 \*Sourced from Marahiel *et al.*, 1997

?: non conserved sequences

np: not present

**Table 7 : Comparison of conserved sequences in PCP and TE domains of peptide synthetases and in putative PCP and TE domains of the Alb modules**

	Domain	Sequences conserved in peptide synthetases*	Sequence	Alb module (domain)
5	PCP	DxFFxLGG (H/D) S (L/I)	D-FFAVGGHSLV	PKS-3 (PCP1)
			DNFFALGGHSLS	NRPS-1 and NRPS-3 (PCP2 and PCP4)
10			DNFFELGGHSLV	NRPS-2 (PCP3)
			DNFFELGGHSLS	NRPS-5 (PCP5)
15			DNFFNLGGHSLL	NRPS-6 and NRPS-7 (PCP6 and PCP7)
	TE	G (H/Y) SxG	GWSSG	NRPS-7
20	*Sourced from Marahiel <i>et al.</i> , 1997			

**EXAMPLE 9: The alb carbamoyl transferase gene**

*albXV* potentially encodes a protein of 584 aa with a predicted size of 65.2 kDa. This protein, AlbXV, is similar to BlmD, a carbamoyl transferase involved in bleomycin biosynthesis in *Streptomyces vertillus* (Du *et al.*, 2000), and to a probable carbamoyl transferase potentially expressed in *P. aeruginosa* (Table 4). High similarity of AlbXV with these proteins suggests that AlbXV is a carbamoyl transferase.

**EXAMPLE 10: The alb esterase genes**

*albXI* potentially encodes a protein of 315 aa with a predicted size of 35.9 kDa. This protein, AlbXI, exhibits low similarity to SyrC, a putative thioesterase involved in syringomycin biosynthesis by *Pseudomonas syringae* (Zhang *et al.*, 1995), and to a potential hydrolase encoded by *Streptomyces coelicolor* (Table 4). Precise function of SyrC remains unknown but SyrC is similar to a number of thioesterases, including fatty acid thioesterases,



haloperoxidases, and acyltransferases that contain a characteristic GxCxG motif. The corresponding SyrC domain GICAG is conserved in AlbXI which contains the sequence GWCQA, except that A replaces the last G, suggesting that AlbXI may be an esterase despite its low overall similarity with SyrC.

5        *albXIII* potentially encodes a protein of 317 aa with a predicted size of 34.5 kDa. This protein, AlbXIII, is similar to hypothetical proteins with unknown function from several bacteria including *Caulobacter crescentus* (Table 4). AlbXIII and these hypothetical proteins contain a GxSxG motif characteristic of serine esterases and thioesterases, the corresponding sequence in AlbXIII being GHSVG. In addition, AlbXIII presents a similarity with the 2-acetyl-1-alkylglycerophosphocholine esterase which hydrolyzes the platelet-activating factor  
10        in *Canis familiaris* (Table 4), suggesting that AlbXIII is an esterase.

#### EXAMPLE 11:        The alb methyltransferase genes

15        *albII* potentially encodes a protein of 343 aa (AlbII) with a predicted size of 37.7 kDa. *albII* is 100% identical to the *xabC* cistron, previously described as encoding an *O*-methyltransferase downstream *xabB* (Huang *et al.*, 2000a). This conclusion is based on the similarity of XabC with a family of methyltransferases that utilize S-adenosyl-L-methionine (SAM) as a co-substrate for *O*-methylation including TcmO protein from *Streptomyces glaucescens* (Huang *et al.*, 2000a). AlbII contains three highly conserved motifs of SAM-dependent methyltransferases, including the motif I involved in SAM binding (Figure 3). In the Figure, identical or similar amino acids (A=G ; D=E ; I=L=V) are shown in bold. Numbers indicate the position of the amino acid from the N-terminus of the protein. Abbreviations used in the Figure are: Sgl-TcmO and Sgl-TcmN, multifunctional cyclase-hydratase-3-*O*-Mtase and tetracenomycin polyketide synthesis 8-*O*-Mtase of *Streptomyces glaucescens*, respectively (accession number: M80674); Smy-MdmC, midecamycin-*O*-Mtase of *Streptomyces mycarofaciens* (accession number: M93958); Mxa-SafC, Saframycin *O*-Mtase of *Myxococcus xanthus* (accession number: U24657); Ser-EryG, erythromycin biosynthesis *O*-Mtase of *Saccharopolyspora erythraea* (accession number: S18533); Spe-DauK, carminomycin 4-*O*-Mtase of *Streptomyces peucetius* (accession number: L13453); Sal-DmpM, *O*-demethylpuromycin-*O*-Mtase of *Streptomyces alboniger* (accession number: M74560); Shy-RapM, rapamycin *O*-Mtase of *Streptomyces hygroscopicus* (accession number: X86780); Sav-AveD, avermectin B 5-*O*-Mtase of *Streptomyces avermitilis* (accession number: G5921167), Sar-Cmet, mithramycin C-methyltransferase of *Streptomyces argillaceus* (accession number: AF077869); AlbII, putative albicidin biosynthesis C-  
20         
25         
30

Methyltransferase of *Xanthomonas albilineans* (SEQ ID No. 27) ; identical to XabC, accession number: AF239749).

Comparison of AlbII with the Genbank database revealed that AlbII, besides 100% identity to XabC, exhibited the highest degree of overall identity with MtmMII, a C-methyltransferase from *Streptomyces argillaceus* (Table 4) involved in C-methylation of the polyketide chain for mithramycin biosynthesis, suggesting that AlbII is a C-methyltransferase. XabC was not compared by Birch and co-workers with MtmMII (Huang *et al.*, 2000a) because the MtmMII sequence was not available until recently in the Genbank database. The three highly conserved motifs in SAM methyltransferases are also present in MtmMII (Figure 3), suggesting that AlbII is a C-methyltransferase SAM-dependent.

*albVI* potentially encodes a protein of 286 aa (AlbVI) with a predicted size of 32.1 kDa similar to several hypothetical protein from *Mycobacterium tuberculosis* (Genbank accessions n° AAK46042, AAK48238, AAK44517, AAK46218) and from *S. coelicolor* (Genbank accession n° CAC03631). AlbVI is also similar to the tetracenomycin C synthesis protein (TcmP) of *Pasteurella multocida* (Table 4). Four highly conserved motifs in TcmP and other O-methyltransferases are also present in AlbVI (Figure 4), suggesting that AlbVI is an O-methyltransferase. In the Figure, identical or similar aa (A=G ; D=E ; I=L=V ; K=R) are shown in bold. Numbers indicate the position of aa from the N-terminus of the protein. Abbreviations used in the Figure are: Sgl-tcmP, tetracenomycin C synthesis protein of *Streptomyces glaucescens* (accession number: C47127); Sme-PKS, putative polyketide synthase of *Sinorhizobium meliloti* (accession number: AAK65734); Pmu-tcmP: tetracenomycin C synthesis protein of *Pasteurella multocida* (accession number: AAK03406); Mtu-Omt: putative O-methyltransferase of *Mycobacterium tuberculosis* (accession number: AAK45444); Mlo-Hp: hypothetical protein containing similarity to O-methyltransferase of *Mesorhizobium loti* (accession number: BAB50127); Mtu-Hp1: hypothetical protein of *Mycobacterium tuberculosis* (accession number: AAK46042); Mtu-Hp2: hypothetical protein of *Mycobacterium tuberculosis* (accession number: AAK48238); Mtu-Hp3: hypothetical protein of *Mycobacterium tuberculosis* (accession number: AAK44517); AAK46218); Sco-Hp: hypothetical protein of *Streptomyces coelicolor* (accession number: CAC03631); AlbVI, putative albicidin biosynthesis O-Methyltransferase of *Xanthomonas albilineans* (this study). The three highly conserved motifs in SAM methyltransferases are not present in AlbVI, indicating that SAM is not a co-substrate of AlbVI.

**EXAMPLE 12: The alb derived-benzoate products biosynthesis genes**

*albXVII* potentially encodes a protein of 716 aa with a predicted size of 79.8 kDa. This protein, AlbXVII, is very similar to the para-aminobenzoate (PABA) synthase from *Streptomyces griseus* (Table 4). This enzyme is required for the production of the antibiotic candicidin (Criado *et al.*, 1993).

*albXVIII* potentially encodes a protein of 137 aa with a predicted size of 15.0 kDa. This protein, AlbXVIII, is similar to the 4-amino-4-deoxychorismate lyase (ADCL) from *P. aeruginosa* (Table 4). The function of ADCL is to convert 4-amino-4-deoxychorismate into PABA and pyruvate. The length of AlbXVIII is smaller (Table 4) than the length of ADCL and the similarity of AlbXVIII with this protein starts only at residues 161. *albXVIII* is preceded by a small ORF encoding a sequence of 59 aa similar to the first 42 amino acids of ADCL from *P. aeruginosa*. These data suggest that *albXVIII* is probably a truncated form of ADCL and probably not functional. *albXVIII* may, therefore, not be involved in albicidin biosynthesis. The region between *albXVII* and *albXVIII* was amplified by PCR from total DNA of *X. albilineans* Xa23R1 strain using primers ORFW (5'gcgagaggacaagctgctgc3') SEQ ID No. 53 and ORFY (5'cggtgaggatgcagcgctcg3') SEQ ID No. 54 and was sequenced. Resulting sequence data showed that the sequence of the PCR fragment was 100% identical to the sequence of pALB540, indicating that the recombination of *albXVIII* did not occur during cloning of the genomic fragment in pALB540.

*albXX* potentially encodes a protein of 202 aa with a predicted size of 22.6 kDa. This protein AlbXX is similar to the 4-hydroxybenzoate synthase potentially involved in ubiquinone biosynthesis by *Escherichia coli* (Siebert *et al.*, 1992).

**EXAMPLE 13: The alb regulatory genes**

*albIII* potentially encodes a protein of 167 amino acids with a predicted size of 17.8 kDa that is similar to the transcription factors ComA of different bacteria such as *E. coli* and *B. licheniformis* (Table 4). ComA transcription factors appear to be involved in regulation of antibiotic production in bacteria. In *E. coli*, a gene similar to *comA* is present in the enterobactin biosynthesis gene cluster (Liu *et al.*, 1989). In *B. subtilis*, ComAB was described as a probable positive activator of lichenysin synthetase transcription (Yakimov *et al.*, 1998) and a gene similar to *comA* was shown to be essential for bacilysin biosynthesis (Yazgan *et al.*, 2001). These data suggest that AlbIII regulates transcription of genes involved in albicidin biosynthesis.

*albVIII* potentially encodes a protein of 330 aa with a predicted size of 37.7 kDa. This

protein, AlbVIII, is very similar to the SyrP like protein from *S. verticillus* and to SyrP protein from *P. syringae* (Table 4). SyrP participates in a phosphorylation cascade controlling syringomycin synthesis (Zhang *et al.*, 1997) and the *syrP* like gene was described in the *S. verticillus* bleomycin biosynthetic gene cluster (Du *et al.*, 2000). These data suggest that AlbVIII regulates albicidin biosynthesis in *X. albilineans*.

#### EXAMPLE 14: The alb resistance genes

*albXIV* potentially encodes a protein of 496 aa with a predicted size of 52.7 kDa. This protein, AlbXIV, is 100% identical to AlbF isolated from *X. albilineans* strain Xa13 (GenBank Accession AF403709; direct submission by Bostock and Birch and described as "a putative albicidin efflux pump which confers resistance to albicidin in *E. coli*"'). AlbXIV and AlbF are closely related to a family of transmembrane transporters involved in antibiotic export and antibiotic resistance in many antibiotic-producing organisms. AlbXIV and AlbF exhibited the highest degree of overall identity with the putative transmembrane efflux protein from *S. coelicolor* (Table 4). These data suggest that AlbXIV and AlbF may be involved in albicidin resistance by transporting the toxin out of the bacterial cells that produce it. Alternatively, AlbXIV and AlbF may simply play a role in antibiotic secretion and/or plant pathogenesis to effect the transport of albicidin outside of producing cells.

*albXIX* potentially encodes a protein of 200 aa with a predicted size of 22.8 kDa. This protein, AlbXIX, is similar to the McbG protein from *E. coli* (Table 4). In *Enterobacteriae*, the McbG protein, together with two other proteins (McbE and McbF), was shown to cause immunity to the peptide antibiotic microcin B17 which inhibits DNA replication by induction of the SOS repair system (Garrido *et al.*, 1988). McbE and McbF proteins serve as a pump for the export of the active antibiotic from the cytoplasm, whereas a McbG alone also provides some protection: a well-characterized deficient-immunity phenotype is exhibited by microcin B17-producing cells in the absence of the immunity gene *mcbG* (Garrido *et al.*, 1988). The significant similarity between AlbXIX and McbG, together with the fact that albicidin also blocks DNA replication (Birch and Patil, 1985a) suggests that AlbXIX confers immunity against albicidin in *X. albilineans*.

#### EXAMPLE 15: Transposition proteins

*albV* is 100% identical to the *thp* gene described in a divergent position upstream from *xabB* (Huang *et al.*, 2000a). The *thp* gene potentially encodes a protein of 239 aa displaying significant similarity to the IS21-like transposition helper proteins. In *X. albilineans* strain

LS155 from Australia, insertional mutagenesis of *thp* blocked albicidin production, but *trans*-complementation failed, indicating the involvement in albicidin production of a downstream gene in the *thp* operon (Huang *et al.*, 2000a).

5 *albXVI* potentially encodes a protein of 88 aa with a predicted size of 9.8 kDa similar to the transposases from several bacteria such as *Xanthomonas axonopodis* or *Desulfovibrio vulgaris* (Table 4).

The presence of transposition proteins in the XALB1 cluster is probably a remnant from a past transposition event that may have contributed to the development of the albicidin XALB1 cluster.

10

#### EXAMPLE 16: Unknown functions

*AlbX* potentially encodes a protein of 83 aa with a predicted size of 9.4 kDa. This protein, AlbX, is similar to an hypothetical protein from *P. aeruginosa* and to the MbtH protein from *Mycobacterium tuberculosis*. MbtH is a protein with unknown function found in the mycobactin gene cluster (Quadri *et al.*, 1998). A MbtH-like protein with unknown function was also described in the bleomycin biosynthetic gene cluster of *S. verticillus* (Du *et al.*, 2000). These data suggest that AlbX is involved in albicidin biosynthesis but its function remains unknown.

20 *albXII* potentially encodes a protein of 451 aa with a predicted size of 51.6 kDa. This protein, AlbXII, is very similar to a protein of 55 kDa encoded by the *boxB* gene in *Azoarcus evansii* (Table 4). This protein is a component of a multicomponent enzyme system involved in the hydroxylation of benzoyl CoA, a step of aerobic benzoate metabolism in *Azoarcus evansii*, but its function remains unknown (Mohamed *et al.*, 2001).

#### 25 EXAMPLE 17: Prediction of amino acid specificity of Alb NRPS modules

In NRPSs, specificity is mainly controlled by A domains which select and load a particular amino-, hydroxy- or carboxy-acid unit (Marahiel *et al.*, 1997). The substrate-binding pocket of the phenylalanine adenylation (A) domain of the gramicidin S synthetase (GrsA) from *Brevibacillus brevis* was recently identified by crystal structure analysis as a stretch of about 100 amino acid residues between highly conserved motifs A4 and A5 (Conti *et al.*, 1997). Based on sequence analysis of known A domains, in relation to the crystal structure of the GrsA (Phe)substrate binding pocket, similar models have been published to predict the amino acid substrate which is recognized by an unknown NRPS A domain (Challis *et al.*, 2000; Stachelhaus *et al.*, 1999). These models postulate specificity-conferring codes for

30

A domains of NRPS consisting of critical amino acid residues putatively involved in substrate specificity. The model proposed by Marahiel and co-workers (Stachelhaus *et al.*, 1999) defined a signature sequence consisting of ten amino acids lining with the ten residues of the phenylalanine-specific binding pocket located at positions 235, 236, 239, 278, 299, 301, 322, 330, 331 and 517 in the GsrA (Phe) sequence (accession number: P14687). The model proposed by Townsend and co-workers (Challis *et al.*, 2000) uses only the first eight of these critical residues.

Preliminary specificity assignments of albicidin synthase AlbI, AlbIV, AlbVII and AlbIX NRPS modules were made by comparison of complete sequences between conserved motifs A4 and A5 with sequences in the Genbank database. The corresponding sequence of the AlbIV NRPS-5 module is most related to domain 5 of bacitracin synthase 3 (BA3) from *B. licheniformis* that was suggested to activate Asn (Konz *et al.*, 1997). Corresponding sequences of AlbI and AlbIX NRPS-1, NRPS-3, NRPS-6 and NRPS-7 modules, apart from their very high similarity with XabB, exhibited the highest degree of overall identity (39%) with the Blm NRPS2 module of the biosynthetic gene cluster for bleomycin from *S. verticillus* that specifies for  $\beta$ -Alanine (Du *et al.*, 2000). The corresponding sequence of AlbVII PKS-4 produced the highest significant alignment with acetate-CoA ligase from *Sulfolobus solfataricus* (Genbank accession number: AAK41550), aryl-CoA ligase from *Comamonas testosteroni* (Genbank accession number: AAC38458) and 4-hydroxybenzoate-CoA ligase from *R. palustris*. The sequence between motifs A4 and A5 of the AlbI NRPS-2 could not be significantly aligned with any sequence present in the Genbank database. Comparison of this sequence with the corresponding sequence of GsrA (Phe) revealed that parts of the putative core and structural "anchor" sequences of AlbI NRPS-2 are deleted (Figure 5), suggesting that the AlbI NRPS-2 substrate binding pocket is not functional. In the Figure, amino acids of the six Alb NRPSs and of Alb PKS-4 that are identical or similar to GsrA or Blm sequences (A=G; D=E; I=L=V; R=K) are shown in bold. Amino acids underlined in the GsrA sequence correspond to the phenylalanine-specific binding pocket. The positions of these amino acids in the GsrA primary sequence are indicated at the top of the figure. Amino acids underlined in the other sequences correspond to putative constituents of binding pockets, aligned with the seven residues of the phenylalanine-specific binding pocket of GsrA. Shaded amino-acids correspond to the putative core sequences and structural 'anchors' based on comparison with the GsrA binding-pocket structure.

Alignment of the primary sequence between conserved motifs A4 and A5 of the AlbI, AlbIV, AlbVII and AlbIX NRPS-1, NRPS-3, NRPS-5, NRPS-6, NRPS-7 and PKS-4 modules

with the corresponding sequence of GrsA (Phe) (Figure 5) revealed the putative constituents of binding pockets that constitute the codes as defined by Marahiel and co-workers (Stachelhaus *et al.*, 1999). These codes were compared with those of proteins most related to the sequence between the A4 and A5 motifs (Table 8) and were analyzed with the model proposed by Townsend and co-workers (Challis *et al.*, 2000, <http://jhunix.hcf.jhu.edu/~ravel/nrps/>). Using these codes, we were able to predict the Asparagine specificity of the AlbIV NRPS-5 module. The AlbIV NRPS-5 signature is 100% identical to BacC-M5 (Asn) and TyrC-M1 (Asn) codes identified in bacitracin synthetase 3 from *B. licheniformis* and in tyrocidine synthetase 3 from *B. brevis* (Table 8). The AlbIV NRPS-5 signature is also identical to the Asn code defined by Marahiel and co-workers (1997), except that I is replaced by L at position 299 (Table 8). The Albl and AlbIX NRPS-1, 3, 6 and 7 signatures did not match any of those defined by Marahiel and co-workers (1997). Similarly, convincing predictions using the model proposed by Townsend and co-workers were not obtained either (Challis *et al.*, 2000, <http://jhunix.hcf.jhu.edu/~ravel/nrps/>). The Albl and AlbIX NRPS-1, 3, 6 and 7 signatures diverged from all NRPS signatures previously described, except from the XabB signature that is identical to the Albl NRPS-1 and 3 signatures. The signature most closely related to Albl NRPS-1 and 3 specify Pro and the signature most closely related to AlbIX NRPS-6 and 7 specify Ser, but the degree of similarity in both cases is very weak (Table 8). The PKS-4 signature is similar to the Albl NRPS-1 and NRPS-3 signatures at positions 235, 299 and 301.

Analysis of alignment of the primary sequence between conserved motifs A4 and A5 of the Albl and AlbIX NRPS-1, NRPS-3, NRPS-6 and NRPS-7 modules with the corresponding sequences of the bleomycin synthase (Blm) NRPS2 ( $\beta$ -Ala) and gramicidin S synthetase (GrsA) modules (Figure 5) revealed that (i) sequences of Albl NRPS-1 and Albl NRPS-3 differ only at the level of two residues that are not involved in substrate binding, (ii) sequences of AlbIX NRPS-6 and AlbIX NRPS-7 are 100% identical, (iii) sequences of Albl NRPS-1 and Albl NRPS-3 are very similar to sequences of AlbIX NRPS-6 and AlbIX NRPS-7 but differ at the level of five putative constituents of binding pocket, (iv) Albl and AlbIX NRPS residues, which are similar to residues of Blm NRPS2 ( $\beta$ -Ala) or GrsA (Phe), are essentially located at the level of the putative core sequences and structural "anchor", and differ at the level of putative constituents of the binding pocket.

Binding-pocket constituents forming the NRPS signatures have been classified into three subgroups according to their variability among 160 specificity-conferring signature sequences (Stachelhaus *et al.*, 1999): (i) invariant residues Asp235 and Lys517 that mediate

key interactions with the  $\alpha$ -amino and  $\alpha$ -carboxylate group of the substrate, respectively; (ii) moderately variant residues in positions 236, 301 and 330 which correspond to aliphatic amino acids and which may modulate the catalytic activity and fine-tune the specificity of the corresponding domains; (iii) highly variant residues in positions 239, 278, 299, 322 and 331 which may facilitate substrate specificity. AlbI and AlbIX NRPS-1, 3, 6 and 7 signatures are not totally in accordance with this classification. Invariant residue Lys517 is conserved in the four NRPS signatures, indicating the presence of an  $\alpha$ -carboxylate group in the corresponding substrates. The Asp235Ala alteration is not consistent with an  $\alpha$ -amino acid substrate. Birch and co-workers (Huang *et al.*, 2001) assumed that the initial alanine residue in the XabB signature was consistent with a nonproteinogenic hydroxy acid substrate by analogy with the initial glycine in the signature of the hydroxyisovaleric-acid (HVCL) loading domain of enniatin synthetase. The presence of an initial Alanine in the AlbVII PKS-4 signature (Figure 8) and in several 4-hydroxybenzoate-CoA ligase codes may confirm this hypothesis. However, the HVCL loading domain of enniatin synthetase (Table 8) and AlbVII PKS-4 are not preceded by a C domain and are not followed by a PCP domain, in contrast to the AlbI and AlbIX NRPS-1, 3, 6 and 7 modules. An Asp235Val alteration was recently described in the  $\beta$ -Ala specificity-conferring code (Du *et al.*, 2000, Table 8), suggesting that the substrate of AlbI and AlbIX NRPS-1, 3, 6 and 7 modules may be different from  $\alpha$ -amino acids but may contain an amino group. Residue 236 is an aliphatic residue (Val or Ile) in all AlbI and AlbIX NRPS-1, 3, 6 and 7 signatures. Residue 301 is an aliphatic residue (Ala) in the AlbI NRPS-1 and 3 codes, but it is a Ser in the AlbIX NRPS-6 and 7 signatures. Residue 330 is not an aliphatic residue in the four NRPS signatures but an Asp. Similar alterations are present in the  $\beta$ -Ala code: residue 236 is an Asp, residue 301 is a Ser and residue 330 is an aliphatic amino acid. Concerning highly variable residues, AlbI NRPS-1 and 3 signatures differ from AlbIX NRPS-6 and 7 signatures at residue positions 299, 322 and 331, confirming that both types of NRPS modules specify different substrates.

**Table 8 : Comparison of signature sequences, as defined by Marahiel and co-workers (Stachelhaus *et al.*, 1999), derived from sequences between the A4 and A5 domains of the AlbI, AlbIV, and AlbIX NRPS modules with those of Tyr-M1 (Pro) (Tyrocidine synthetase 2 module 1, accession number: AAC45929), VirS (Pro) (Virginiamycin S synthetase, accession number : CAA72310), HVCL (hydroxyisovaleric acid-CoA ligase, ACL1 enniatin synthetase, accession number: S39842), EntF-M1 (Ser) (Enterobactin synthase, accession number: AAA92015),  $\beta$ -Ala code ( $\beta$ -Ala selectivity-conferring code defined by Du *et al.*, 2000),**



BacC-M5 (Asn) (Bacitracin synthetase 3, accession number: AAC06348), TyrC-M1 (Asn) (Tyrocidine synthetase 3, accession number: AAC45930) and Asn code (Asn selectivity-conferring code defined by Marahiel and co-workers (Stachelhaus *et al.*, 1999). Amino acids of AlbI NRPS-1 and NRPS-3 signatures identical or similar to TyrB-M1 (Pro), VirS (Pro) and HVCL signatures (A=G; D=E; I=L=V; R=K) are shown in bold. Amino acids of AlbIX NRPS-6 and NRPS-7 signatures identical or similar to Vir (Pro) and Blm ( $\beta$ -Ala) signatures (A=G; D=E; I=L=V; R=K) are shown in bold. Variability: 0 indicates invariant residues, +/- moderately variant residues and ++ highly variant residues.

		Position in GsrA (Phe) and variability									
Domains		235	236	239	278	299	301	322	330	331	517
		0	+/-	++	++	++	+/-	++	+/-	++	0
15	Alb NRPS-1	A	V	K	Y	V	A	N	D	A	K
	Alb NRPS-3	A	V	K	Y	V	A	N	D	A	K
	TyrB-M1 (Pro)	D	V	Q	S	I	A	N	V	V	K
	VirS (Pro)	D	V	Q	Y	A	A	H	V	M	K
	HVCL	G	A	L	H	V	V	G	S	I	K
20	Alb NRPS-6	A	I	K	Y	F	S	I	D	M	K
	Alb NRPS-7	A	I	K	Y	F	S	I	D	M	K
	VirS (Pro)	D	V	Q	Y	A	A	H	V	M	K
	EntF-M1 (Ser)	D	V	W	H	F	S	L	V	D	K
	$\beta$ -Ala code	V	D	W	V	I	S	L	A	D	K
25	Alb NRPS-5	D	L	T	K	I	G	E	V	G	K
	BacC-M5 (Asn)	D	L	T	K	I	G	E	V	G	K
	TyrC-M1 (Asn)	D	L	T	K	I	G	E	V	G	K
	Asn code	D	L	T	K	L	G	E	V	G	K

#### EXAMPLE 18: Identification of putative promoters and putative terminators in XALB1

Putative rho independent terminators were identified downstream from *albIV* and *albXVI* using the Terminator program (Brendel and Trifonov, 1984), run with the Wisconsin Package™ GCG software (Figure 6). In the Figure, dashes indicate palindromic sequences. Symbols used in the Figure are: P, Primary structure value of putative terminator (minimum threshold value of 3.5 represents 95 percent of known, factor-independent, prokaryotic terminators); S, Secondary structure value of putative terminator. The presence of these

terminators confirmed the proposed genetic organization of operons 1 and 3. A rho-independent terminator was identified in the intergenic region between *albXVII* and *albXVIII*, suggesting that the group of genes initially supposed to be organized in operon 4 may be in fact organized in two operons, operon 4 formed by *albXVII* and operon 5 by *albXVIII* – *albXX*. No putative rho independent terminator was found downstream from *albIX* and from *albXX*.

The 236 bp region between *albI* (operon 1) and *albV* (operon 2) is 100% identical to the sequence between *xabB* and *thp* genes that is assumed to contain a bidirectional promoter (Huang *et al.*, 2000a and 2001), suggesting that transcription of operon 1 and 2 is regulated by the same bidirectional promoter region (Huang *et al.*, 2001).

The 412 bp region comprised between *albX* (operon 3) and *albXVII* (operon 4) also contains a putative bidirectional promoter (Figure 7). In the Figure, the sequence of putative promoters are underlined, and putative ATG or TTG start codons are in bold. The closest matches (TTGACA-18x-TATAGT) to the consensus -35 (TTGACA) and -10 (TATAAT) sequences for *E. coli*  $\sigma^{70}$  promoters occurs 61 bp upstream from *albX* (operon 3). The closest matches (TTCAGA-19x-TATACA) to the consensus sequences for *E. coli*  $\sigma^{70}$  promoters occur 320 bp upstream from *albXVII* (operon 4). The region between *albXVII* and *albXVIII* lacks any apparent *E. coli*  $\sigma^{70}$  promoter. However, the sequence immediately upstream from *albXIX*, corresponding to the coding sequence of *albXVIII*, potentially contains an unidirectional promoter (Figure 7). The closest match (TTGCTC-19x-TATATT) to the consensus sequences for *E. coli*  $\sigma^{70}$  promoters occurs 33bp upstream from *albXIX*. The presence of a terminator downstream from *albXVII* and of a promoter upstream from *albXIX* suggests that *albXVIII* is not transcribed and that *albXIX* and *albXX* form operon 5.

#### EXAMPLE 19: Cloning of the XALB2 gene cluster

The 6 kb *EcoR* I fragment carrying Tn5 and flanking sequence from strain AM37 was cloned in pBR325 and the obtained plasmid was designated pAM37 (Table 1). A 1.1 kb *Hind* III-*Hind* III DNA fragment from pAM37, named PR37 (Table 1), was labeled with  $^{32}$ P and used to probe the 845 clones from the genomic library of *X. albilineans* strain Xa23R1, previously described (Rott *et al.*, 1996). Eight new cosmids hybridized to this probe and restored albicidin production in mutant AM37. One of these cosmid, pALB389, carrying an insert of about 37 kb (Table 1), was used for complementation studies of the five mutants not complemented by pALB540 and pALB571. Cosmid pALB389 complemented mutants AM10

and AM37. Mutant AM10 was initially thought to be complemented by pALB639 (Rott et al., 1996). However, further complementation studies showed that mutant AM10 was not complemented by pALB639, and that only three mutants (AM12, AM13 and AM36) were complemented by pALB639 containing the third genomic region XALB3 involved in albicidin production. A 3 kb *EcoRI*-*EcoRI* DNA fragment from pALB389 that hybridized with probe PR37 was sub-cloned in pUFR043 (Table 1). The resulting plasmid pAC389.1 complemented mutants AM10 and AM37, confirming that the second region involved in albicidin production, XALB2, was present in the 3 kb insert of pAC389.1.

#### 10 **EXAMPLE 20: Cloning of the XALB3 gene cluster**

Cosmid pALB639, carrying an insert of 36 kb (Rott *et al.*, 1996; Table 1) was used as a probe to compare the *EcoRI* restriction profiles of *X. albilineans* strain Xa23R1 with those of mutants AM12, AM13 and AM36 which were supposed to be mutated in the XALB3 gene cluster. An 11 kb band which was found in strain Xa23R1 but not in the three mutants was supposed to contain the XALB3 gene cluster. A 9.7 kb *EcoRI* DNA fragment purified from cosmid pALB639 also used as a probe in Southern blot analyse revealed the same 11 kb band. This 9.7 kb *EcoRI* DNA fragment was sub-cloned in pUFR043 (Table 1) and the resulting plasmid pAlb639A complemented mutants AM12, AM13 and AM36. The third region involved in albicidin production, XALB3, was therefore present in the 9.7 kb insert of pAlb639A.

#### 20 **EXAMPLE 21: Sequencing of the Tn5 insertional site of *tox*<sup>-</sup> mutants located in XALB2 and XALB3 and sequencing of the genomic regions XALB2 and XALB3**

In Figure 8, E, H, Sa and S indicate restriction endonuclease cut sites for *EcoRI*, *HindIII*, *Sall* and *Sau3AI*, respectively. The DNA inserts carried by plasmids pAC389.1, pALB639A or pEV639 are represented by the bars at the top of the respective figures. Positions of the Tn5 insertional sites of mutants AM10, AM12, AM36 and AM37 were determined by sequencing and are indicated by vertical arrows. The DNA region corresponding to the Tn5 flanking regions in pAM10, pAM12.1, pAM36.2 and pAM37 and in the PR37 DNA fragment are represented by the bars at the bottom of the respective figures. The location and direction of *albXXI* and *albXXII* are indicated by thick black arrows. The location of other orfs in XALB2 similar to those described by Huang et al. (2000b) are indicated by thick white arrows.

The 7 kb *EcoR* I fragment carrying Tn5 and flanking sequence from strain AM10 was cloned in pBluescript II KS (+), and the obtained plasmid was designated pAM10 (Table 1). The sequences between *EcoR*I sites and the Tn5 insertional site of mutants AM10 and AM37 were sequenced from the resulting plasmids pAM10 and pAM37, respectively. The complete double-strand nucleotide sequence of the 2,986 bp *EcoR* I – *EcoR* I insert of pAC389.1 was determined from sequencing results of plasmids pAC389.1, pAM10 and pAM37 (Figure 8). The Tn5 insertional sites of mutants AM10 and AM37 were sequenced from plasmids pAM10 and pAM37 (Table 1), respectively, using the sequencing primer GUSN (5'tgccacaggccgctcgagt3') that annealed 135 bp downstream from the insertional sequence IS50L of Tn5-*gusA*. The Tn5 insertional site of AM10 and AM37 was located at position 2107 and 1882, respectively.

The *EcoR*I fragments carrying Tn5 and the flanking sequences from mutants AM12 and AM36 were cloned in pBR325 (Rott *et al.*, 1996; Table1). The sequences between *EcoR*I site and the Tn5 insertional site of mutants AM12 and AM36 were sequenced from the resulting plasmids pAM12.1 and pAM36.2, respectively. The complete double-strand nucleotide sequence of the 9,673 bp *EcoR* I – *Sau*3A I insert of pALB639A was determined from the sequencing results of plasmids pAM12.1, pAM36.2 and pALB639A (Figure 8). The Tn5 insertional site of mutants AM12 and AM36 was sequenced from plasmids pAM12.1, pAM36.2 using the sequencing primer GUSN (5'tgccacaggccgctcgagt3') that annealed 135 bp downstream from the insertional sequence IS50L of Tn5-*gusA*. The Tn5 insertional site of AM12 and AM36 was located at position 6500 and 7232, respectively (Figure 8).

#### EXAMPLE 22: Homology analysis and genetic organization of XALB2 (Figure 8).

The sequence of 2986 bp containing XALB2 is 99.4% identical to the sequence of 2989 bp containing *xabA* described in *X. albilineans* strain LS155 from Australia (Huang *et al.*, 2000b; accession number AF191324). The Tn5 insertional site of mutant LS156 described in *xabA* is 15 bp upstream from the insertional site of AM37. The orf disrupted in AM37 and AM10, designed albXXI, is identical to *xabA* except a C which replaces a T at position 1642. albXXI potentially encodes a protein of 278 aa with a predicted size of 29.3 kDa which is 100% identical to the potential product of *xabA*, described as a phosphopantetheinyl transferase (Huang *et al.*, 2000b). Region XALB2 contains three additional orfs (orf1, orf2, and orf3) similar to those described by Huang *et al.*, (2000b; orf, *rsp6* and *aspT*). orf2 and orf3 are 100% identical to *rsp6* and *aspT* respectively, and orf1 is similar to but smaller than orf. There are no close matches to the *E. coli*  $\gamma$ 70 promoter –10 (TATAAT) and –35 (TTGACA)

consensus sequence, and no putative RBS site upstream from the putative start codon ATG of *albXXI*. The putative factor-independent transcription site described at 42 bp downstream from the TGA stop codon of *xabA* (Huang et al., 2000b) is also present at the same position downstream from *albXXI*.

**EXAMPLE 23: Homology analysis and genetic organization of XALB3 (Figure 8).**

The orf disrupted in mutants AM12 and AM36 was located between nucleotide 6090 (ATG) and 8009 (TAA) and was designed *albXXII*. The first ATG at position 6090 is not preceded by a putative ribosome binding sequence, suggesting that the start codon is the ATG at position 6105 which is preceded at position -9 by the putative ribosome binding site sequence GGAG. A putative rho independent terminator was identified at position 8082, 73 b downstream from *albXXII* (figure 6). There are no close matches to *E. coli*  $\sigma^{70}$  promoter -10 (TATAAT) and -35 (TTGACA) consensus sequence upstream from the putative start codon. The *SalI* DNA fragment corresponding to DNA sequence from nucleotide 5510 to nucleotide 8124, which contains the 595 bp upstream from the putative start codon, the orf *albXXII* and the putative rho independent terminator, was sub-cloned in pUFR043 in the opposite direction to LacZ (Table 1). The resulting plasmid pEV639 (table 1) complemented mutants AM12, AM13 and AM36, confirming that (i) the third region involved in albicidin production, XALB3, was present in the insert of pEV639; (ii) *albXXII* is not transcribed as part of a larger operon ; and (iii) the 595 bp upstream the putative start codon contain a promoter.

The potential product of *albXXII*, designated AlbXXII, is a protein of 634 aa with a predicted size of 71.5 kDa. This protein is very similar to the heat shock protein HtpG from *Pseudomonas aeruginosa* (identities = 82%) and from *Escherichia coli* (identities = 60%)(table 4). The methionine encoded by the putative start codon at position 6105 was aligned with the first aminoacid of the heat shock protein HtpG from *Pseudomonas aeruginosa*, confirming that *albXXII* initiates at position 6105.

The invention includes the isolation and sequencing of a region of 55,839 bp from *X. albilineans* strain Xa23R1 containing the major gene cluster XALB1 involved in albicidin production. Analysis of this region allowed us to predict the genetic organization of the gene cluster XALB1 which contains 20 ORFs grouped in four or five operons (Figure 1). Because *albXVIII* is a truncated gene, XALB1 genes may be organized in five operons. Therefore, we will from now on consider *albXVII* as part of operon 4 and *albXIX* and *albXX* as part of operon 5. Similar operon-type organizations for antibiotic biosynthesis clusters are well

known and have been postulated to facilitate cotranslation of genes within the operon to yield equimolar amounts of proteins for optimal interactions to form the biosynthesis complexes (Cane, 1997). Overlapping genes involved in the same process are also quite common in bacteria (Normark *et al.*, 1983).

5 Previous results of transposon mutagenesis and complementation studies (Rott *et al.*, 1996; Rott, unpublished results) are in accordance with the predicted genetic organization of XALB1 described in this study, and allowed us to establish that operons 1, 2 and 3 are involved in albicidin biosynthesis: (i) Tox<sup>-</sup> mutants with a Tn5-*gusA* insertion site located in DNA fragments B, C, G and D were complemented by cosmid pALB571 and not by cosmid  
10 pALB540, confirming that cosmid pALB571 potentially contains the entire operon 1; (ii) Tox<sup>-</sup> mutants with a Tn5-*gusA* insertion site located in DNA fragments A and H were complemented by both cosmids pALB540 and pALB571, confirming that both cosmids potentially contain the entire operon 2; (iii) mutant XaAM1 with a Tn5-*gusA* insertion site located in DNA fragment J is the only Tn5 Tox<sup>-</sup> mutant complemented by cosmid pALB540  
15 and not by cosmid pALB571, confirming that cosmid pALB540 potentially contains the entire operon 3. Our mutagenesis studies did not confirm that operons 4 and 5 are required for biosynthesis of albicidin. The para-aminobenzoate (PABA) is required for the growth of many bacteria probably including *X. albilineans*, suggesting that a mutation in *albXVII* may be lethal and explaining why we did not obtain any mutant disrupted in this gene.

20 Putative bidirectional promoters were identified between operons 1 and 2 (Huang *et al.*, 2001) and between 3 and 4 (Figure 7), confirming the prediction of genetic organization of XALB1. The region upstream from operon 1 is 100 % identical to the region upstream from the *xabB* start codon which was described as a functional promoter during the phase of albicidin accumulation in Australian strain Xa13 of *X. albilineans* (Huang *et al.*, 2001).  
25 Involvement of several operons in albicidin biosynthesis suppose that they are transcribed during the same time. Promoter activities of regions upstream from putative operons 2, 3, 4 and 5 need to be determined to precise if these promoters are functional during the same growth phase of *X. albilineans* as the promoter upstream from operon 1.

30 Potential rho-independent transcription terminators were identified downstream from operons 1, 3 and 4 (Figure 6) confirming prediction of the genetic organization of these three operons. Because operons 2 and 5 are convergent (Figure 1) and separated by a very short region of 22 bp between *albIX* and *albXX*, stop codons may allow transcription termination in the absence of sequences corresponding to potential rho-independent transcription terminators downstream from these operons. It is quite possible that simultaneous transcription of

operons 2 and 5 involving the presence of two RNA polymerases (one on each strand of DNA) may cause RNA polymerases to pause at the end of each operon because of steric interference between both polymerase complexes in the same short region.

5 The presence of putative RBSs upstream of the ATG start codons of all ORFs, except for *albXVIII*, suggests that these ORFs are translated in *X. albilineans*. The absence of a canonical RBS upstream from *albXVIII* further indicates that this ORF is probably not expressed. GTG and TTG codons (usually valine and leucine codons) generally serve as procaryotic start codons when located near the 5' end of an RNA message, but GTG start codons were also described far from the 5' end of messenger RNA in the bacitracin biosynthesis cluster of *B. licheniformis* (Genbank accession n° AF184956) or in the bleomycin biosynthetic gene cluster of *S. verticillus* (Genbank accession n° AF210249). This is in accordance with the fact that the two potential TTG start codons are the first start codons in operons 1 and 4 of XALB1, and that the two potential GTG start codons initiate internal cistrons. The *albl* and *albXVII* genes, like *xabB* (Huang *et al.*, 2001), use TTG as a start codon, which may impose post-transcriptional control of the rate of gene product formation (McCarthy and Gualerzi, 1990).

20 The predicted genetic organization of operons 1 and 2 presents similarities with the organization of the region involved in albicidin production in strain Xa13 of *X. albilineans* from Australia (Huang *et al.* 2000a, Huang *et al.*, 2001). This latter region also contains two divergent operons involved in albicidin production, one comprising the *xabB* gene (similar to *albl*, but with a large deletion) and the *xabC* gene (100% identical to *alblI*) and the other containing *thp* gene (100% identical to *albIV*). In addition, the sequence between the two operons in strain Xa13 is 100% identical to the sequence between operons 1 and 2, indicating that both clusters are controlled by the same bidirectional promoter. However, transposon mutagenesis studies of Xa13 showed no evidence of another cistron downstream of *xabC* that may be involved in albicidin production (Huang *et al.*, 2000a), suggesting that the Xa13 *xab* operon differs from the Xa23R1 operon 1, which contains two additional genes downstream from *alblI* that are potentially involved in albicidin production (*alblII* and *alblV*; refer Figure 1).

30 Homology analysis revealed that four NRPS and/or PKS genes are present in XALB1 (Figure 2), and these genes may be involved in the biosynthesis of the albicidin polyketide-polypeptide backbone (*albl*, *albIV*, *albVII* and *albIX*). NRPS and PKS enzymes are generally organized into repeated functional units known as modules, each of which is responsible for a discrete stage of polyketide or polypeptide chain elongation (Cane and Walsh, 1999). Each

PKS or NRPS module is made up of a set of three core domains, two of which are catalytic and one of which acts as a carrier, and together are responsible for the central chain-building reactions of polyketide or polypeptide biosynthesis. Both PKS and NRPS core domains utilize analogous acyl-chain elongation strategies in which the growing chain, tethered as an acyl-S-enzyme to the flexible 20 Å long phosphopantetheinyl arm of an acyl carrier protein (ACP) or peptidyl carrier protein (PCP) domain, acts as the electrophilic partner that undergoes attack by a nucleophilic chain-elongation unit, a malonyl- or aminoacyl-S-enzyme derivative, respectively, itself covalently bound to a downstream ACP/PCP domain. In the case of a PKS, the fundamental chain-elongation reaction, a C-C bond-forming step, is mediated by a ketosynthase (KS) domain that catalyzes the transfer of the polyketide acyl chain to an active-site cysteine of the KS domain, followed by condensation with the methylmalonyl- or malonyl-S-ACP by a decarboxylative acylation of the malonyl donor unit. An additional essential component of the core PKS chain-elongation apparatus is an associated acetyltransferase (AT) domain, which catalyzes the priming of the donor ACP sidearm with the appropriate monomer substrate, usually methylmalonyl- or malonyl-CoA. The comparable core domains of an NRPS biosynthetic module function in a chemically distinct but architecturally and mechanistically analogous fashion. In the latter case, the key chain-building reaction, a C-N bond-forming reaction, involves the generation of the characteristic peptide bond by nucleophilic attack of the amino group of an amino acyl-S-PCP donor on the acyl group of an upstream electrophilic acyl- or peptidyl acyl-S-PCP chain, catalyzed by a condensation (C) domain. In functional analogy to the PKS AT domain, the core of the NRPS module utilizes an adenylation (A) domain to activate the donor amino-acid monomer as an acyl-AMP intermediate, which is then loaded onto the downstream PCP side chain. Both the AT and A domains of the respective PKS and NRPS modules act as important gatekeepers for polyketide or polypeptide biosynthesis, exhibiting strict or at least high specificity for their cognate malonyl-CoA, methylmalonyl-CoA or amino acid substrates. In addition to the basic subset of core domains, each PKS or NRPS also has a special set of dedicated domains responsible both for the initiation of acyl-chain assembly by loading of a starter unit onto the first, furthest upstream PKS/NRPS module, as well as a chain-terminating thioesterase (TE) domain, most often found fused to the last module, that is responsible for detachment of the most downstream covalent acyl enzyme intermediate and off-loading of the mature polyketide or polypeptide chain (Cane and Walsh, 1999).

XALB1 potentially encodes four PKS modules and seven NRPS modules. Most of the bacterial NRPS gene clusters described up to now are organized in operon-type structures,



encoding multi modular NRPS proteins with individual modules organized along the chromosome in a linear order that parallels the order of amino acids in the resultant peptide, following the "colinearity rule" for the NRPS-template assembly of peptides from amino acids (Cane, 1997; Cane *et al.*, 1998; Cane and Walsh, 1999; von Döhren *et al.*, 1999). PKS and NRPS modules are apparently not organized according to this "colinearity rule" for albicidin biosynthesis because of the following features : (i) NRPS and PKS genes are expressed in two divergent operons; (ii) no AT domain was identified in PKS-2 and PKS-3 domains, suggesting involvement of a separate enzyme ; (iii) the A domain of NRPS-2 is not functional, suggesting the involvement of a *trans*-acting A domain ; (iv) a single chain-terminating TE domain was identified in XALB1 which may be responsible of the release of the full length albicidin polyketide-polypeptide backbone from the enzyme complexes. Exception to the "colinearity rule" has also been shown for the syringomycin synthetase of *P. syringae* (Guenzi *et al.*, 1998), for the exochelin synthetase of *Mycobacterium smegmatis* (Yu *et al.*, 1998) and for the bleomycin synthetases of *S. verticillus* (Du *et al.*, 2000).

On the basis of the deduced functions of individual NRPS and PKS domains we have aligned the four PKS and the seven NRPS modules to suggest two different putative linear models for the synthesis of the albicidin polyketide-peptide backbone (Figure 9). In the Figure, NRPS and PKS domains are abbreviated as follows: A, adenylation; ACP, acyl carrier protein; AL, acyl-CoA ligase; AT, acyltransferase; C, condensation; HBCL, hydroxybenzoate-CoA ligase; KR, ketoreductase; KS, ketoacyl synthase; PCP, peptidyl carrier protein. Asn designates asparagine. X1 and X2 indicate substrates incorporated by NRPS -1 and 3 and by NRPS-6 and 7, respectively. The crossed A domain in NRPS-2 indicates that this deleted domain may be not functional. In model 1, (Figure 9A), (i) the PKS-1 module alone is responsible for the initiation of the acyl-chain assembly, (ii) PKS-4 (HBCL) interacts with PKS-2 and PKS-3 as an AT domain to allow acyl transfer and (iii) NRPS-5 interacts with only NRPS-2. In model 2 (Figure 9B) two different modules, PKS-1 and PKS-4, are responsible for this initiation step. Model 2 leads to the biosynthesis of four different polyketide-polypeptide backbones; in this model (i) PKS-1 (AL) and PKS-4 (HBCL) are in competition for initiation of albicidin precursors; (ii) a separate AT enzyme (potentially AlbXIII) interacts with PKS-2 and PKS-3 to allow acyl transfer; (iii) NRPS-5 interacts with NRPS-2; and (iv) NRPS-5 and NRPS-6 are in competition for interaction with NRPS-4.

Both models are based on the fact that PKS-1 contains the AL and ACP1 domains, and PKS-4 shows homology with the hydroxybenzoate-CoA ligases. In other PKS systems, an N-terminal AL domain is involved in the activation and incorporation of an 3,4-dihydroxycyclo

hexane carboxylic acid, a 3-amino-5-hydroxybenzoic acid or a long-chain fatty acid as a starter (Aparicio *et al.*, 1996; Motamedi and Shafiee, 1998; Tang *et al.*, 1998; Duitman *et al.*, 1999). PKS-4 may be also involved in the activation and incorporation of hydroxy-benzoate but this latter domain lacks any ACP or PCP domain, suggesting that PKS-4 is responsible for initiation of the acyl-chain assembly (Figure 9B) onto one of the three ACP domains of AlbI (ACP1, ACP2 or ACP3). The 277 amino-acids preceding the PKS-4 module in AlbVII may be necessary for the intercommunication between AlbVII and AlbI. The presence of two different PKS modules potentially involved in the initiation of the acyl-chain assembly suggests a competition of these two modules for the initiation of two different albicidin polyketide-polypeptide backbones, and this could contribute to the production of multiple, structurally related albicidins by the same cluster XALB1. Production of two different components, one initiated by PKS-4 containing an additional aromatic ring due to incorporation of hydroxybenzoate, may explain why partial characterization of albicidin indicated the presence of a variable number (three or four) of aromatic rings (Huang *et al.*, 2001).

In AlbI, PKS-1 is followed by the PKS-2 module which contains a KS domain and a KR domain upstream from two ACP domains (ACP2 and ACP3) and it lacks any discernable AT domain. Tandem ACP domains are unusual within PKS modules but have been shown to occur in the biosynthesis of several fungal and bacterial polyketide synthases (Mayorga and Timberlake, 1992; Yu and Leonard, 1995; Takano *et al.*, 1995; Albertini *et al.*, 1995). However, the significance of the tandem ACP domains in these systems has not been solved yet. In our model 2, one of the tandem ACP (ACP2 or ACP3) may interact with PKS-4 for the initiation of an acyl-chain assembly (Figure 9B). The absence of an AT domain in the PKS-2 module suggests that a separate AT domain is indispensable for the elongation of the acyl-chain initiated by this module. Separate AT enzymes encoded elsewhere in the genome were described in other systems for two PKS modules lacking AT domains: malonyl-CoA transacyclase gene (*fenF*) located immediately upstream from the *B. subtilis* PKS-NRPS *mycA* gene (Duitman *et al.*, 1999) and an AT gene located 20kb upstream from the *M. xanthus* NRPS-PKS *tal* gene (Paitan *et al.*, 1999). We have not identified an AT gene in the gene cluster XALB1 and in the two other genomic regions involved in albicidin production, XALB2 and XALB3, suggesting that the *trans*-acting AT gene may be encoded elsewhere in the genome. However, AlbXIII, which contains the motif GHSxG conserved in AT domains, may be potentially involved in the acyl transfer, but the similarity of AlbXIII with AT domains is not high enough to confirm this potential function of AlbXIII (Figure 10). Figure

10A describes alignment of the conserved motifs in AT domains from RifA-1, -2, -3, RifB-1, Rife-1 (Rifamycin PKSs, August *et al.*, 1998) and BlmVIII (Bleomycin PKS; Du *et al.*, 2000), identical amino acids are shown in bold. Figure 10B describes alignment of AlbXIII (SEQ ID N°. 38), FenF (a malonyl-CoA transacylase located upstream from *mycA*, Duitman *et al.*, 1999) and LipA (a lipase; Valdez *et al.*, 1999); amino acids identical to conserved AT domains motifs are shown in bold.

AlbXIII contains only four of the eleven amino acids conserved in AT domains of rifamycin PKSs (August *et al.*, 1998) and Bleomycin PKS (Du *et al.*, 2000), and the AlbXIII sequence appears to be more closely related to lipases such as LipA (Valdez *et al.*, 1999) rather than to AT domains (Figure 10). However, FenF, the *trans*-acting AT domain involved in mycosubtilin biosynthesis, contains only seven of the eleven amino acids conserved in AT domains (Duitman *et al.*, 1999; Figure 10). AlbVII, that contains a HBCL domain, may be another candidate for the acyl transfer in PKS-2 (Figure 9A) because HBCL exhibits some similarity with A domains at the level of cores A1, A2, A3, A4, A5 and A6 (Table 6). However, no HBCL involved in such a function has been described in the PKSs characterized so far.

In AlbI, PKS-2 is followed by the PKS-3 module which contains the KS2 and the PCP1 domains and it lacks any discernable AT or A domain. PKS-3 is located upstream from the NRPS modules and should therefore be involved in the linkage of polyketide and polypeptide moieties. The presence of a PCP domain in the PKS-3 module suggests the involvement of a *trans*-acting A domain rather than an AT domain. A putative candidate for this *trans*-acting A domain is the AlbIV NRPS-5 A domain because of the lack of a C domain in the AlbIV NRPS-5 module. However, by analogy with the BlmVIII PKS module, which is involved in the linkage of polypeptide and polyketide moieties of bleomycin and which contains an AT domain followed by a PCP domain (Du *et al.*, 2000), the presence of a PCP is not incompatible with a possible interaction of the AlbI PKS-3 module with a separate AT domain. This latter *trans*-acting AT domain may be the same that interacts with the AlbI PKS-2 module, the AlbVII PKS-4 module, AlbXIII or an unidentified separate AT domain.

In AlbI, the PKS-3 module is followed by four NRPS modules. The NRPS-1, 2 and 3 modules display the ordered C, A and PCP domains, suggesting that they are involved in the incorporation of three amino acid residues. The A domain of the NRPS-2 module exhibits poor consensus at A2, A3, A5, A7, A8 A9 and A10 motifs and lacks completely the A6 motif (Table 6). In addition the NRPS-2 substrate binding pocket is partially deleted (Figure 5). These features strongly suggest that the NRPS-2 A domain is inactive and that the loading of

an amino-acid on the NRPS-2 PCP domain (PCP3) is possibly catalyzed by a *trans*-acting A domain as in HMWP1 (Gehring *et al.*, 1998) and BlmIII (Du *et al.*, 2000). A putative candidate for this *trans*-acting A domain is the NRPS-5 A domain present in AlbIV because of the lack of a C domain in NRPS-5 (Figure 2). The additional sequence of 300 amino-acids present in the A domain of NRPS-5 may be necessary for the intercommunication between AlbI and AlbIV. As a consequence of the interaction between NRPS-2 and NRPS-5, a competition between PCP-3 and PCP-5 domains must occur to bind the amino acid activated by the NRPS-5 A domain. A similar competition between two PCP domains was described for syringomycin biosynthesis, during the interaction between SyrB, which contains A and PCP domains, and the last module of SyrE which contains C and PCP domains (Guenzi *et al.*, 1998). The NRPS-4 module contains only a C domain which may transfer the intermediate products synthesized by AlbI to a PCP domain present in an other albicidin synthase. Similar transfers were described for mycosubtilin biosynthesis in which the MycA and MycB C-terminal C domains interact with the MycB and MycC N-terminal A domains, respectively (Duitman *et al.*, 1999). Two different PCP domains may be involved in the transfer of the intermediate products synthesized by AlbI: the PCP-5 and PCP-6 domains which are present in the AlbIV NRPS-5 and AlbIX NRPS-6 modules, respectively. This possible competition between the two NRPS modules that contain two different A domains could also contribute to the production of multiple, structurally related albicidins by the gene cluster XALB1 (Figure 9B). Because of the absence of a C-domain in the AlbIX NRPS-6 module, the intermediate product bound on the AlbIV PCP-5 domain would be necessarily transferred to the AlbIX PCP-7 domain, like the intermediate product bound on AlbIX PCP-6. AlbIX NRPS-7, which contains the single chain-terminating TE domain, may then be responsible for detachment of the mature albicidin polyketide-polypeptide backbone from the complex of enzymes.

The linear model 1 implies that operon 1 and operon 2 in *X. albilineans* strain Xa23R1 from Florida potentially produce only one albicidin polyketide-polypeptide backbone, with a competition at the level of ACP2/ACP3 and PCP3 and PCP5 which could explain the production by *X. albilineans* of compounds structurally related to albicidin (Figure 9A). The linear model 2 implies that operon 1 and operon 2 in *X. albilineans* strain Xa23R1 from Florida potentially produce four different albicidin polyketide-polypeptide backbones (Figure 9B) because of (i) the competition of AL and HBCL domains for initiation of acyl chain assembly and (ii) the competition of AlbIV NRPS-5 and AlbIX NRPS-6 modules for the incorporation of the next to last amino acid of the albicidin backbone. These four albicidin backbones may lead to the production of four components structurally very different. The

polyketide moieties of the acyl chains initiated by the AlbI AL domain or by the AlbVII HBCL domain may be very different. The polyketide moiety of acyl chains initiated by the AlbVII HBCL domain may be shorter and may contain an additional aromatic ring. The presence of four structurally different metabolites may explain the difficulty observed by Birch and Patil (1985a) to purify albicidin and to determine its chemical structure.

Homology analysis also revealed that AlbI NRPS-1 and 3 and AlbIX NRPS-6 and 7 specify unusual substrates which seem to contain an amino group and a carboxylate group but to be different from  $\alpha$ -amino acids and  $\beta$ -alanine. Identification of several aromatic rings in albicidin (Huang *et al.*, 2001) suggested that NRPS-1, -3, -6 and -7 are involved in incorporation of aromatic substrates. By analogy with the Asp235Val alteration in the  $\beta$ -Ala specificity-conferring code (Du *et al.* 2000), the Asp235Ala alteration in the NRPS-1, -3, -6 and -7 signatures could be consistent with a large distance between the amino group and the carboxylate group in the substrate specified by these modules. Based on this hypothesis, we suggest that operons 3, 4 and 5 are involved in the biosynthesis of two aromatic substrates: the para-aminobenzoate potentially synthesized by AlbXVII (para-aminobenzoate synthase), and the carbamoyl benzoate potentially synthesized by AlbXX (hydroxybenzoate synthase) and AlbXV (carbamoyl transferase). Incorporation of these nonproteinogenic substrates may explain why albicidin is insensitive to proteases (Birch and Patil, 1985a).

According to biosynthesis model 1 leading to the biosynthesis of only one polyketide-polypeptide albicidin backbone that may correspond to the major component produced by XAlb1, we propose a model allowing prediction of the composition and the structure of albicidin (Figure 11). In the Figure, NRPS and PKS domains are abbreviated as follows: A, adenylation; ACP, acyl carrier protein; AL, acyl-CoA ligase; C, condensation; KR, ketoreductase; KS, ketoacyl synthase; PCP, peptidyl carrier protein. C atoms of albicidin backbone are numbered 1 to 38. Bold methyl groups correspond to methylation of the albicidin backbone by AlbII or AlbVI. In this model, albicidin biosynthesis is initiated by loading of an acetyl-CoA by PKS-1 (step 1), and the chain product is elongated by incorporation of (i) malonyl-CoA by PKS-2 and PKS-3 (steps 2 and 3), (ii) para-aminobenzoate or carbamoyl benzoate by NRPS-1 and NRPS-3 (steps 4 and 6), (iii) asparagine by NRPS-2 coupled to NRPS-5 (step 5) and (iv) para-aminobenzoate or carbamoyl benzoate by NRPS-6 and NRPS-7 (steps 7 and 8). The presence of the KR domain in the PKS-2 module may lead to the formation of an hydroxyl group at the C<sub>2</sub> atom of the albicidin backbone. This hydroxyl group might be methylated by AlbVI (*O*-methyltransferase). The acyl chain may also be modified by AlbII (*C*-methyltransferase) at C<sub>13</sub> or C<sub>14</sub>.

The chemical composition ( $C_{40}O_{15}N_6H_{35}$ ), the molecular weight (839), and the structure of the putative XALB1 product are in accordance with the partial characterization of albicidin published by Birch and Patil (1985a) which indicated that albicidin contains approximately 38 carbon atoms and a carboxylate group and that the molecular weight of albicidin was about 842. The presence of two ester linkages in our predicted albicidin structure is also in accordance with the fact that albicidin is detoxified by the AlbD esterase (Zhang and Birch, 1997). However, an unpublished albicidin analysis cited by Huang *et al.* (2001) indicated the presence of (i) two OCH<sub>3</sub> groups and not one as in our predictive albicidin structure, (ii) one CN linkage and not eleven as in our predictive albicidin structure and (iii) a trisubstituted double bond that is not present in the putative XALB1 product. Further investigations to identify the substrate of modules NRPS-1, 3, 6 and 7 and to characterize the structure of albicidin are necessary to valid our model for albicidin biosynthesis.

In conclusion, homology analysis of XALB1 revealed unprecedented features for hybrid polyketide-peptide biosynthesis in bacteria involving a *trans*-action of four PKS and seven NRPS separate modules which could contribute to the production of multiple, structurally related polyketide-peptide compounds by the same gene cluster. Characterization of the full chemical structure of albicidin may be necessary to validate these models. Four NRPS modules seem to activate a very unusual substrate. Over- expression and purification of A domains from these four NRPS modules will be necessary to examine their substrate specificities. Substrate specificity of each A domain will therefore be determined by analysis of the ATP-PPi exchange reaction with different substrate putatively incorporated into albicidin. Investigating albicidin backbone biosynthesis will be of great interest because such information adds to the limited knowledge as to how PKS and NRPS interact and how they might be manipulated to engineer novel molecules, and may explain how *X. albilineans* produces several structurally related, toxic compounds.

Cloning and sequencing of XALB2 showed that the same phosphopantetheinyl transferase is required for albicidin production in an *X. albilineans* strain from Florida and in an *X. albilineans* strain from Australia (Huang *et al.*, 2000b), explaining the precedented results showing that strain LS156 mutated in *xabA* (100% identical to *albXXI*) was not complemented by pALB540, pALB571 and pALB639 (Rott *et al.*, 1996). Mutant LS156 was shown to be complemented by a construction containing the coding sequence of *xabA* in fusion with *lacZ*, revealing that *xabA* is required for albicidin production and that no other cistron downstream from *xabA* was involved in albicidin production (Huang *et al.*, 2000b).

However, this complementation study did not allow determination of whether *xabA* is transcribed as a part of a larger operon. Here we disclose the complementation of mutant AM37 with a 2986 bp insert from *X. albilineans* containing *albXXI* (100% identical to *xabA*), confirming that *albXXI* is involved in albicidin biosynthesis and indicating that the promoter of *albXXI* is present in the 2986 bp insert and that *albXXI* is not expressed as part of a operon.

Cloning and sequencing of XALB3 showed that a heat shock protein HtpG was involved in albicidin production in *X. albilineans*. The heat shock protein HtpG is an *Escherichia coli* homologue of eukaryotic HSP90 molecular chaperone. Hsp90 from eukaryotes has been demonstrated to possess chaperone activity (Jakob *et al.*, 1995), acting as a non-ATP dependent 'holder'; and it also has an important role in signal transduction and the cell cycle. This protein is essential in both drosophila and yeast (Borkovich *et al.*, 1989; Cutforth and Rubin, 1994). In contrast, the HtpG gene can be deleted in *E. coli* with no effect on the viability of the strain with the exception of decreased growth rate at high temperatures (Bardwell and Craig, 1988). The *in vivo* role of the HtpG protein remains unknown. However, preliminary results indicated that HtpG facilitates *de novo* protein folding in stressed *E. coli* cells, presumably by expanding the ability of the DnaK-DnaJ-GrpE molecular chaperone system to interact with newly synthesized polypeptides (Thomas and Baneyx, 2000). Furthermore, HtpG was copurified in *E. coli* with MccB17 synthetase, an enzyme involved in the biosynthesis of the peptide antibiotic microcin B17 which inhibits DNA replication by induction of the SOS repair system, suggesting the requirement of HtpG for production of the antibiotic (Li *et al.*, 1996). However, when microcin B17 production by the *E. coli* strain deleted for HtpG was compared to the one of the parental strain, there was no effect on microcin B17 production *in vivo*. This result implied that the copurification of HtpG with the MccB17 synthetase was potentially an artefact, or that another *E. coli* chaperone could substitute for HtpG (Milne *et al.*, 1999). To examine the effect of HtpG on the reconstitution of MccB17 synthetase *in vitro*, the chaperone was expressed and purified as a fusion to a hexahistidine (His<sub>6</sub>) tag. Addition of the His<sub>6</sub>-HtpG did not stimulate MccB17 synthetase reconstitution or heterocyclisation activity *in vitro*, suggesting that HtpG mediates complex assembly or stabilizes protein subunits prior to the hetero-oligomerisation (Milne *et al.*, 1999). Based on these results, we suggest that the function of AlbXXII is to mediate complex assembly by facilitating *de novo* protein folding of PKS and NRPS enzymes (AlbI, AlbIV, AlbVII and AlbIX) involved in the albicidin backbone biosynthesis.

Characterization of the complete sequence of XALB1, XALB2 and XALB3 clusters enables one to characterize all enzymes of the albicidin biosynthesis pathway including

structural, resistance, secretory and regulatory elements, and to engineer overproduction of albicidin. For example one may insert expression enhancing DNA into the genome of *X. albilineans* in a position operable to enhance expression of the Albicidins Biosynthesis Gene Clusters. One may also modify naturally occurring Albicidins to obtain additional non-naturally occurring antibiotics by adding DNA encoding additional enzymes selected to produce a modified albicidin like molecule. This approach will allow (i) the purification of albicidin and the other compounds structurally related and potentially produced by the same biosynthesis apparatus; (ii) the characterization of chemical structure of albicidin; (iii) the investigation of mode of action of albicidin in the pathogenesis of *X. albilineans* in sugarcane; and (iv) the characterization of the bactericidal activity of albicidin. For example one may also increase the resistance of plants to damage from *X. albilineans* infection by inserting one or more of the resistance genes identified herein into the genome of the plant. One may also provide materials to prevent damage by albicidin produced by *X. albilineans* by applying an agent that blocks expression of the Albicidin Biosynthesis Gene Clusters to the plant to be protected. One may also use portions of the DNA of the Albicidin Biosynthesis Gene Clusters to obtain agents useful in blocking expression of albicidin by screening materials against a modified host cell line that expresses the Albicidin Biosynthesis Gene Clusters and selecting for materials that stop or decrease albicidin production.



## REFERENCES

- 5     Albertini, A.M., Caramori, T., Scoffone, F., Scotti, C. & Galizzi, A. (1995). Sequence around  
the 159 degree region of the *Bacillus subtilis* genome: the pksX locus spans 33.6 kb.  
Microbiology 141, 299-309.
- 10    Altschul, S.F., Madden, T.L., Schäffer, A.A., Zhang, J., Zhang, Z., Miller, W. & Lipman, D.J.  
(1997), "Gapped BLAST and PSI-BLAST: a new generation of protein data base search  
programs", Nucleic Acids Res. 25, 3389-3402.
- 15    Aparicio, J.F., Molnar, I., Schwecke, T., König, A., Haydock, S.F., Khaw, L.E., Staunton, J.  
& Leadlay, P.F. (1996). Organization of the biosynthetic gene cluster for rapamycin in  
*Streptomyces hygroscopicus*: analysis of the enzymatic domains in the modular polyketide  
synthase. Gene 169, 9-16.
- 20    August, P.R., Tang, L., Yoon, Y.J., Ning, S., Muller, R., Yu, T.W., Taylor, M., Hoffmann, D.,  
Kim, C.G., Zhang, X., Hutchinson, C.R. & Floss, H.G. (1998). Biosynthesis of the ansamycin  
antibiotic rifamycin: deductions from the molecular analysis of the rif biosynthetic gene  
cluster of *Amycolatopsis mediterranei* S699. Chem. Biol. 5, 69-79.
- Bardwell, J.C. & Craig, E.A. (1988). Ancient heat shock gene is dispensable. J. Bacteriol.  
170, 2977-83.
- 25    Birch, R.G. (2001). *Xanthomonas albilineans* and the antipathogenesis approach to disease  
control. Mol. Plant Pathol. 2, 1-11.
- Birch, R.G. & Patil, S.S. (1983). The relation of blocked chloroplast differentiation to  
sugarcane leaf scald disease. Phytopathology 73, 1368-1374.
- 30    Birch, R.G. & Patil, S.S. (1985a). June 1985. Antibiotic and process for the production  
thereof. U. S. patent 4,525,354.

- Birch, R.G. & Patil, S.S. (1985b) Preliminary characterization of an antibiotic produced by *Xanthomonas albilineans* which inhibits DNA synthesis in *Escherichia coli*. J. Gen. Microbiol. **131**, 1069-1075.
- 5 Birch, R.G. & Patil, S.S. (1987a). Correlation between albicidin production and chlorosis induction by *Xanthomonas albilineans*, the sugarcane leaf scald pathogen. Physiol. Mol. Plant Pathol. **30**, 199-206.
- 10 Birch, R.G. & Patil, S.S. (1987b). Evidence that an albicidin-like phytotoxin induces chlorosis in sugarcane leaf scald disease by blocking plastid DNA replication. Mol. Plant Pathol. **30**, 207-214.
- 15 Borkovich, K.A., Farrelly, F.W., Finkelstein, D.B., Taulien, J. & Lindquist, S. (1989). Hsp82 is an essential protein that is required in higher concentrations for growth of cells at higher temperatures. Mol. Cell. Biol. **9**, 3919-30.
- Brendel, V. & Trifonov, E. N. (1984). A computer algorithm for testing potential prokaryotic terminators. Nucl. Acids Res. **12** 4411-4427.
- 20 Cane, D.E. (1997). A special thematic issue on polyketide and nonribosomal polypeptide biosynthesis. Chem. Rev. **97**, 2463-2706.
- Cane, D.E., Walsh, C.T. & Khosla, C. (1998). Harnessing the biosynthetic code: combinations, permutations, and mutations. Science **282**, 63-8.
- 25 Cane, D.E. & Walsh, C.T. (1999). The parallel and convergent universes of polyketide synthases and nonribosomal peptide synthetases. Chem. Biol. **6**, R319-R325.
- 30 Challis, G.L., Ravel, J. & Townsend, C.A. (2000). Predictive, structure-based model of amino acid recognition by nonribosomal peptide synthetase adenylation domains. Chem. Biol. **7**, 211-224.

- Conti, E., Stachelhaus, T. Marahiel, M.A. & Brick, P. (1997). Structural basis for the activation of phenylalanine in the non-ribosomal biosynthesis of gramicidin S. EMBO J. 16, 4174-4183.
- 5 Criado, L.M. , Martin, J.F. & Gil, J.A. (1993). The pab gene of *Streptomyces griseus* , encoding p-aminobenzoic acid synthase, is located between genes possibly involved in candicidin biosynthesis. Gene 126, 135-139.
- 10 Cutforth, T. & Rubin, G.M. (1994). Mutations in Hsp83 and cdc37 impair signaling by the sevenless receptor tyrosine kinase in Drosophila. Cell. 77, 1027-36.
- De Feyter, R. & Gabriel, D.W. (1991). Use of cloned DNA methylase genes to increase the frequency of transfer of foreign genes into *Xanthomonas campestris* pv. *malvacearum*. J. Bacteriol. 173, 336-342.
- 15 von Döhren, H., Dieckmann, R. & Pavela-Vrancic, M. (1999). The nonribosomal code. Chem. Biol. 6, R273-R279.
- 20 Du, L., Sanchez, C., Chen, M., Edwards, D.J. & Shen, B. (2000). The biosynthetic gene cluster for the antitumor drug bleomycin from *Streptomyces verticillus* ATCC15003 supporting functional interactions between nonribosomal peptide synthetases and a polyketide synthase. Chem. Biol. 7, 623-642.
- 25 Duitman, E.H., Hamoen, L.W., Rembold, M., Venema, G., Seitz, H., Saenger, W., Bernhard, F., Reinhardt, R., Schmidt, M., Ullrich, C., Stein, T., Leenders, F. & Vater, J. (1999). The mycosubtilin synthetase of *Bacillus subtilis* ATCC6633: a multifunctional hybrid between a peptide synthetase, an amino transferase, and a fatty acid synthase. Proc. Natl. Acad. Sci. USA 96, 13294-13299.
- 30 Gabriel, D.W & De Feyter, R. (1992). RFLP analyses and gene tagging for bacterial identification and taxonomy. In Molecular plant pathology. A practical approach. (Gurr, S.J., McPherson, M.J. & Bowles, D.J. Ed.), vol 1, pp51-66, IRL Press, Oxford.

- Garrido, M.C., Herrero, M., Kolter, R. & Moreno, F. (1988). The export of the DNA replication inhibitor Microcin B17 provides immunity for the host cell. *EMBO J.* 7, 1853-1862.
- 5 Gehring, A.M., DeMoll, E., Fetherston, J.D., Mori, I., Mayhew, G.F., Blattner, F.R., Walsh, C.T. & Perry, R.D. (1998). Iron acquisition in plague: modular logic in enzymatic biogenesis of yersiniabactin by *Yersinia pestis*. *Chem. Biol.* 5, 573-86.
- 10 Guenzi, E., Galli, G., Grgurina, I., Gross, D.C. & Grandi, G. (1998). Characterization of the syringomycin synthetase gene cluster. A link between prokaryotic and eukaryotic peptide synthetases. *J. Biol. Chem.* 273, 32857-32863.
- 15 Huang, G., Zhang, L. & Birch, R.G. (2000a). Analysis of the genes flanking *xabB*: a methyltransferase gene is involved in albicidin biosynthesis in *Xanthomonas albilineans*. *Gene* 255, 327-333.
- Huang, G., Zhang, L. & Birch, R.G. (2000b). Albicidin antibiotic and phytotoxin biosynthesis in *Xanthomonas albilineans* requires a phosphopantetheinyl transferase gene. *Gene* 258, 193-199.
- 20 Huang, G., Zhang, L. & Birch, R.G. (2001). A multifunctional polyketide-peptide synthetase essential for albicidin biosynthesis in *Xanthomonas albilineans*. *Microbiology* 147, 631-642.
- 25 Jakob, U., Lilie, H., Meyer, I. & Buchner, J. (1995). Transient interaction of Hsp90 with early unfolding intermediates of citrate synthase. Implications for heat shock *in vivo*. *J. Biol. Chem.* 270, 7288-94.
- 30 Konz, D., Klens, A., Schorgendorfer, K. & Marahiel, M.A. (1997). The bacitracin biosynthesis operon of *Bacillus licheniformis* ATCC10716 : molecular characterization of three multi-modular peptide synthetase. *Chem. Biol.* 4, 927-937.
- Leong, S.A., Ditta, G.S. & Helinski, D.R. (1982). Heme biosynthesis in *Rhizobium*: identification of a cloned gene coding for aminolevulinic acid synthetase from *Rhizobium meliloti*. *J. Biol. Chem.* 257, 8724-8730.

- Li, Y.M., Milne, J.C., Madison, L.L., Kolter, R. & Walsh, C.T. (1996). From peptide precursors to oxazole and thiazole-containing peptide antibiotics: microcin B17 synthase. *Science*. **274**, 1188-93.
- 5 Liu, J., Duncan, K. & Walsh, C.T. (1989). Nucleotide sequence of a cluster of *Escherichia coli* enterobactin biosynthesis genes: identification of ent A and purification of its product 2,3-dihydro-2,3-dihydroxybenzoate deshydrogenase. *J. Bacteriol.* **171**, 791-798.
- 10 Marahiel, M.A. Stachelhaus, T. & Mootz, H.D. (1997). Modular peptide synthetases involved in nonribosomal peptide synthesis. *Chem. Rev.* **97**, 2651-2673.
- Mayorga, M.E. & Timberlake, W.E. (1992). The developmentally regulated *Aspergillus nidulans* *wa* gene encodes a polypeptide homologous to polyketide and fatty acid synthases. *Mol. Gen. Genet.* **235**, 205-212.
- 15 McCarthy, J.E. & Gualerzi, C. (1990). Translational control of prokaryotic gene expression. *Trends Genet.* **6**, 78-85.
- 20 McDaniel, R., Thamchaipenet, A., Gustafsson, C., Fu, H., Betlach, M. & Ashley, G. (1999). Multiple genetic modifications of the erythromycin polyketide synthase to produce a library of novel "unnatural" natural products. *Proc. Natl. Acad. Sci. USA* **96**, 1846-1851.
- 25 Milne, J.C., Roy, R.S., Eliot, A.C., Kelleher, N.L., Wokhlu, A., Nickels, B. & Walsh, C.T. (1999). Cofactor requirements and reconstitution of microcin B17 synthetase: a multienzyme complex that catalyzes the formation of oxazoles and thiazoles in the antibiotic microcin B17. *Biochemistry*. **38**, 4768-81.
- 30 Mohamed, I.S., Rott, P., Davis, M.J. & Chatenet, M. (1996). Differentiation of *Xanthomonas albilineans* strains based on multiplication of the pathogen in sugarcane varieties. In *Proceedings XXII Congress of the International Society of Sugarcane Technologists*. (Cock J.H. and Brekelbaum T. Ed.), vol. 2, pp486-492, Cartagena De Indias, Colombia, 5-14 September 1995.

- Mohamed, M.E., Zaa, A., Ebenau-Jehle, C. & Fuchs, G. (2001). Reinvestigation of a new type of aerobic benzoate metabolism in the proteobacterium *Azoarcus evansii*. *J. Bacteriol.* **183**, 1899-1908.
- 5 Motamedi, H. & Shafiee, A. (1998). The biosynthetic gene cluster for the macrolactone ring of the immunosuppressant FK506. *Eur. J. Biochem.* **256**, 528-534.
- Normark, S., Bergström, S., Edlund, T., Grundström, T., Jaurin, G., Lindberg, F.P. & Olsson O. (1983). Overlapping genes. *Annu. Rev. Genet.* **17**, 499-525.
- 10 Paitan, Y., Orr, E., Ron, E.Z. & Rosenberg, E. (1999). Genetic and functional analysis of genes required for the post-modification of the polyketide antibiotic TA of *Myxococcus xanthus*. *Microbiology* **145**, 3059-67.
- 15 Pfeifer, B.A., Admiraal, S.J., Gramajo, H., Cane, D.E. & Khosla C. (2001). Biosynthesis of complex polyketides in a metabolically engineered strain of *E. coli*. *Science* **291**, 1790-1792.
- 20 Quadri, L.E., Sello, J., Keating, T.A., Weinreb, P.H. & Walsh, C.T. (1998). Identification of a *Mycobacterium tuberculosis* gene cluster encoding the biosynthetic enzymes for assembly of the virulence-conferring siderophore mycobactin. *Chem. Biol.* **5**, 631-645.
- Ricaud, C. & Ryan, C.C. (1989). Leaf scald. In *Diseases of sugarcane: major diseases*. (Ricaud, C. Egan, B.T., Gillaspie, Jr., A.G. & Hughes, C.G. ed.), pp. 39-58, Elsevier Science Publishers B.V., Amsterdam.
- 25 Rodriguez, E. & McDaniel, R. (2001). Combinatorial biosynthesis of antimicrobials and other natural products. *Curr. Opin. Microbiol.* **4**, 526-34.
- 30 Rott, P.C., Costet, L., Davis, M.J., Frutos, R. & Gabriel D.W. (1996). At least two separate gene clusters are involved in albicidin production by *Xanthomonas albilineans*. *J. Bacteriol.* **178**, 4590-4596.
- Rott, R. & Davis, M.J. (2000). Leaf scald. In *A guide to sugarcane diseases*. (Rott, P., Bailey, R.A., Comstock, J.C., Croft, B.J. and Saumtally, A.S. ed.), pp. 38, Cirad/Issct, Montpellier.

Sambrook, J., Fritsch, E.F. & Maniatis, T. (1989) Molecular cloning: A laboratory Manual (2<sup>nd</sup> edn), Cold Spring Harbor Lab. Press, Plainview, New York.

5 Sanger, F., Nicklen, S. & Coulson, A.R. (1977). DNA sequencing with chain-terminating inhibitors. Proc. Natl.Acad. USA 74, 5463-5467

10 Siebert, M., Bechthold, A., Melzer, M., May, U., Berger, U. Schroder, G., Schroder, J., Severin, K. & Heide, L. (1992). Ubiquinone biosynthesis. Cloning of the genes coding for chorismate pyruvate-lyase and 4-hydrobenzoate octaprenyl transferase from *Escherichia coli*. FEBS Lett. 307, 347-350.

Stachelhaus, T., Mootz, H.D. & Marahiel, M.A. (1999). The specificity-conferring code of adenylation domains in nonribosomal peptide synthetases. Chem. Biol. 6, 493-505.

15 Takano, Y., Kubo, Y., Shimizu, K., Mise, K., Okuno, T. & Furusawa, I. (1995). Structural analysis of PKS1, a polyketide synthase gene involved in melanin biosynthesis in *Colletotrichum lagenarium*. Mol. Gen. Genet. 249, 162-167.

20 Tang, L., Yoon, Y.J., Choi, C.Y. & Hutchinson, C.R. (1998). Characterization of the enzymatic domains in the modular polyketide synthase involved in rifamycin B biosynthesis by *Amycolatopsis mediterranei*. Gene 216, 255-65.

25 Thomas, J.G. & Baneyx, F. (2000). ClpB and HtpG facilitate *de novo* protein folding in stressed *Escherichia coli* cells. Mol. Microbiol. 36, 1360-70.

Valdez, F., Gonzalez-Ceron, G., Kieser, H.M., Servin-Gonzalez, L. (1999). The *Streptomyces coelicolor* A3(2) lipAR operon encodes an extracellular lipase and a new type of transcriptional regulator. Microbiology 145, 2365-74.

30 Wall, M.K. & Birch, R.G. (1997). Genes for albicidin biosynthesis and resistance span at least 69 kb in the genome of *Xanthomonas albilineans*. Lett. Appl. Microbiol. 24, 256-260.

- Yakimov, M.M., Kroger, A., Slepak, T.N., Giuliano, L., Timmis, K.N. & Golyshin, P.N. (1998). A putative lichenysin A synthase operon in *Bacillus licheniformis*: initial characterization. *Biochim. Biophys. Acta.* **1399**, 141-153.
- 5 Yazgan, A., Ozcengiz, G. & Marahiel M.A. (2001). Tn10 insertional mutations of *Bacillus subtilis* that block the biosynthesis of bacilysin. *Biochim. Biophys. Acta.* **1518**, 87-94.
- Yu, J.H. & Leonard, T.J. (1995). Sterigmatocystin biosynthesis in *Aspergillus nidulans* requires a novel type I polyketide synthase. *J. Bacteriol.* **177**, 4792-4800.
- 10 Yu, S., Fiss, E., & Jacobs, W.R. (1998). Analysis of the exochelin locus in *Mycobacterium smegmatis*: biosynthesis genes have homology with genes of the peptide synthetase family. *J. Bacteriol.* **180**, 4676-4685.
- 15 Zhang, L. & Birch, R.G. (1997). The gene for albicidin detoxification from *Pantoea dispersa* encodes an esterase and attenuates pathogenicity of *Xanthomonas albilineans* to sugarcane. *Proc. Natl. Acad. Sci. USA* **94**, 9984-9989.
- Zhang, J. H., Quigley, N.B. & Gross, D.C. (1995). Analysis of the syrB and syrC genes of *Pseudomonas syringae* pv. *syringae* indicates that syringomycin is synthesized by a thiotemplate mechanism. *J. Bacteriol.* **177**, 4009-4020.
- 20 Zhang, J. H., Quigley, N. B. & Gross, D.C. (1997). Analysis of the syrP gene, which regulates syringomycin synthesis by *Pseudomonas syringae* pv. *syringae*. *Appl. Environ. Microbiol.* **63**, 2771-2778.
- 25 Zhang, L., Xu, J. & Birch, R.G. (1998). Factors affecting biosynthesis by *Xanthomonas albilineans* of albicidins antibiotics and phytotoxins. *J. Appl. Microbiol.* **85**, 1023-1028.
- 30 Zhang L., Xu, J. & Birch, R.G. (1999). Engineered detoxification confers resistance against a pathogenic bacterium. *Nat Biotechnol.* **17**:1021-1024.

Note: In the sequence listing hereafter <210> = SEQ ID



## SEQUENCE LISTING

5 <110> University of Florida  
 Royer, Monique

<120> A BIOSYNTHETIC GENE CLUSTER FOR ALBICIDIN, THE ANITBIOTIC ALBICIDIN,  
 RESISTANCE GENES, AND USES THEREOF

10 <130> 79-1

<160> 54

<170> PatentIn version 3.1

15 <210> 1  
 <211> 55839  
 <212> DNA  
 <213> Xanthomonas albilineans

20 <400> 1  
 gaattctttc gccattgccc gggattgatg actggcatcg ggattgtcgg gaccttctct 60  
 ggcttggtgc tcggtctgca tcagttcgcg gatgctatcg cgccgaaggc caccgcgttg 120  
 25 gctactccgg tgcggcagat tggagcgatg ggacatgcac ccgctagcgc ggccagtgcg 180  
 ccgatgactg gcgggggtgtt cgtctctttt tccgcaacgc cgggtgcgatt gcccgcggta 240  
 acaggcatga aggttctcaa tgagggccat gacggcatgg cgggcgcggc tateactcat 300  
 30 gcggcggtaa aaccggtgat ggctccattg acaggggaca tgttgacagg cgcgttgagc 360  
 tgctgtctgc acagcgtgtc gggcgctttc ctcgtttcgg ccattgcggt gttgtgcgcg 420  
 35 cttttgacca cgttcgtcga aaagttacta gtggcgcaat gctttcatca gcttcaggaa 480  
 ctgtcgtcga cgattgaccg actgttcgca tttaatcctg gcgacgatcc gatgatgcgt 540  
 ttgacgttga cgtcggaaac gacagagcgg ctaatcaagc ggatcgcgct tgcattagac 600  
 40 gacattgcaa tttcgcgaga tcaagttcag tgagatttta tcgatacgga tttcctgtgc 660

	ggcgtgacgt cgagcgtggc caggaagaaa gccccttctg gatttcgctg tcagacatga	720
	tgaccggcat gaccgcgctt tttctggtgc tggcctgcag catgctgcta atgcgcatca	780
5	ccgaatcgaa atcgcccagt ggaacgtcgc ccagcgacga gaaagtcgtt gataccgccg	840
	cgccgacgca gcgcaacgag cgttcggtgg gtgcggcagt gaacgcttcg catgatgcga	900
	accgacttgc tacctacgaa tcggatattt ccaccgtgtt gaaaaatata tcggcgttat	960
10	cgcagaaata cggatttttcg gtcgatgcta ccactaacac gatcgatctc ggccagtcgg	1020
	ggctattccc gcttgggaagc gaccgcttga gcgcgacaca ggaaagggtg ctgcgcaatt	1080
15	atgtcgccga tctcatcgca ctgactcaga acgatccggc catggcacca ttgaagagca	1140
	tcaccgtggt cggctatata gatccggctg ggtcgatatc gttcaatctc gatctgagt	1200
	cgcgcgcgag cgaacgcctg atgtgcgtgc tacttgccac gctggaaaaa cagagtagca	1260
20	cgacaggtgc accgacgatg accgaggact cgctgcagac catccggcac ctgttcagg	1320
	ttggcggtta ttccgccgac gcacagaagg aaagtgccgc agcaagcagg cgattagcgt	1380
25	tgaagctgga tttttacaag atcgacgagc cccggcgga agccgctgtg cttgcgatgc	1440
	cggtcgggtc gtgcgcgctt ggatcgctt agggaaagtc tgaataacce cctccccagt	1500
	aatgcaattt attgatttta taggtgtgaa taagagcgga taacaaaaca tagcgagcga	1560
30	ctctcaggcg taccgcgag cagcgaggaa ccggtgtgta cgagtggtag ataaggaatc	1620
	cgagcacagc acgcgccctg ctggcggaca cgcagtagtt ttgttagctg ctctaagcgc	1680
35	aggatgaggt taatcagagc atcactaaca ggaatgatag tttggaaacg ataacaagta	1740
	ttgcgcctg cgcgctgccg gatgtctggc gtcatgccgc cgaaggcaag accgtcgct	1800
	cgttcgactg cttcgatacg ctgctgtggc gtggcgtag cgcgcgagc caagtttttt	1860
40	gtgagttggc cggcaagccg ccgttttcga cgcaaggcta taccgcctac catcgctga	1920

	tgccgaatc gttggcgcgt cgtgtccggt ttgaacagaa agagggtcca gaagtcacgc	1980
	tgccgcgaggt gtatcagcag ttattcccgg agcctgacga tgcaaccggg ataacggcat	2040
5	gcatggcgtg cgaacaggaa gctgaggcat cgatctgctt cgtcgtgcca gctgtgattg	2100
	cctgcatgcg cgaagccagg cgcttgggga tgaccattat cgtcgtcagc gatacctatt	2160
10	ttaacgctgg ccagctgcgt gcactcattg cgtcagtgtc gcccgaaagg gacgagctgg	2220
	tcgaccggat cttctgctct tccgactatc ggaccatgaa gaagtaccag ctatggcacc	2280
	gcgtgctcga cgaactgtac gcagcacctg aaacaatcgt gcatttaggc gacaatcgcg	2340
15	tcgccgacat actaatgccg tcgaagctgg gcatcgcggt cctgtggcta gatcggtatg	2400
	ccggtgcagc catgaccgtg ttgcgccgac gccaatgcgc gaccgattg atattcagcg	2460
20	gcgttgaaga gactcgggtc gtgtggacac tttagcagcg cctcgactgt cgaacgcaag	2520
	ccgagcggtc gaactggcat gatgaactcg gctggcactt tcttggaccg gtggtctttg	2580
	cttttgcgaa aacgctggcc gacgaatttg ccggccaaac acacggaatt gatcagccga	2640
25	cggttcgctt cgggtttctg atgcgcgatg ctcatctgtt acgccaagct gcggatatcg	2700
	tcgcacctca tgagccgcat ccgtcattgc acatcagtcg aaagaccgcg ttctctgcgt	2760
30	ccttcgatag tgacgatgcc attctgcatt tcgtcaagtt gggcaggctc gaatatcggt	2820
	tgagtgcgc gcaatgtggc gtctgtctac ttctgaacga ggtagagaaa gcgcgtctgg	2880
	cggaagcgtt catggcaaaa gaagacacag cagggtgcaat gcgggaattt ttttctccgc	2940
35	agatgttggg cgctatcaag acgcgttcga aagcgttcgg tgccaggctc atcaggcaca	3000
	tcgtcgcgca gacaggactc aagcggggcg acacattatg tctcgtcgat acaggttata	3060
40	atggaacgat tcaatacttg ctgcatgatg tattgcgtaa ggaaatgaac gtcaccgtca	3120
	tcggacggta tctaactctac cggcagaacc tcagactgca cggaagggca tcgggcctca	3180

tcgacgaatc gtggctcgac cacggactga ttcatacgtc ctccagtcg ggtctgtcgt 3240  
atctagaggc gctatgcgcc ggtgctggcg gctgcgttgt cgactatgcg cagaatgggc 3300  
5 gctccgtctg caatgcggag atggtctgcc gctcgccatg gatagacgca tgccagcgta 3360  
tggcgctgat gttegtcaat caggtttgcg cctcatccgc gtccgagctg ccgaagctga 3420  
cgcgtagccg tttacgcgag tccgcattga cgaacatcag cgccatgctg tttttcccca 3480  
10 gcgagtgcga attgtccgag atcagtcaga tgcaggggga agtgaatctc ggcgccgata 3540  
tctgccacag cctgtgcgat ccagaaaaag gcctgagtggt attgcggcgg cgggggctgc 3600  
15 tttatatgac tggcgggtggc gagtttcgga gcaattggcc ttttgagctg cgttatgcgg 3660  
gcgcagatca gctggccctt tacatggcgt gctttcgcaa cggtttgccg atgaccgagc 3720  
ctgcgttttc ttaccgccac attacattgc cgctgacatt cgcatttgaa gcagacgtcg 3780  
20 cgcgctgatg cgtgcccgca catgcgacat atgatggata ttacactgcc gtttttccac 3840  
ttagccaagg taagggtgtac gttgaaatcg gcgctgtcgc acagtgggtg caaatcgaat 3900  
25 cggtgaccag ctttccagct gaggcgtacg gctatatatc tgagtccagt gggccacaac 3960  
tgcgcttcga gtcaaccgat tatatatattg atgacgtgac gcgccatggt aacggactgc 4020  
tggagtgcga tcatgccgcc gtaatgacgt ttgcgccgat tccggaagga acgtcggatt 4080  
30 acatccggct ggtattccgc cctataacce ttcgcgacga cccacagcta actgcgtggc 4140  
ccgccgacca gcaactcgtt gccgtcaacg gtgtggatag ccaactgcggc ggcaaagaca 4200  
35 agtcagegcc gatacccagc tatgcggcgc ttatcgacgc aaaactggct gcgatcggat 4260  
cggttctgaa caccgcggtc tataccggat tgtaatgagc aagggaat actttttgag 4320  
gatttaatat ggatggtgca gtatttcacg gctaccacac cggaggtatc tacaatgcag 4380  
40 gcaagtttga ggagcggcgt tatacgacca taggtattga tggatacaat aggaggctcg 4440

	cggtgagtt ggagtggacc aacaacgttt atccgcgtcc ctatggccct tccgttgacg	4500
	attgggtgga tgaacgcgat aggggtgcaa aagagcggcg tgtcaaagac gattatcgcc	4560
5	atccccggtt ttttgccaaa cccaccacga gcgcggcagt ggaggagtgc aggccggctt	4620
	cgggcgctgt gcagcaggcg cggcggctgg acaatgcgag cgcgagccct cttttcgctg	4680
10	caagcgcggt gcgacgagga atccggctgt gtgtcccgtc gaatctgcca ccgagtgtcg	4740
	ccgtgggcca taggctagca ggaccattgg catctgagta tattcaaaac tcatgcttgc	4800
	tcgtcaatcg gcctgcaagt acgtttgtaa cgttaggag tcgtgttacg gcagggcatg	4860
15	ccctatcgga catcgccagc ggtgcagacg cgaccaaccg cccgcgcaac gtgaaaggca	4920
	aacatgaaaa agacgacatg acccaacggg gccaacataa tgcaggcggt cttgtggcga	4980
20	gaatcaaggc gaattatcgg aattatatcg atgcaaagtt acgccggtat cctgcaagtc	5040
	ggacttgagc tgataaatga tgaacgcggt gattcctgta attaaaattc ttaccactga	5100
	tgtcactggg ataaatTTTT cccatcctcc cactttcgca cagaacggga agactttgaa	5160
25	tagactctta gaactcctgc gcctaccact tcaaacggag ttttcgactg cgcgagatgc	5220
	taccgcgtct ggctcgcgcc atgatgctgc accaagctca tgcgcagccg gtcttgcgga	5280
30	tggccagtaa ttttcatagc cgagaatatt tactaataaa taacataata gcactatctc	5340
	atcgccatca tcagaataga tgatcgattt tatttattaa caaggaatt atatatgttg	5400
	caatacgttg gagaaatttg tgccccacat aatttaagtt atggaaaaaa tatagattcc	5460
35	tcaagaaata gaatagagat tgaaggtaat gtaaaaattc ccaggcctaa attatgcaat	5520
	gaaattgcag ccgttttcag cgcagatcag gccataaatg caaatatgaa aattttgcaa	5580
40	aaatgcgatt ttggacaatc tacgtctgat acttttagaa aaaaatcttt ttttaacct	5640
	gctagtaatc tagtggggaa aacaatacat cccaagttag cagatcgctt tcgctcgga	5700

gtttcctttg atggaacggg taaaataatt ggattcaaaa aggaaatttc aaataataaa 5760

tttgattttc taataaaaaa ttgcattcat tctattaatg agactccgca tttaatagaa 5820

5 aataagatta gaacccctgg ggagtgttta ataaatattg ccatctctct tgacagtgtc 5880

atgccaccaa tcccgtttaa ggatgaaatt caagegacta taagatatac ttggcttgat 5940

10 ggtggcttgt cgcgtcaagc ccttgtaaat ttaatcgagc ttatcaagtt gagaaccagg 6000

tttaatgcgc ctgaattata tccaaaaata agaaggaaaa ttgacgatat tgctggaact 6060

ttggagaaag aaaccttcca gacgaaacgg aatgacaatt tctatggtcg cctttttgaa 6120

15 acgcatttat cagaatattt aataaaaaat cctgattatg cgatgatgga ggtccgtgat 6180

gcagtggctg catttatatt gcaagacttc atatctccac ttttaacgtg caaagggaat 6240

20 gaagaatcgc aatctgcaat ttgtgaaagg ctagcttctc ttatggaaga tgaccctcct 6300

tcttggcggg gcaatattga atcagttaag aaatttcttg cctctaagag tcaagctgac 6360

tttatagaaa tgatgaaata tcatggcgaa ttttctgtgc cattgattct ttcgatagca 6420

25 gtgaaatata ttactatcgc gccaggattg caagagctta aaaataaagc gagtgaattt 6480

tatattgaaa aaatcattcc gcaacgcaag ctctgcaatc ttatattaag taataatgct 6540

30 cataataaaa aatccaacct ttatggtttg atgcttccat atcaacgtgg agcaaatgca 6600

ggctattcca tgagtggcgg gatcggcac aggcctattg atcgttatgc actccctggc 6660

gtggaagatg gtatgcatga ggatgatctg gtacgctcat ccaatgagat aaccattgag 6720

35 actggagttt ctggctcacc aaatattctt aattttcttt tcaataaaat tcgaaaaaca 6780

tcaacgaatt ttcctatgga tgccgggaga ttggccgtgg cctcttggct tgcttatagt 6840

ggagggcact cttttaatga agcttattct gtattctcgt aaaaaaacgc agggaaattt 6900

40 aaatcaatct cttttaagag tttagctgaa gactatgatt tgatgaataa aggtgtggag 6960

	catgcataca atcaagtact acagacagcc aaacgtttac agaaaccggg gtccgggcaa	7020
	ctgccccccc atgtcagagt gtcagcctcc cgtaaaattg atccagccat agctagaggt	7080
5	ctccgtgcgc actagccacc gaggcgacca acaatgcgca agagcaagtt caccgagagc	7140
	cagatcgtcg ccacgctgaa gcaggtggag ggcggtcgcc aggtcaagga tgtatgccgt	7200
10	gagctgggca ttccgagggc gacgtacttg ctcttccact ggtaataggt cgccgtgctg	7260
	atgccgactt ggcgacagat gtctttgact ggaacgcctg cgtcggcctg ctgagcgtg	7320
	gcgatgatct gtgtctcggt gaacttcgat gtgcgcatgg aacctcctga cttgggaacg	7380
15	atgccagaaa gatctactta tgcggtgtct gcggatcggg ggagcttacg catccagcct	7440
	gggtaagtgc cagcagaaga gaagcctaca tcgagaacag tacgttatgc ctagtggttt	7500
20	ggttcggccc ttgtttgaca cgatcagccg ctaggaaccg ccgccatctg ggttcgccgc	7560
	ataagcctac ttttcgatca gtacgtcatc gatgaacatc gcgtccagac cgctggtgaa	7620
	gaagatcgac agcgcaccc cactgaatg ggcgatcggg ttgcccatga cgttgaagct	7680
25	ggtgttaagc accaggggaa taccgctcag gcggtagaat tctttgatca gggcgtgata	7740
	gcgcgggttc caatgttget tcaccgtctg cagacgtccg gtgccgtcgt ggtgcacgac	7800
30	gcccggcacc ttgcgcgtgg cttccgcacg gaacttcagg gtgcgctcca tgtagggcga	7860
	ttcctggtag agctcgaaat actccgcgcc gtgctcatgc aaaatcgacg gtgcgaacgg	7920
	gcggaactcc tcgcggaact tcacccgcgc attgatgatg tccttgatcg caggcgaacg	7980
35	cggatctgca aggatcgagc gattgcctag ggcccgtggc ccgaattccg cgcggccttg	8040
	caccagggcg acgatcttac cctcggtcag cagccgggcc gcgcgttggt ctgcgtcgtc	8100
40	gaggcaacga gtgaatttgg atagcgcgcc gaagcgtccc acgttatgca aggtctccgc	8160
	actcatgctg ctgccaggt agggcgattg ttcgcgcgca gccggcgggtg tctgetcagg	8220

	atggctcctcg gcggtgtgccc ataatgcggc gccaccgcg ttaccgtcat cgccaggggc	8280
	ggcgaatacgc tgcagatgac ggaacggagt ttcagccagc acgcggccgt tagccgagga	8340
5	attgagtgc cagccgccgc ccagcaccaa gtggtcggac aagcccaaag cgtgcagggt	8400
	gtgcaggaat tcgaagagga cgtcgcagaa cacctgctgg ccggcatagg ccaggttggc	8460
	caattcgatc gttggctggc ccttgcatcg gcgcattgca tacagcgtgc gctgcaactg	8520
10	gctgaattgt gctgcgggcg caaacctcag cgtaggccc tcgacgcgta gcatctggcg	8580
	caacaactcg tacagttgcc gatcatgttg ccgtaggcg gccaggccca tcacctcca	8640
15	ttcttcgccc gacaggggtgc cgaagccgca aacctcgag atcataccgt agaagaagcc	8700
	caggctggcc caactgctgg tctcgctttg gtggatcggc gtaagcttgc cctgttggtg	8760
	gtggtagcag gccaaagcat ttttttcacc catgcgctcc agtaactgcgc acaccgctc	8820
20	ctcgaacggg ctgggtgtagc agccggccac cgcgtgggtt aggtgggtgct cgtaatgacg	8880
	gtagctgggt ggcttgaagg caggctcggc catgtggctc aagtcattt cgagcaggtg	8940
25	tccgggggtgc tccaccatcg ccagctgcga acggtagaag aagctctgtg ccacgaattg	9000
	cttggtgacg tgccaaggca ggtcgccgaa ggcgctgcg tattgggtcta ccgcttgccg	9060
	ggctctgccc aggcctctcc gcatcagttc aggtgtttgc ccgctccaac tagtagcgac	9120
30	gaccagttcg gcgcgggat cgccgtattc gtggaccagc ttgatggcgc gctgaaacac	9180
	gtccggggca acgcgattg aacgcttgta ctgcaggtag cgctcgggtg cctcggcaaa	9240
35	gcgcacctga ccacgctgc cgacgatagc gatggctgaa tcgtggaagg aattggcgag	9300
	tccgatgtaa gtgcgcttca tgtccgattc cagtgaaggg gacgatggat gcttccggat	9360
	gcctacggcg atgattgtgg cgcaaattgt gtcagtttga actgcaatcc cagcgtagag	9420
40	agcgcacga aagcattggc cgcgatgtag tacaccaccg tagccccgaa ggctgcttg	9480



	aaagccagag ctacgcctgc cggccccctgc agatgctggt gcaggccgct aaagaaaatt	9540
	tccgagacca gggcgatgcc cagcataccg ccgacctgct ggatgacctg cagcgcgcgcg	9600
5	gaacctgcgc cggcatcctt cagaggtacc gtacgcataca ctgtctggaa tagcgaggcg	9660
	atggtgatgc cacagcccag tccgccgatc agcaacggca gggtaagcgt ccagggatcc	9720
	agcgagcctt cactgcgcgt gatgatgacc cacaaggcca gatagctagc gatcatcaga	9780
10	caggcgccgc tgaagatttt cgcgcgtagg ctttcgacgt gccgagcgag catagaggca	9840
	atcgccacgc cgacagggaa aggagtagtg gcgacgccgg tttccagtgc cgaatacgcc	9900
15	agtccttgct gcagaaagat cacgaacacc aggaaaaaac cctgcagcgc cgaatagaac	9960
	accgacacgg acaaggcgcc caagatgtag tcgcgatggc tcatcaggta gatcggcagc	10020
	agggccgggc gcgccaagtg ggcttgccga cgttgccagg cgacgaaggc caccagcagc	10080
20	ggaataccga gcgcaatggc tgcaaagcac catagcggcc agccgtatgc gcgtccttct	10140
	attagtggga acaccaggca caacaaggcg agcgcggcca gggcgatgcc gaccagtcg	10200
25	ttatggatgc ccgcatgcgc cggcaccttg ggcacccaga tggcgggcgc cagcaaggtc	10260
	acgaggccga tcggcacggt gatcaggaag atcgcgcgcc agccgacgcc gaacgcacgc	10320
	atgtggatca gcaagccgct gacgaggggg ccggcgaaatg aggccaggcc cgcgaccagg	10380
30	ccgaacaacg agaaggcggc cgcgcgctcc ttcggagcga acatggtttg cgcgatggcc	10440
	atcacctgtg gtgccagcat ggctgcggcc aagccctgca aagcgcgcgc gatgatgagc	10500
35	acgtggatat tgccagcgat ggcgcgaaac gcggacatca agataaaacc ggccacgccc	10560
	gtgccgaaca tgcgcttgcg gccgagcatg tcacccaacc gcccacacgg cagcaacccc	10620
	aacgcaaaca gcagaatgta tategctacg atccattcca gctgttgctc gtccgcgccc	10680
40	aggttcttct ggatactggg cagggcgaca ttgacgatgc ctacgtccag caagttcatg	10740

aaattggcgc tcagcaacac gatcatcgct ggccagcgcc atcggtagtc gaactgcgct 10800  
ccgggtggtg ccatgccggg eggcataccc agcgcttccct tgggtttttg catgttgtgt 10860  
5 gtccttatac cgcttatggc cgcttcagcc ggtcgcatgg tgacgggtgag aaaatgcaag 10920  
atgtcgcgct ccaactcgcg ctggaaggcg ctgcggtcga agccaggcgg atcgatggcc 10980  
10 gcctcgccca cgcgagcttt catcgctcgc ggggaatacgc tgatgaaggc gtagtgggccg 11040  
gcattgggca ccacgcgcgc ttccagtcga ccatcattgc ctagcgccgt gcgtgtcgcc 11100  
acaatcgttt cgtgcgccca ttgatccttt tcaccgacga tgagcagcac cggtaacctc 11160  
15 actttcgcca gggcatactc gtgcatgtac aggctgaaat ccggcgcaag cgccaccacg 11220  
gcgcgcacgc gcggatcagc tgtgaccggc acggccctga tcggtaccgc attttgtcgc 11280  
accagcgcgg tccaggcggg ttgttcggcg tgttcggggc gatgcgcaaa atcgaccatg 11340  
20 aaaccggtat gcggttcgcc ccggcgatc gctaaggcgg tgtagccgcc gacggagtgg 11400  
ccgatcaccg ctacgttatg ggctgaatg gcaggaccga actgcgcatg gccggtgagc 11460  
25 gtatcgatca ccgcgcggat gtgccccggg cggtcttcca gattctgata gctgtattcc 11520  
agctgatgct ggaacagggt gtgcgccgga tgctccggca aggcgacgat aaagccgtgc 11580  
cgtgctaggt aatgtgccag cgtgcgaaac actaggccgg cgctgcgct gccgtgcgag 11640  
30 atcaccgcta gcggaaacgg gccggcttcg atcggcgcgc ccagggccac gtccagcgta 11700  
taaggtecca tgcgcgtatc ccgtgaaggc gtggcggtgg gatacatcac ccacatcggc 11760  
35 accaccctgc tggcatcacc atcggtttcc agtttttggc aaccacata gctattcatg 11820  
cgtaccccaa cgaaagaata aaaaacgcgt gccgcttacg ccggcatcag cttatccaga 11880  
cttgaccgg cgggcgccag ccaaacagcg gtacgacctt cgccagctc cctgcccac 11940  
40 aagcctcgca cgccggccag atcctgcggc gttggcagca acgcggccag ccgttggccg 12000

tcggcatcgt gcacgggggt gccatctaag tcgaaggcaa gccccttgca cgggcccga 12060  
tcgcggtgga aacgctcgtg cggcagctgt agctcaaaag ccaggccaag gcgcctgagc 12120  
5 tgttgattcc agcggccgat gatagcgccg acttcggcta tgtattgtcg gcgcattacc 12180  
gcattgattg ccaactcggc aggtgcggtg gacgagacca gtctgtcttc gcagegcacg 12240  
tcgacggcga cctccgtacc ttcgagcttg tcgaagttgc gtgggctgcg gatgccggcc 12300  
10 tggtagagga cgcgtgaacg ctccgaaacg tcgtggccga acagatcaaa gatcttcggt 12360  
agccaatagt taaggatatt ctgaacgact ggcaagggga tcgcaccggc gtccaagatc 12420  
15 gcgtgcgtat cctcacgcaa ggtaatctcg gcgcttcgat acagcacgcg ctccaggcca 12480  
tccacgccga acttaatatg cagaggttcc tcgaacatca tgaagcgggc ggtgcgtgcc 12540  
aacggcagga aagctgactg ggtcacgct tgaatctggt acttgccctac ccggtcggcg 12600  
20 aagaagcacc acatgaaatg cgatagccag tcttcggtgt ggtagttgaa ggcacgagc 12660  
aggcgcgggt tctgcgcac gccactcatg cgttgcagca ggccctcggc ggcgtcggct 12720  
25 ccgtcgtgc caaagtattc gatcagcaga tgcgacatcg ccaggtgtg ccggccttcc 12780  
tctagaaaaa actggaataa gtgctccagg tcgatcgcgc tgggcaccat ttgcgtcagc 12840  
tcgtggctct gctcaaccgc ggcgttttct acgtcacctt gcacggtgac atgatccagc 12900  
30 agcaggtcac gatattcttc cggcacgcac gaccatgcc cctgtccctt gcgtcgcgc 12960  
aacactacgg tgttgcggtc tggcggcatc atgaatacgc ccagcggta gtcgtgggg 13020  
35 cgcacggtg gatagcgct ccaactcgtg cccttgacgc caccggtagg catgcgcagg 13080  
ttcatctcgc gatcgtggaa ttcgctgggg ccgcggaggc gccaccattg caggaagcga 13140  
acttggtagg aagtcagttg cctgaccagc gcgtgtgtg gatcaaggtc gatattgtta 13200  
40 ggaatgtaca tgagggtcag gccgcgtgt gcatcgaggt aggggcgact tcgccgaccg 13260

tgagcccgat gaagtcgatg atccgctgag ccacggcacc cggatcattg aacagttgca 13320  
ggtgaccgcc atgatctagc aggtccagac gcaaagacgg gtcgtgccta gccaactgca 13380  
5 ccgaggcgga gtagtggctg aagctgtcgt ccttgcagtg cacgatcagg gtaggggtgcc 13440  
tgcccagggc ggtgggcagc aaggettga cggattgctt gttctcttcg taggcacgca 13500  
tgtagcgcga gaacaccaat gtgctcgctg gatcggttag gtgcagcatg gtgagctttt 13560  
10 cggccaagtc gtcgcccggt aaaggttggc cgcggtactt gtccaggatg gcggcgagct 13620  
ttttggcctg ttccagaccg tgccgctcga tctgaaggta gatcggaag gcgcaacgtt 13680  
15 cgaattcgga ttttacgatg ggcggcagca ggcccgccgg cgccacccaa gccatgctgc 13740  
gtggtgcgaa gccatgcagc gcaatggcat gcacggccaa ttgtgcagcc tgacaccaac 13800  
cgacaaaatg gcaatcggcg tagtcgtgtt ggtgcaggat gccagcagg gtcgcggctt 13860  
20 ggcgatccag atcgaagtct tccgcggtta ccgatgtctg ggcattcggg cagccgatgg 13920  
attcccagca caacacatgg aaatgcctag ccagtcgttg cgccaaccgg ctcagcagca 13980  
25 ggtaggacat gccatagggc ggtagcagca ccagcttggg cgatgcctga gcgcctagcc 14040  
aatacagctc aagctgccgt ccatcggtag tgcagtattg cgacagcctt acccctgcga 14100  
gcgcgtcgtc cagggcgga agatcttgct tttccagata gtgcggcaag caagcacagc 14160  
30 ccatgagttt cctaccctcg cttgaccaca tgacaagact gcgcggtcac cggtaggctgg 14220  
aaagcttgcg cggggcgga acacctcacg agtaactcga ttcgaaacca cttccgtctg 14280  
35 gagagctcgc gtcccctaaa ttcttgtcat cgagttcgcg cagcgataag gggcgcatgt 14340  
cgggtccaggt ttcgtcgata tacgccatgc actcgtcctt accgccagca tagccttcct 14400  
tgccgcagcc aggggggacc tcaagatcgg acggccacag tgaatactgc agttcgtcgt 14460  
40 tgatcagcac cagataagcc tgttcctcga acgtcatcct aaagataccc ccggaaggct 14520

gctgcgaagc acggaagttg ctacatcgca caatgcgatt cagatggacc aagcaaagcg 14580  
actatacatg acgtcacttc gaagatgtca agaaaaatag cgcgtgaaga gcacgtaaga 14640  
5 gtgatgtgtt tcgcaccgct gtacgtccca tcgccatcgc ggcaaagctt acacgaaaaa 14700  
ttcaccaggg catgcgttca atacgcgggt caaagcaata tccttgcgct tgcagagcta 14760  
10 tgttcgtgcg taaagcgcca aggcagtggg gagcaacacc ttgggtttcg gttgaggtgc 14820  
gggtagcaat ttctgcttaa tatccacgcg cggcggtttt tgtcttgccg ggcgtcaact 14880  
gtctcatcga gcagtctggg aggcattttt gcgctgcctt atcataaata attacgattc 14940  
15 gttcacttgg aatctcgccg actacgtagc gcagatcttc ggcgaagatc ccttgggtgg 15000  
gcacaacgac gagtactcct ggcacgaact gaaggaccgc gggggatttt cctcgatcat 15060  
cgtttcgccc ggtcccggtt cgggtggttaa tgaagcggat ttccacatct cgctgcaggc 15120  
20 gctggagcag aacgaatttc cgggtgttagg cgtatgcctg ggctttcagg gacttgcgca 15180  
tgtctatggt ggccgcatcc tgcattgcgc ggtgcccttt catggccgct gctccaccgt 15240  
25 catcaacacc ggcgaacggt tgttcgaagg catcccgag cgtttcgagg cagtgcgcta 15300  
tcactcgttg atggtctgcc agcaatcgct gccgcctgtg ctgaaagtga cggcgcgtag 15360  
cgattgcggt gtggtgatgg gcttgacgca cgtgcaacac ccgaaatggg gactacagtt 15420  
30 ccaccccgaa tcgataccta ccgaacacgg caagcgcat gttgctaact ttgccaagct 15480  
ggctgcgcgc cacagtgcac cgttacttgc cgggtcggag caggccggca aggttttaag 15540  
35 cgtttgcgcg cccgagatgg tgacaccgcg ggtacgtcgc atgctgagcc ggaagatcaa 15600  
gtgccgttgg caggcggaag atgtctttct ggccttggtc gctgacgaaa agcattgctt 15660  
ctggctggac agccagctgg tctgcagtcc aatggcgcg tattegttca tgggagcgg 15720  
40 gaacgagagc gaggtagtgc ggcattgcgt gcggccaggg agcatggtgc aggaggcagg 15780

cgagcggttt cttgctgaga tggatcgggc gttgcaatcg gtgcttactg aggacgtcgc 15840  
cgagcggcca ccgttcgcgt ttcgcgccgg ctacgtgggc tacatgagct acgaaatgaa 15900  
5 atcgggtgttc ggcgcgccgg cttcacatgc caatgccatc cccgatgcgt tgtggatgcg 15960  
cgtggagcgc ttcgttgctt tcgaccacgc cactgaggag gtatgggttc tggcgctcgc 16020  
cgatacggag gatctgtcgg cattggcttg gctagacgcc atcgagcaac gtatccatgc 16080  
10 cattgggtcaa gcggctccgg cttgcatttc gctaggcctg cgcagcatgg aaatcgagct 16140  
caatcatggt cgtcgcggct accttgagge aatcgagcgt tgcaaacaac gcatcgtcga 16200  
15 tggcgagtc tggaaatct gtcttaccga cctgttctcg ttccaggccg agctggatcc 16260  
attgatgctc tatcgctaca tgcggcgagg gaaccacgc ccgttcgggg cctatcttgcg 16320  
taacggtagc gattgtatcc ttagtacttc accagagcgt tttctggaag tggacggcca 16380  
20 cggcacgatt cagaccaagc caatcaaggg cacctgccgc cgtgccgagg atccccaact 16440  
ggaccgtaac ttggccatgc gcctggccgc ctccgaaaag gaccgagcgg aaaacttgat 16500  
25 gatcgtcgac ttgatgcgca acgacctaa ggcggtggcg gtgcccggca gcgtcacctg 16560  
gccaagctg atggacatcg aaagctacaa gaccgtgcat cagatggtca gcacggtgga 16620  
agcgaggctg cgcgccgatt gcagtctagt cgacctgctt aaggcgggtg tccccggcgg 16680  
30 ctcgatcacc ggcgcaccga agttgcgcag tatggagatt attgatggcc tggagaatgc 16740  
gccgcgtggc gtgtattgcg gcagcatcgg ctacctgggc tacaactgcg tcgccgacct 16800  
35 aaacattgcg atccgcagtc tttcttatga cgggcaggaa atacgtttcg gcgccggcgg 16860  
cgccatcacc ttctgtccg acccgaggga tgagtgcgac gaagtgttc tgaaggcgga 16920  
ggcgatcctc aagccgatct ggcatatct acatgcgccg aacactcccc tgcactacga 16980  
40 gttgcgagag gacaagctgc tgctagccga gcactgcgtt agcgaaatgc cggccaggca 17040

ggccttcac gaaccatgag ccgcggcgag agagggtccat gcacaccatt gtgaacggcc 17100  
 ttcccgccttc gtccatagcg attttcgatc gcggcctaca gtacggcgat ggattgttcg 17160  
 5 aaaccctacg gctaggcatc gcgctgccgg acatccgtca gcaggctctgc gaggccatcg 17220  
 cgactggcgc cgcgccgcgt gccgtggcga aaaactgatc gtgacgcgtg gcagcaccga 17280  
 10 gcgcggctat cgttgtctc tggcggtggc gcccaactgg gtgctcagcc tgaatgaggg 17340  
 cccacgctt acgcgcgaac caggacgggc tgctgatgga tacggccggc cgggtggctc 17400  
 agggctgcac cagcaatctg ttctctctc agaacggcca tctggtgacg cccgacctgg 17460  
 15 gcgtggccgg cgtcagcggg atcatgcgag gcagggtgat cgaatatggc cggcagcacg 17520  
 gtctcgctg cgcggtaaag cactctatc cggaccagct agtgcgctgt caggagggtg 17580  
 20 ttctgactaa cgcctgttc ggcattctgc tggcgcgag cattgacgt cacagctacc 17640  
 gcatcgatcc tgttaccctg cgtttgctc atgccctgtg tcaggggcga tatttcaccg 17700  
 aacggtcact acatcagggt tccacctatg ccggccaaga cccttgaaag caaggattac 17760  
 25 tgtggagaaa gcttcgtcag cgaagatcgc tccgggcaat cgtggagtc gatccgattc 17820  
 gaggattgta cgttcgaca atgcaacttc accgaggtg agctcaatcg ctgcaagttc 17880  
 cgcgaaatgc agttcgtcga ctgcaacctg agcctcatca gcattccgca aaccagcttc 17940  
 30 atggaagtgc gcttcgtcga ctgcaagatg ctcggtgtca actggaccag cgcacaatgg 18000  
 ccatcggtga agatggaggg ggcgtgtcgt ttcgagcgct gcaccccaa cgacagcttg 18060  
 35 ttctacggcc tatacctggc cggggtaaaa atggtggagt gccgtatcca cgatgccaac 18120  
 ttaccgaag ccgactgcga ggatgcggac ttcacgcaga gcgacctgaa gggcagcacc 18180  
 ttccacaaca ccaaactgac cggcgccagc ttcacgatg cgtggaacta ccacattgac 18240  
 40 atcttcacac acgatatcaa gcgggctagg ttcagcctgc cggaagcagc ctcgctgtc 18300

aacagcctgg atatcgagct gtccgattga gectggccat tcgctaccgt gtgactgatg 18360  
caacctggcg gatgcatccg cegtcgccgt tgaacacgca gcagaaagac tggctgacac 18420  
5 gcggtggttc gttgaccgcg cacctgcgcc tgttggggca ggtacagggt caagtgaac 18480  
gggagcacia agccatggcc tggctggatg aatatcgggt gctcggactg tcgcgctgcc 18540  
tgcttgatg ggtgcgtgaa gtggctcctg tggtagacgc caaacctat gtctatgcgc 18600  
10 gtagcctgac gccgctgacc gccagttaca acgcctggca ggcagtgcgt agcatcggca 18660  
gtcgcctggt agctgatctg ttgttcctg atcgcagcgt gctacgttcg gcgttggcga 18720  
15 gtcggcgcat caccgcgcag catccgctgc accggcgcg atgcaacttc gtggcacagt 18780  
cgcattgcgc gcaagcctg ctggcgcgcc gctcggattt tacgcggcaa ggcgccccgt 18840  
tgctgatcac cgaatgatg ctgccagcgt tgtgggcaac gctggaaccg gtggcagctc 18900  
20 cgcgccaggc gagtctgagt gcggacggcc cttgccggca ttcagcgag atcgtctcgc 18960  
ctgagtcgat gctggaatag ccttggcatc gaagccctcc gatcaggcat cgaggctcgt 19020  
25 caccagcatg cgcgccagct cacgcagcgg gtcgccttgt aacatgctgt agtgattgcc 19080  
cgccgcgctc ttgatctgcg aaagtggtag gtaacctgtg atatccggca gtacctcgt 19140  
acccccgcgt ggcttggaca tgcgggcata ggacacgtgt accgcagtct gtgcctggta 19200  
30 cagatgagcg ttaggctgca ggcactgcgg ctcgaaaccg gccaacagcc ccagggtgata 19260  
gcgcgtaacg cgcaattgct cggccagcgg tggccacatg cggttttcca gaggtaacct 19320  
35 cagggtgtgcg agcagtttgt ccagtgatgc ctggtggcgg ctgtagtcga acacgtgctc 19380  
gtcgtcaccg tcggcgaaca gcagctgccg ggcttcgtct atttcagcct gtcgaagcc 19440  
gcgcttggcc aacgcggcca acgtattgag cgctgccacg aaggtaagct gccggggctc 19500  
40 gcgcgcagtgt accggtatca ggctgctatc gagcaggccc acgtaatcga cgcgcaggcc 19560



gcgccgctgc aattgctcag ccacagccag ggctagcacg ccgccggagg accagcccag 19620  
 caagcggtag ggcgcaccgg tcgggccagc cagcaacgca tcgcagtagt gcgcggccag 19680  
 5 gtccgacaaa tgcgcgaagc ggcgcaccgg ttcgcattgc aggccataga ccctggcaga 19740  
 gtgccctagg gcggcagcca gatcgatgta gcaatgaatc tggccgccga tcgggtggat 19800  
 ggcatacacc gccgcgcgtt cggtagcgtg gctaagcggg acgataagac ttaccggcat 19860  
 10 gctgccggct tggctttggc gcatgccgcg ctcgacgaca gcggcaaaat cttccagcac 19920  
 aggggattcg aacagcgtgt tgaccgcac ttcgatgtcg aaactctggc ggatacgcga 19980  
 15 gaacaactgg gtggcaagca gcgagtgacc gccgagggtg aagaagttgt cgttgaggct 20040  
 cacgcgtaag ggggcggcct gtgcgggggt cagcagttcg ctccacagct tggccagggt 20100  
 gatttcgacc tcgctgcgcg gagcgaggta gtcgctgtcg ctgctggcgg cttgcggctc 20160  
 20 gggcaggctc aaggtatcga gcttgccatt gggcaagcgc ggaagcgcg gcagcgactg 20220  
 gaagcgcgtt ggcagcatgt aggtaggcaa gcgttcctgc agcagcttgc gcagctcgtc 20280  
 25 gaggttcagg acaccctggc gtggcaccac gtaggccaac agttccggcg tgggcgagcc 20340  
 ttgcggccaa ccgatcacgg cggcctcggc gacctgcagg tgggcgcga gggctttctc 20400  
 cacctggcgc acgtccacgc ggtagccgcg gaccttgacc tcgtagtcgc gccggccgag 20460  
 30 cagttccagc gtaccgttgt ccagtaggcg ggccatgtcg ccggtcctgt acagacgcga 20520  
 gccggggggg ccgtagggat tggcgatgaa gcgcgggcg gtcaggccgc cctggcgcca 20580  
 35 atagccgtgc gtaatgccga ggctttcgat gtgcacttcg cccatgatgc caggcggcaa 20640  
 cggtcgcagt tgttcgtcga gcacatggac cttgggtattg gcgatgggcc gtccgaccgg 20700  
 gacgaagccg ctgccgctgt gctgctcggc cggatcgcaa taggtcatgt cgttgatttc 20760  
 40 ggtacaccgc tagatgtacc aggccgtgca ggcaggcagc agcgtcctga gccgttgca 20820

cagttccgcc gggcaggggt cgatggagac gaagagctgg cgcagtcgcy ccagccgctg 20880  
cgggtgtctca gcaacgtggt cgagcagcgc gttgagctgg gaaggaaagg tatacaggcg 20940  
5 tgtgatctgc caggtttcca gcgcgcgcac gaaagcgggg atgtcacgca cggtatcctc 21000  
gtcgatgaac acctgcggta cgccagcaag taggcggcg agcagttcct tgaccgaaat 21060  
10 ggcaaaggcg atcgaggtct tttgcgccac ccgtccccc gcctcgaaag gcgcacgtgc 21120  
ccacagcgca tgcagccagt tgaggatttg ccgatgggg accatcacc ccttgggacg 21180  
accggtggaa ccggaggtat acatcacgta ggccagctgc gccggatgca gggcatgcgg 21240  
15 cagtggcgta tgcggttgac gagcgatggc ggcatcgctc aggcgcagcc gcggtacttg 21300  
gatcagttgc ccgtcgatgt ccttgccgca gagcaacagc cgtggctgcy cgtcgtcgag 21360  
gatctgctga atgtaggtgg tggggtaatg cgggtccaac ggcacgtagc agccaccggc 21420  
20 cttgagcacg ccgagtaggg caatgaggaa atcgggcgag cggccgaacc acagggcgac 21480  
gcgctcctgc gggcgcaggc cgcgtcgat caggcaatgc gccaggcggt tggcgtgttg 21540  
25 gtccagttgg gcatagctca actgtcggtg ttgatcgga caagccagtt cctcggcgty 21600  
cagtgccact tgcgcacga acagatccag cacactgcgc gaggtatcca gagtatgagg 21660  
gggtgaactcy gtgcgagcga ccggcagcga aaaatccgag aggcggcagc gcggttcttc 21720  
30 cagcatccgc tccagcactc tttggtggtg ggccagcatg cgtgaaccg tagccgcga 21780  
aaacagctcc gcggcggtatt cgacagtgc ttccaggtgg cttccgtcgc cgatgaactg 21840  
35 cagggtccagc tcgttgggtg tgggtgcgttc gccaaattcc atctgagcgc tgaggaagat 21900  
ctgggcaaat gcattgacgc cttcggtggc gaaattttgg tgcggagca tgatcggcac 21960  
gagcgggata tggctgctgt cacgcggttt cttgagagcy ctttaagacat gctcgaacgg 22020  
40 cagtgcgcga tgcgcgtagg cgtccagcac ttgctggcgc acgtgctgca gaaaatcctc 22080

ggcaaaggcg tgactgccca agtttaggcg taccgccagg atattgacga aaaagccgat 22140  
cagattctcg gttccagct gatcgcgcc gccgctggta gtacctaacg agagttctcg 22200  
5 ccggccggtg tactgggtgca agacgatcgc caggctcgcc ataagtgtca tgaacaaggt 22260  
gacgcgccgt tcctggctga atgcggcgag acgcgcggcc aaggcgctcg gataggctcag 22320  
gtgtagtatg ccagcacgcc aagctcgatt agccgggctg ggaaaatcgt agggcaaggc 22380  
10 cagcccttct tcgtaacct gcaaacgctg tttccaataa tccagatcgg cgtgaaatc 22440  
ctgtacgcgc tgccatgtag catagtcggc atattgcagt agcagcgggtg gcagtgccgg 22500  
15 tggcgctcgc tgtagcgcgg ctatatagaa agcacgtagg tcgtgaaaga tcaggttaat 22560  
cgaccagccg tcgcagatga tgtgatgcat gttcatcagg aacacgtggt aatcgctcga 22620  
tacgcgcagc accgatacct tgagcagcgg gccgtgggca agatcgaata cgtgcgcggc 22680  
20 gtgctcggcg actaggcgtg gcacttctgc ggggtgctgc gtgatgcaag gcactgggac 22740  
ctgcatggcg tcggcgatgt gctggctggg ataatcgccg ccagcgcaag ttgctatgcg 22800  
25 ggtgcgcaag gtttcatgcc tggccaccag cgctcgatc gcctcgcgca gcgctgacat 22860  
cgagaaatcg gcactgcgta aatggcaggc gaaggcgaca ttgtaactgg tacgttgctc 22920  
gggcatgtgt tcatgcacga accacaggcg ctctgctga tagctcagcg gaacgggagc 22980  
30 atcgcgcacg gcacgggaag agatggtggt gccgccagtc ggagcctgtt gttgccgcgc 23040  
ttcgttgacc actcgcgcaa aatcttccag cacaggggat tcgaacagcg tgttgacctg 23100  
35 cacttcgatg tcgaaactct ggcggatagc cgagaacaac tgggtggcaa gcagcgagtg 23160  
accgccgagg ttgaagaagt tgtcggtgag gctcacgcgt aagggggcgg cctgtgcggg 23220  
ggtcagcagt tcgctccaca gcttggccag ggtgatttcg acctcgctgc gcggagcgag 23280  
40 gtagtcgctg tcgctgctgg cggttgccg ctcgggcagg ctcaaggat cgagcttgcc 23340

attgggcaag cgcggaagcg ccggcagcga ctggaagcgc gttggcagca ttaggtagg 23400  
caagcgttcc tgcagcagct tgcgcagctc gtcgaggttc aggacaccct ggcgtggcac 23460  
5 cacgtaggcc aacagttccg gcgtgggcca gccttgccgc caaccgatca cggcggcctc 23520  
ggcgacctgc aggtgggccc ccagggcttt ctccacctgg cgcacgtcca cgcggtagcc 23580  
gcggaacctg acctcgtagt cgcgcgcggc gagcagttcc agcgtaccgt tgtccagtag 23640  
10 gcgggccatg tcgcccgtcc tgtacagacg cgagccgggg gggccgtagg gattggcgat 23700  
gaagcgcgcg gcggtcaggg cgccttggcg ccaatagccg tgcgtaatgc cgaggctttc 23760  
gatgtgcact tcgcccata tgcaggcgg caacggtcgc agttgttcgt cgagcacatg 23820  
gaccttggtg ttggcgatgg gccgtccgac cgggacgaag ccgctgccgc tgtgtgtctc 23880  
ggccggatcg caataggtca tgcgttgat ttccgtacac ccgtagatgt accaggccgt 23940  
20 gcaggcaggg agcagcgctc tgagccgttg cagcagttcc gccgggcagg gttcgatgga 24000  
gacgaagagc tggcgcagtc gcgccagccg ctgcggtgtc tcagcaacgt ggtcgagcag 24060  
cgcgttgagc tgggaaggaa aggtatacag gcgtgtgac tgccagggtt ccagcgcgcg 24120  
cacgaaagcg gggatgtcac gcacggatc ctgcgtgatg aacacctgcg gtacgccagc 24180  
aagtaggccg gcgagcagtt ccttgaccga gatggcaaag gcgatcgagg tcttttgccg 24240  
30 caccgcctcc ccggcctcga aaggcgcacg tgcccacagc gcatgcagcc agttgaggat 24300  
ttgccgatgg ggcaccatca ccccttggg acgaccggtg gaaccggagg tatacatcac 24360  
gtaggccagc tgcgcgggat gcagggcagc cggcagtggt gtatgcggtt gacgagcgat 24420  
ggcggcatcg tccaggcgca gccgcggtac ttggatcagt tgcccgtcga tgtccttgcc 24480  
gcagagcaac agccgtggct gcgcgtcgtc gaggatctgc tgaatgtagg tgggtgggta 24540  
40 atgcgggtcc aacggcacgt agcagccacc ggccttgagc acgccgagta gggcaatgag 24600

gaaatcgggc gagcgccga accacagggc gacgcgtcc tgcgggcga ggccgcgtc 24660  
gatcaggcaa tgcgccaggc ggttggcgtg ttggtccagt tgggcatagc tcaactgtcg 24720  
5 gtgttgatcg gcacaagcca gttcctcggc gtgcagtgcc acttgcgcat cgaacagatc 24780  
cagcacactg cgtgaccaat ccaaggcgag cgcggtatcc ggactggccg cggtcagcgc 24840  
gacgtcttcg gcatccagta gcgacatgct tgatagtctt atggggcacc gggtcggcag 24900  
10 ggttaaactg gcagcttgag catggcttcg ccatcgctgc gcgcagcgat gtcaggggac 24960  
gattgttcgg gcgaataagg ttcggccatg cacacgagga tcttgccgct gccctcgtag 25020  
15 ggctcgcgtc cgtgcgaaac cagcatattg tcgatcagca gcacgtcgtc ccgatgccag 25080  
tcaaatgga tcttgctgctg ggcgaaaact gtgcgcacat ggtcgagcat ggcggggctg 25140  
atcggcgtgc catcgccgaa ataggcgttg cgcggcagtc cctgctcgc gaagaacgac 25200  
20 agcatcatct tctgcgcage tgcctccagc gcagtgtaat gaaacagggtg tgcttggttg 25260  
aaccaaactt catcgccggt cgcgggatgg cacgcaaagg ccgggcagat ctggctgggtg 25320  
25 cgcaggccgt cgcgggtcca ttcgcattgc atgtcgttgc gggcgcaata agcttctact 25380  
tctgcttgt tgcgggtgtt aaacacgtcc tccatggca ggtcgacccc tgcacggtag 25440  
ttcctgacgt agcgcacctg tttgcgcgca aagatttcgc gcaactgcgg atcgatagcg 25500  
30 gctgtgacct tgagcatgtc agccaacggc gtgcagccgc cctcgctggc cggctgcacg 25560  
caatggaaca gcagtttcat cggccagacg cgctggtagg cgttctcgca atgttgcgct 25620  
35 atggacagct gcctgggata ttcgggtggc gtgtagacat gctggccgac gtcgggtgcgc 25680  
gggtggaac gataggtata ggccagtcgc tcatcgaaga aacagcgtga gatctgctcc 25740  
aagccaccag ggtgcgcaaa gccacggaac agtaacgccc tgtgttgcca tagcagggta 25800  
40 ggccacgtcg cgcgggtgct ggcattccaa tcagtcagcg tggcctcggc cgagtcggcc 25860

ttgatggtca ggggaagatc agcgtttgtg tgcattggggc acctagggtc gagcatggcc 25920  
gacgaagaac aggtgggatt gcagggtgctt ggcgctagcc agtgtctcca acagcgcagg 25980  
5 ccggattacc ttgccgtgc aggtacgtgg gatcgtgctc acttcgacga atagatgggg 26040  
atagtgatgc ttgcctagcg cgttcttgca caaggcgcgt aaggcggccc atagcgcgcc 26100  
tgtatcgatg ctggcatcga caggcaccac gaaggcggcg gggcggggca agccgaactc 26160  
10 gtcttcgatc aggcagatcg cgcactcctt cacgcaggcg tgcgtctgga tgacgtcttc 26220  
cagcgtctca ggcgaaagcc aacaaccgtt gatcttgatg gcggagccca ttctgcccaa 26280  
15 gttatggaag ccccccttgg cgtcggcaaa gaacaggctc cgtgtatcga accagccgtc 26340  
gacgaacaat tgggcaactga gtatggggtc gccaacatag cccctcgtca gcgtattgcc 26400  
cctcaccacac aggcctgcga cttcgcctat gcggcagatc totcctgct tgttcaccag 26460  
20 cttcacaaca aagcctggta ccggcgtgcc agtgcaacc atgagcgcgt ggcctggccg 26520  
attggagatg aaggtggaca gtacctcggt gcagccgata cgtcgagca cttcgacctg 26580  
25 ccaacgcgtg ctgatcgcat gaccaagcct cgcgggcaag ctttcgcccg ccgatatgca 26640  
caggcgaagc gccggccaca ccgcatccgg cgcggcctcg gcaagcaaca gcttgaacac 26700  
ggcgggcacg gcgagcaata cagtgcgtg gtaagtgtgg atggtttgcg cgatctgcct 26760  
30 gacgctaagc ggcgcggcaa tcacatggct gacaccagcg agcagcgaca gcatcagggt 26820  
gttcaggccg taggcgaaaa acaaccgcga cgggtgtatac atcacgtcat cgctgcgcag 26880  
35 cccgagcacg gcctgctggt agttgagatg gcagtgcata aaatcgcat gcgagtgcgt 26940  
taccgccttg ggcgtaccag tggagccgga cgtgcatac atcaccgcgg gtgcatcggc 27000  
ggagcagggc gcaaccacca gtctgcgtt ttcgatcacc ggcacaggc tcgtcagctc 27060  
40 taaggctcggc aggtggcgca acgcggcatg atgggaaggc ggcagttcgg catcgatcag 27120

cacgaggcga ggcttgatgg tcttgagcgt ggtctcaaag tggacgagcg acacaagctc 27180  
 gtttatcggc gcaaagacca agccaccggc caagcaggcc agcatcaggg caacgcccgc 27240  
 5 taggctgtcg atagcaatca gcgccaccgc atcaccgctt tgcaggccaa gcagactcaa 27300  
 gtgccgggca taggtcgccg cgcgagagcg caactggcga tagctgaagg cctgctggcg 27360  
 caacggatcg atcatttgcg ccgtcgaagc cagatgcgct gcggaaaaaa tttgcgcgca 27420  
 10 cacgttgacc tggaccgacg ggaggaagcc gataggcgca caggcgaaca ccgccgtgct 27480  
 tgcgtccgac caggacggca tcggcccatc ggtcgagcgt gcgaaccagc tcgcgggcaa 27540  
 15 atgactggca atctgacata gtttgccgtg gtcgcaggcc agcagactgg tatccacctc 27600  
 gatcaggtct tcgacgcagg aaagcgcagg caaagagatc tgcgccgcgc tgccgcatac 27660  
 ggcactatcg cgcaagtcgc gcaggttcct ttggcggtgg tccgcatgcc atagcagcag 27720  
 20 gccatcgctg cgtcgcgtgg ccaaggttc cagtgccatg cccagggcgc cttgcaaccg 27780  
 gtccagttgc ttgggttctc cgatacggcc caaatccagt gccagggtgt tggcgccggg 27840  
 25 gggcgattcg gacagcacga tttggtgccg atgcttgagg taatcgcaaa tcaggccggc 27900  
 cagcttgccct aaccgtgcat attcccgtag caggctaccg aagctgccac aggggtaagg 27960  
 tgccgcatag tcaatgggta tgtgctggcc gatcggcggtg tcgctgacat cgatacgcaa 28020  
 30 gccaggataa tcgcgccgc attgatgcag cagcgtggtc cattgacgag cataggcctc 28080  
 gttgcgcctt ggccgcgtct gacctaccga ccaacgcaaa tctagttcgg tgccagagtg 28140  
 35 catcggaaga tttgtcagtg ggctatccat aagcgttctc gggtaaggcg atcgacgcat 28200  
 cgagctcggc tgtgtgcaact ggtttggccg gtacgccagc gcgagagact gttcgcaagc 28260  
 ttcagcgttt cagcgcgtgg accagataac tttgcggcac gccgtgggtg ccgcgcgggtg 28320  
 40 cgaccggaaa cggccaacgc cccatttgct ggccagcggc ggcgatggtc aacaccctg 28380

gctcccagcc cagtgggttg atcaggcttt ccggttcgtc agtgccaaac tggcgagcca 28440  
tcgcgtgcag cactcgggca ttgggcgagt tgagcataga gaggccgata acatcgaaca 28500  
5 acacgctgct gcccttggca ctcaatgcat cgatgcgcgc gaacagcagc atcactgcct 28560  
cggcgctcaa gtagcacagc aagccctcga ccagccacaa ggtggcggcg ctgccgacga 28620  
atccactctc cttaagtgcc tggggccagt cttcgcgcaa atcgatcggg agcgcaatgc 28680  
10 gctggcaaac gggctgggcg tcatggagtt tttcgtgctt gtcggagagg acatccatgt 28740  
ggtcgatctc gtagaccggg gtatcggacg gccaggggag acgataagcg cgtgcatcca 28800  
15 taccggcggc caggatcacc acctggccaa tgccttcact aaccgcctgc atgatcttgt 28860  
cgtcgagcca acgcgtccgt acctcgatcg ccggaggcat cggtagcttc tggttgttgc 28920  
gtctgagctc ttcaacgaat tcatcgccgg ccagacgcgc tgcgaaaggg tcatggaaca 28980  
20 gcgcctgctc ccgctcgctt tccagcgccc gcatgcctgc caccataaa gcggttcttt 29040  
cgatatctct catgcatacg ctccggttcg tggtcggctt gcgccgatgc atcatagata 29100  
25 tgcattgactc gattcgcggc accgtgcctt gatggtggct gcgaagcgaa aacaataacc 29160  
aaaggggtgt gtcgacggc ttactgtag cgacaccttg tccatgcct tacggatggt 29220  
ctgatccacg caagcgaaag atgagataaa ccacatcagc tgtcaacgcc gatttaaatt 29280  
30 tgaccactt tcctttgaat cgtcgaagta aatctgaccc acccggggtc ttccatcgtc 29340  
gggctgctag gctgcgcagg gcaaagcccg tcgcagccca gcagccctgc gccggctcac 29400  
35 gccgaaggg caggtagccg atctcgtcga ccaccagcag cttcggccct agtaccgcgc 29460  
gattgaagta gtccttcagc cggttctgcg ccttgaccgc tgccagttgc atcatcaggt 29520  
cggccgcggg gatgaaacgt gccttgtgcc ccgccatcac cgcacgctgg cacagcgcca 29580  
40 gggcgatgtg ggtcttgccg acaccgctgg ggccaagcat caccacgttc tcggcgcgct 29640



	cgacgaaggt caggtggcgg agctcgacga tctgcgcctt cgaggcgccg ccggcctggg	29700
	cccagtcgaa ctgctccagc gtcttgatgg acggcatcct ggcaagtcgc gtcagcacccg	29760
5	tgcgcttgcg ctcttcacgc gcgagctggt cgcttgccag caccctctcc aggaagtagc	29820
	tggcatcctc gcacgcggcg gctgtgcga gtgcttgcca gtccgagctc aggcgtgcca	29880
10	gcttcaactg ctgcacagc gggcgatgc gcgcacactg caggtecatc acgccacctc	29940
	cagcaggggtg tcatacacgg ccagcggatg ctgcaggttt tccactggca gggccactgg	30000
	ctgtcgtaag ggaagcgggt ccttgagcgc cgggtgcggac agtataacga cacttccctt	30060
15	ggccaagcgc actgtcggca cggccttgct gatgccgccc atgtagccgc gcgcctggat	30120
	ctcgcgtagt agcaccacgc tggccgggat ccatcgaggg cgcgcttgcc caatgcgctc	30180
20	atgcagataa ctctttagc cgtccagttt gcaggcgat tgtagggcg caccgctcgc	30240
	gcggcgatcc ccaataaggc gggatgaga cgcgcagggc cgccttccc gcaggcgtagc	30300
	tgctgctcta ttgcttacct catgcagaga tcgccaatgt cgcggttaca gcaaacgctg	30360
25	ctaaccgcgc tcgccagtgc ggccgcctcc cggacaatga tcgagtttcc gcgtccggag	30420
	cacgcacgc cacaatgttg cgacgatgcc gagcttgccg gactgatcgt gcagttgtcg	30480
30	gcgggactgc aaccgctggc gatgccgggt acctacgtga tcattgccgc gccacatggt	30540
	ggtttgctcg cggcagccct gcttgccgtt ttgcatgcca acctgggtggc ggtgccgttt	30600
	ccactggatg ttgctcagcc aaatgagcgg gaacaggcca ggctggagac gatccacgca	30660
35	caattgatgg agcatggcaa tgtagcgggt ctgcttgacg atgtcgcca tcgcagtgc	30720
	ttcgcgcgca tggcgcatgc tgcgggcacc ttctggcgca ccttcgccga tctaaagcgc	30780
40	gaatcgacca ggcctcctt gtgcccggcg tcgccttcgg acgccgcctt gctgttgctt	30840
	acctctgggt cctcgggtga gtccaagggc atcctgctta gccaccgcaa cctgcatcat	30900

cagatccagg ctggcatccg gcagtggagc ttggacgagc atagccatgt ggtgacctgg 30960  
ctttctcccg cgcacaactt cggcctgcat ttcggcttgc tggcaccctg gttcagtggc 31020  
5 gcgacgggtca gtttcatcca tccgcacagt tatatgaaac gacctggctt ctggctggag 31080  
acggttgcgg ctagagacgc cagcacatg gccgcgccga acttcgcgtt cgactactgc 31140  
tgcgactggg tgatggtcga gcagcttccg ccgtctgctg tgtctacgt tacgcatatc 31200  
10 gtgtgtggcg gcgagccggt gcgcgcctcg accatgcagc gcttcttcga gaaattcgcc 31260  
ggactcggtg cgcgtacgca gactttcatg ccgcacttcg gcttgtctga aaccgggtgcg 31320  
15 ctgagtacct tggacgaggc gcccacacag cgcgtcttgg aactagatgc cgacgccttg 31380  
aacaaacgca agcgcgtggc ggcaggggag agccaggcgc gtgtgacagt gctcaattgc 31440  
ggcgccgctg accaagatgt ggagttgcgt atcgtctgtc ctgaaggcga gacgttgtgc 31500  
20 agaccagatg agatcggcga aatatgggta aagtcgcctg cgatcgcccg tggctacctg 31560  
tttgccaagc ccgccgatca gcgacagttc aactgcagca tccgtcatac cgacgatagc 31620  
25 ggttactttc gtaccggcga cctgggtttc attgcgatg gctgtctgta tgtcaccgga 31680  
agggtaaagg aggtgctgat catacgcggt aagaatcatt accccgcaca tatcgaagcc 31740  
tcgatcgccg ctaccgcacg gcctggcgcg ctgatgcggg tgggtgttcag catcgagcgg 31800  
30 caggacgagg agcgcgtagc tgcggtgatc gccgtcaate acccgtggac gccggcagca 31860  
tgcgccgcgc aggcacacaa gatccggcaa caggtagccg accagcatgg agtcgccctg 31920  
35 gcggagctag cctttgccga acaccggcac gtgttcggca cctatccggg caaactgaag 31980  
cggcgcctag tcaaggaagc ctatgtcaac ggccagctgc cgttggttatg gcatgagggc 32040  
aagaaccggg acgtaccagc ggccgccgcg gacgatcggc aggcgcaaca cgtggcggac 32100  
40 ctgtgtcgga aggtcttttt gccgggtgtg ggtgtcgcg cgcgcgatgc ccaatggccg 32160

ctgtgcgaac tggcgctgga ttcgctccaa tgcgtgcgtc ttgccggtgc catcgaagag 32220  
tgctacggcg tgcctttcga acccacgttg ctattcaagc ttgagacggt cggggcaatc 32280  
5 gccgaatatg tcctggcgca cggacgtcag gcgcccacgc cgacgcgtgc gccggtggca 32340  
agcacaacat gctcagagga accgatcgcc attgtggcga tgcactgtga ggtgcccgga 32400  
10 gcgggcgaga aactgaagc attgtggtcg ttctgcgga gcgacgtcaa cgcgatccgg 32460  
ccgatcgaat caacgcgccc ggacttatgg gcagcgatgc gcgcctatcc cggcctcgcg 32520  
ggcgaacagc tgccgcgcta tgcgggtttc ctcgacgacg ttgatgcttt cgatgctgcg 32580  
15 tttttcggtg tctcgcgctg cgaggccgaa tgcattggacc cgcagcagcg caaagtgctg 32640  
gagatggtgt ggaagctgat cgagcaagcc ggtcacgacg cgctgtcctg gggcggccag 32700  
ccggtcgccc tggtcggtgg tgcccatagc tccgactatg gcgagctgct ggcgagccag 32760  
20 ccgcaactga tggcccaatg tggcgcttac atcgattcgg gttcgcatth gaccatgatt 32820  
ccgaaccggg cttcgcgctg gttcaatttc accggcccca gcgaagtaat caacagcgct 32880  
25 tgetccagct cgctggtggc gctgcacgag gcggttcaat cgctgcgcca aggcgaaagc 32940  
agtgtcgccc tggtagctgg cgtgaacett atcctggctc ccaaggtgct gttagccagt 33000  
gcaagcgcgg gcatgctttc gcccgatggc cgctgcaaga cgcttgacgc cgccgccgat 33060  
30 ggcttcgtgc gttcggaagg gatcgaggg gtgatattga agccactggc gcaggcgctg 33120  
gccgatggtg acaggggtcta cggctctagc cgcggcggtg cgggtcaacca tggcgggcgt 33180  
35 tccaattcct tgcgtgctcc caacgtcaac gcgcagcggc aactgctgat ccggacttac 33240  
caggaagccg gtgtcgagcc ggccagcgtc gggtatggtg aactacacgg cactgggtacc 33300  
agcctgggtg atccgatcga aatccaggcg ctgaagggaag ctttcattgc gttgggggca 33360  
40 caggccgccc cgtcaaaactg cggcatcggt tcggtgaagt ccgcgctggg ccatctagaa 33420

gccgctgcag gectgaccgg cctgatcaag gtgctgctga tgctcaagca eggcgagcag 33480  
 gccggcacgc gccatttcag cacgctcaat ccgctgatcg atttgcgagg tacgtcattc 33540  
 5 gaagtgggtgg cgcagcatcg cgcattggccg tcgcaggteg gcattcacgg cacactcttg 33600  
 ccgcgtcgcg egggtatcag ctcatteggc ttccggcgcg ccaatgcgca tgcgatcgtg 33660  
 10 gaagagcatg tcattgccac gccccctcgc acgagctccg ctggcgggccc ggtaggtatc 33720  
 gtgttgctcag ccggtagtga agctgtcttg cggcaacaag tgetggcctt gtcagcctgg 33780  
 ctaaggcagc aatcgccgac acccgcgcaa atgatcgatg tcgcctacac cttacaggta 33840  
 15 ggacgcgcag ccctgtcgca caggttggct tttagcgcg cggacgcgca gcaggcattg 33900  
 gcgaggcttg agggctcgtc ggccggcgctg atggatgccg aggtccatca cgtgtcgtg 33960  
 20 gatgctgcgc caacggctcc cgaacatggg cggcagacgc gcgaaggctt tgccggtttg 34020  
 ctgcgagcct ggactcaggg cgtgcgcgtc gattggtcgg cgctgtacgg catacagcga 34080  
 ccgcagcgcg ttagcctgcc tgtctacccc ttccgtaggg aacgctattg gctgcccggc 34140  
 25 caggctatgc atgccgctgc ggacgctcat ccgatgctgc agctgttgca tgccaatgcc 34200  
 aaactacatc gctacgcctt gcgtaggtcc ggctgcgcaa gctttcttgt tgatcattgc 34260  
 30 gtggatggtc gacaggctact accggcagcc gtgcaactgg aattggtgcg cgcggtggcg 34320  
 cagcgggtca tggcgagga tgagggttgt atcgaaactgg cgcaggtcgc ctttttgcat 34380  
 cccctcatga tggaggagac tgagctggag gtcgaaatcg aactgtcgaa gagcgatcaa 34440  
 35 gatgagttcg atttccaact tcacgatgct caccgccaac aggtcttttag ccaggggcac 34500  
 gtacgtcgcc gggctctatac ggcgacaccg cgcttgatt tagccagct gcaaaagctt 34560  
 40 tgtgccgagc gcgtgttgtc cggcgaagac tgttatgcgc acttcaccgc ctgcggattg 34620  
 cagctcggcg accggctcaa atccgtgcaa tcgatcggct gcggacgcaa tggcgagggc 34680

gagccgatcg cattgggtgt cctgcgcctg ccaccatcaa gcgttgaaga cagccatgtg 34740  
ctgectecta gcctgcttga tggtgecttg cagtgtagcc ttggcttgca gcgtgatgtc 34800  
5 gagcacatcg ccatgccata cacgctggag cggatgacgg tgcattgcgc gattcctccc 34860  
gagggcctggg tgctgctgcg tcacggccat gcagccagac agtccctgga catcgatctc 34920  
ctggattccg aaggtagggg ctgcgtcagc ctcggaatt acaccggccg tgcaccgaaa 34980  
10 gccgtttccg ccgtcagggc gcttgtcttg gcaccggtct ggcaagcgtt gaccgaaacg 35040  
gcgcgggcat ggcccgatcc ggccgaacgc atcgttacgg taggagacga tgcattggcgt 35100  
15 agtcacttcg gtttcgacga gccggccttg tccctggagg acagcgtcga agtcatcgcg 35160  
acgcgactgg gccagagcgg caagttcgat catctagtct ggatcgtgcc gatagccgag 35220  
agtgaaccg atattgcagc gcaaggttca gcggcgatcg ccggtttccg gttggtcaag 35280  
20 gcgttgcttg cggtgggcta tgcgcacgc ccgctgggtc tcaccgtgct gactcgccaa 35340  
gcccttacgc ggcagccgtc gcacgcggca gtgcacgggc tgatcgggac gctggccaag 35400  
25 gaatactgca actggaaaat ccgtctgctc gacctgccga gcgtaaaatc ttggccgcaa 35460  
tgggagcaat tgcggtcggt gccttggcat gcgcagggcg aagccctgat cggccgtggg 35520  
acttgttggt atcggcgcca gttgtgtgaa gtgctgccgc tgccgtcggt ggaaccgccc 35580  
30 ccgtaccgcg taggcggtgt ctacgtcgtg atcggcgggc ctggcggtt ggggtgaagta 35640  
ttgagcgaac acttgatccg cacgtacgac gcgcagctga tctggatcgg gcggcgcggtg 35700  
35 ctggacgaag gcattgcgcg caagcagacc cggttgctgct cgctggggcg cgcaccgcat 35760  
tacatctccg cggacgcgag tgaccgggt gccctgcagg cggcacataa tgagatcggt 35820  
gcgctgcatg gccagcccca tgggctcatc ctaagcaaca tcgtgctgaa ggatgccagt 35880  
40 ctggctcgta tggaggaagc cgatttccgt gacgtgctgg ccgcgaaact cgacgtcagc 35940

gtgtgtgcgg cacaggtgtt eggcacggcc ccccttgatt tcgtgctgtt tttttcttcc 36000  
atccagagca ctaccaaggc ggccgggcaa ggtaactacg ccgcccgtg ctgctatgtc 36060  
5 gacgctttcg gcgagctatg ggcgcgccgg ggtttgaggg taaagaccat caactggggc 36120  
tactggggca gcgtgggcgt cgtagcgggc gaggactatc gccggcgcat ggcgcaaaaa 36180  
cacatggctt cgattgaggg tgccgaagcg atgcaggtgt tgtcgcagtt gttgtgtgcg 36240  
10 ccgttgcaac ggcttgccca cgtcaagatc gacgatgcta acgcaatgcg cgctctgggc 36300  
gtagtagagg acgagagcgt gcaaaccct gtgcacgcac cggccgagcc tcccagaggg 36360  
15 cagcctggtc ccgtggtcga gttgtcgggt aatctggatg cccggcgcgga acgggaaact 36420  
ttgctggcgg cctggctgct tgagttgatc gagcaactcg gtggttttcc gccggcaagt 36480  
ttcgacatcg ctacgcttgc gcaacgcctg cacatcgta cgcctatcg aagctggctg 36540  
20 gaacacagcg tgccgatgct cggcgtgtat ggttacctca gagcgacggg ggaaagccga 36600  
ttcgagctgg ccgacaagcc gcccgatgat gccaggggtg cctggaacgc gcatgtgcac 36660  
25 gaggccagcg tcgaagccgg tgaagaggca cagcggcgtc tgctcgatcg ctgcatgcgg 36720  
gcgttgccgg cggctccttcg aggcgaacgc aaggccaccg aattgctgtt tccggaaggt 36780  
tcgatggcgt gggtcgaggg tatctaccag aacaaccgc ttgccgatta cttcaacgca 36840  
30 caactagtca cgcgactgat tgccacttg agacgacgac tagagtcgac gcctacggcg 36900  
cgcctgaagc tgtgcgagat cggcgccggc agcgggtgta ctactgcaag cgtgctacaa 36960  
35 cagttgcagg catatggtga gcatattgag gaatatctct ataccgacct gtcgcctgtc 37020  
ttcctgcate atgcggaaaa acactatcag ccacgagcgc cttatttgag gaccgcctgt 37080  
ttcgacgtag cgcgcgcgcc gacggcgag gccctggaat ctggcggcta cgacgtgggtg 37140  
40 attgccgcca acgtactgca tgctacgcgc gatatcgcca agaccttgcg caatgcgaag 37200

gcactcctca aacctggcgg tctgctcttg ctcaacgaag tgatcgagcg cagcctcgtc 37260  
ttgcacctga ctttcgggtct gctggagagc tgggtggttc cccaggacaa gatcttgccg 37320  
5 cttgcgggct cgccgttget ggcttgccgc acctggcgca gcctgctgga ggctgagggc 37380  
tttgcggggc tgagcgtgca cagggcgcaa cccgatgccg ggcaggccat catctgtgcc 37440  
tacagcgatg ggatagtgcg gcaagccagt acgatcgagg ttgcgcggaa tgaaaaagta 37500  
10 accgttccgt cgcagccggc ggaagccggg gaatcgccgc tggatctggt caaaaaactg 37560  
cttggaacga ttctgaaaat ggatccggcc aactcgata ccagccaccc gctggagtac 37620  
15 tacggtgtcg attcgatcgt ggcgatcgaa ctggctatgg cactgcgcga gacattcccg 37680  
ggttttgaag tcagcgagct gtttgaaacg caatccatcg ataccttgtt gggctctctt 37740  
gagcaggctc ctctccttgc taccctcaca gctccgccgc aacaagacat gctgcagcag 37800  
20 ctgaaacaac tgctggcgcg tacgctgaag ctggacatta cgcagatcga cacgagcaag 37860  
acgctggaga gctatggtgt cgactccatc gtcatcatcg aattagccaa cgccttgctg 37920  
25 gagcgctatc cgagcttga cgcgtcacag ctgatggaaa ccttatcgat cgaccggctg 37980  
gttgcccaat ggcaggcaac ggagcccgcc gtaccggcag agccaacagc ggaaccggcg 38040  
gtagccgacg aagacgccgc tgccatcatc ggactggccg gccgctttcc aggcgcggac 38100  
30 acgttggagg agttctggaa caacctgcgc aacggccaaa gcagtatggg agaggtgcca 38160  
ggcgagcgct gggatcacca gcaactctc gacagtgaac gccaggcacc gggcaagacg 38220  
35 tatagccgct ggggtgcgtt tctgagggac atagacggct tcgatgcagc cttctttgaa 38280  
tggcccgaca gcgtcgcgct ggaatcggat ccgcaagcgc ggatatttct agagcaggcc 38340  
tatgcccggg tcgaagatgc cggctacacg cctggctcgc tcagcaagag ccaacgcgta 38400  
40 ggtgtattcg taggtgtgat gaatggttac tacagcggcg gagcgcgctt ctggcaaatc 38460

gccaacccgcg tgcgtacca gtccgatttt cgcgggcca gacctggcggg ggataccgcc 38520  
 tgttcggcctt cgcaccgcg gatccacctg gcgctggaaa gacctgcgcag cggcagttgc 38580  
 5 gaggtcgcac tggccggtgg cgtgaatctg ctggctcgatc cgcagcaata tcttaatttg 38640  
 gctggcgccg cgatgctctc cgcgggcgcc agctgtcggc cgttcggcga ggccgcggac 38700  
 ggtttcgtgg ccggcgaagc ctgcggcggtg gtgctgctca agccgctcaa gcaagcgagg 38760  
 10 gccgatggcg atgtgatcca tgcgtaatc aggggcagca tgatcaatgc cggtagggcac 38820  
 accagcgctg tctctcgcc taacctgcc gccaggccg aagtcgtgcg gcaggccttg 38880  
 15 cagcgcgcgg gcgtggcgcc cgattcgatc agctacatcg aggcgcattg caccggcacc 38940  
 gtactaggcg atgcagtga gttgggtgct ttgaataaag tgttcgacaa gcgcgcggcg 39000  
 ccatgcccga tcggctcgct gaaggcgaac atcggccatg ccgaaagcgc cgcgggcac 39060  
 20 gccggcctgg ccaagctggg attgcagttc aggcattggc agttgggtgcc tagtctgaat 39120  
 gcgtttccct tgaatcccta tattgagttc ggtcgcttcc aggtacaaca gcagccggca 39180  
 25 ccgtggccgc gccgtggcgc ccagccgcgg cgcgcgggt tatctgcctt cgggtgctggc 39240  
 ggatcgaatg cgcacctagt ggtagaggaa gctccggcta tggctcccgg ggtctcgatc 39300  
 agegccagct ctccagcctt gatcgtgctt tcggcgcgaa cgctgcctgc cttgcaacag 39360  
 30 cgtgctcgcg atctgctcgt ctggatgcaa gcgcggcagg tggatgacgt catgctggcc 39420  
 gacgttgctt atacgctgca cttgggcgcg gtcgcgatgg agcaacgcct ggcttttacc 39480  
 35 gctggctcgg ctgccgagtt gagcgagaaa ttacaggctt acctgggcca tgcgattcgg 39540  
 gccgacatct atctgagcga ggacacgcc ggcaaaccgg caggcgctcc gatcgtggcc 39600  
 gaggaagatc tgctcacgct gatggatgcc tggatcgaag agggccagta cggctgcttg 39660  
 40 ctggagtact ggaccaaggg ccaaccgatc gactggaaca aactctattg gcgcaagctg 39720



tatgcggacg gacggccgcg gcgatcagc ctgcccacct atccgttcga gcaccggcgt 39780  
tattggcaaa cgccggtgcc gggcgagcga agcctgcacg ccaccgcgcc agctactcgg 39840  
5 gaaacggttg cggttggtgc catgccggat ccggccggcg ctacggtgca agcccggttg 39900  
tgcgcccttg gccaaagtgt gttgggcaaa ccggtcacgg ccagatgga tttctttgcc 39960  
gtcggcggcc attcgggtgt ggcgatccaa ttggtctcgc gcatccgcaa aagcttcggg 40020  
10 gtggagtatc cggtcagcgc tttgttcgaa tcggcgctgt tgcgggacat ggcgcggcag 40080  
atcgaacaat tgcgggtgaa cggagtcgcc aagcgcatgc cggcgttggt gcctgccggg 40140  
15 cgcgtgggcg cgattcctgc gacttatgca caggagcgcc tatggctcgt ccacgaacat 40200  
atgagtgagc aacgcagtag ttacaacatc acctttgcca tgcacttcag aggcgtcgac 40260  
ttccgtgctg aagcgatgcg tgccgcattg aacgcgctgg tggcgcgga cgaagtgtg 40320  
20 cgcacacgct ttctttcgga ggacgggcag ctgcaacagg tgatcgctgc ctcgttgacg 40380  
ttggaggtgc cggtaagaga gatgtcggtc gaggaggtcg acctgctgct ggccgcgagc 40440  
25 acgcgggaga ctttcgatct gcggcagggg cccttgttca aggcacgcat cctgcgcgtg 40500  
gcggccgata accatgtggt gttgagcagc atccaccaca tcatttccga cggttggtcg 40560  
ctgggagtgt tcaaccgtga cctgcaccag ctgtacgagg cgtgtttgcg cggcacgccc 40620  
30 cccacactgc cgacgctggc ggtgcagtat gccgactacg cgctgtggca acggcaatgg 40680  
gagctggcgg ctccgctgtc gtactggacg cgggcactgg aaggctacga cgacggcctg 40740  
35 gacttgcctt acgaccggcc gcgcggcgcc acgcgggcgt ggcgggcagg gctggtcaaa 40800  
caccgctatc cgccgcaact ggcccagcag ttggcggcct acagccaaca gtaccaagcg 40860  
acgctgttca tgagcctgct ggcaggcctg gcgttggtgc tgggcggtta cgccgatcgc 40920  
40 aaggacgtgt gcatcggcgc gacggtctcc ggccgcgacc agctggagct ggaagagctg 40980

atcggtttt tcatcaatat ttgtccgctg cgggtggacc tgtcgggga tccgtgcctg 41040  
gaggaggtgc tgctgcgcac gcgtcaagtg gtactggatg gtttcgcgca ccagtcggtg 41100  
5 ccgttcgagc acgtgttgca ggcgtgcgg cgtcagcgcg acagtagcca gatcccgctg 41160  
gtgccggtga tgctgcgaca ccagaacttc ccgacgcagg agattggcga ttggcccag 41220  
ggagtgcggc tgacgcagat ggagctgggg ctggaccgta gcacgccgag cgagctggat 41280  
10 tggcagttct acggcgacgg cagctcgtg gagctgacgc tggaatacgc gcaggacctc 41340  
ttcgacgaag cgacggtgcg gcggatgac gcacaccacc agcaggcgtt ggaggcgatg 41400  
15 gtgagccggc cacagctgcg ggtgggcaag tgggacatgc tgacggccga agagcgccgg 41460  
ctgtttgccg cgctaaatgc gacaggtacg ccacgggagt ggcccagtct ggcgcagcag 41520  
ttcgaacggc aggcgcaggc gacgccgag gccatcgct gcgtgagcga tgggcagtcg 41580  
20 tggagctatg cgcagttgga ggcgcgcgc aaccagctgg cacaggcgt gcgggggcag 41640  
ggcgcgggcc gggacgtgcg ggtggcggtta cagagtgcgc gcacgccgga actgctgatg 41700  
25 gccttctggt cgatctttaa ggccggtgcg tctatgtgc cgatcgatcc ggcctacctg 41760  
gcggcctacc gcgagcagat cctggccgag gtgcaggtgt cgatcgtgct ggagcaagac 41820  
gagctggcgc tggacgagca agggcagttc cacaatccgc gttggcgca gcaagccccg 41880  
30 acgccgctgg ggctgagggg gcatccgggc gacctggcgt gcgtgatggt gacctccggc 41940  
tcgaccggcc ggcccaaggc cgtgatggtg ccgtatgcgc agctgtacaa ctggctgcat 42000  
35 gcaggctggc agcgttctcc gttcgaggcc ggggagcggg tgctgcagaa gacctcgatc 42060  
gcctttgceg tgctcgtaaa ggagtgtcta agcgggctgc tggcgggggg ggaacagggtg 42120  
atgctgccgg acgagcaggt gaaggacagc ctggcgttgg cgcgggcgat tgagcaatgg 42180  
40 caggtgacgc ggctgtacct agtgccatcg cacctgcagg cgctgctgga cgcgacgcaa 42240

ggacgagacg ggctactgca ctcgctgcgt cacgtggtga cggcggggga agcgttgccg 42300  
 tctgcggtgc gcgaaacggt gcgggcgcgt ctgccacagg tgcagctatg gaacaactac 42360  
 5 ggctgcacgg aactgaacga cgcgacctac caccggtcgg atacggtggc gccaggaacg 42420  
 tttgtgccga tcggcgcacc gatcgccaac accgaggtat acgtgctgga cgggcagctg 42480  
 cggcaggtgc cgatcgggggt gatgggcgag ctgcacgtac acagcgtggg gatggcgcgc 42540  
 10 ggctactgga accggccggg gctgacggcc tcgcgcttca tcgcgcaccc gtatagcgag 42600  
 gagccgggca cacggctgta caagaccggt gacatggtac gccggctggc ggacgggacg 42660  
 15 ctggaatacc tgggccgaca ggacttcgag gtcaagggtc gcggccaccg ggtggatacg 42720  
 cggcaggtgg aggcggcctt gcgggcgcag cccgcggtgg ccgaggcggg ggtgagcggg 42780  
 caccgggtgg acggggacat gcagttggtg gcctatgtgg tggcgcgtga agggcaggca 42840  
 20 ccgagcgcgg gcgagttgaa acaacagctg tcggcgcagt tgccgacctg catgctgccg 42900  
 accgtgtacc agtggctgga gcagttgccg cggctgtcca acggcaagtt ggaccgggtg 42960  
 25 gccctgccgg caccgcaggc ggtacacgcg caggagtacg tcgcgccacg caaccaggcc 43020  
 gagcaacggc tggcggcact gtttgccgag gtgctgcggg tggagcaggt aggcattcac 43080  
 gacaacttct tcgccttggg tgggcactcg ctgtctgcat cgcaactgat ctgcggtatt 43140  
 30 gccagggata tggcgatcga tctgccctg gccatgctgt tcgagctgcc cacggtagcg 43200  
 cagcttagcg aatccctcgc cagccatgca cgcgacagcg attacgatgt catccccgca 43260  
 35 agcaccgagg aggcgaccat tccgctttcc actgcgcagg agcgcagtgt gttcctgcac 43320  
 aagttcgtgc aggagacgcc gtacaacacc ccgggtctcg ccttattgca aggcgaactg 43380  
 gacatttcgg ccttgacggg agcatttcgc tgtgtgctag aacggcacgc cgtgctgcgt 43440  
 40 acccatttcg tggaaaccga gcagcaatgc gtacaggtca ttggcgcagc agagcagttc 43500

gtgctgcagc ttaggtcgat tcgcgacgag gctgatctgc atggcctatt gcacacagcc 43560  
gtcagcgaac ccttcgattt agaacgcgag ctgccattgc gcgccttgct gtatcgctg 43620  
5 gacgaccggc ggcattacct agcagtggtc atccatcaca tcgtcttcga cggttggtcg 43680  
acctcaatcc tgtttcgtga gctggccacg cactatgctg catgccgcca tggccaatcc 43740  
gcgcctttgc caccgctgga gcttagctat gcgattacg cacgctggga gcgtgcgagg 43800  
10 ctgaaccagg aagacgcgct gcgcaagctc gaatattgga aaacgcagct tgccgatgca 43860  
ccgccgctgg tgttgccac gacctatgcg cggccggttt tccagaactt caatggcgcg 43920  
15 actgtggcgc ttcagatcga gccgcgctg ctgcaacgcc tgcagcgttt cgccgacgca 43980  
cacagcttta cattgtacat gctacttctg gcagcactgg gcgtcgtatt gtcgcgccat 44040  
gcccggcaga agcatttctg cattggcagt ccggtcgcca atcgcgcccg agccgagttg 44100  
20 cacggtttga tcggtttgtt cgtcaacacc ctggcggtac ggctcgattt ggacggcaat 44160  
cccagcgtgc gcgagctgct cgaacgcac cactgcacca cgctggccgc ctacgagcac 44220  
25 caggatgtgc cgttcgaaag aatcgaggaa agcctgaagg taccgcgcga taccgcgcgt 44280  
aaccgcgtgg ggcaggtgat gctcaatttc cagaacatgc caatgtcggc gttcgacctg 44340  
gatggtgtcc aggtgcaggt gctcccatg cacaacggca cggccaagtg cgagctgacc 44400  
30 ttcgacctgc tgctggatgg ctacgccta tccggtttcg tcgaatacgc cactgggctg 44460  
tttgcccgga aatgggtcca ggcgctggta cagcaattca agtgtgtgct ggcggcattg 44520  
35 gtggaacggc cggaggcatc gctgaatgat ttgccatgg cgcacaacga ggcgcaaccg 44580  
gcgtcgccgg cattgatgaa gcatgtcgcg ccgagcttgc ccaacttact tgaggctatg 44640  
gcggccaatg atgcgcacg cctgccttg caagcgccgg aagggtgcgt cagttacgct 44700  
40 cagctaatacg aggcagcaaa cgagttcgcc tggcggttgc ggtgcgagca cgccggtccg 44760

gacaaagtcg ttgccctgtg cctagcgcct tgctccgcct tggtaggtgc tttgctggcc 44820  
 gcttcattat gcggtgcggc gagcgtgctg atcgatccga cgacgactgc cgaggcgcaa 44880  
 5 taccaccagt tgttcgaaac gcgggcccgc atcgtggtga cctgttctag cttgctggag 44940  
 aagttgccgc tcgacgacca ggctgtagtg ctgatcgacg agcaagctgc agaagcgacg 45000  
 10 ccgcgtttga tgcatttcac cgacgatcca gctttgcccg caatgctgta ttgtgtgtgt 45060  
 gacgaaaagg ggcgaaccgc cagatcatg gtcgaaagcg gcagtttgc gagtcgcctg 45120  
 ctcatagcgc tgcagcgttt cagtctcgaa cgcaccgatc gcttcctgct gcgcagcccg 45180  
 15 ctttctgccg aactggcgaa taccgaagta ctgcaatggt tggcggcagg cggcagcctc 45240  
 agcatcgac ccattgcatgg cgatttcgat gccgctgcct ggctggagac cctcgcgacg 45300  
 20 tacgcgatca ccgtggccta cctggctcaa gttgaattga ccgagatgct ggcgcattctg 45360  
 caaaaccatc ctcttgagcg caacaagctg gccggcttac gcgtgctggt ggtgcatggc 45420  
 gcgcccttgc cgatcgcgcc actgatgcgc ctagacgcgt ggttgcgaga ggtgggcggt 45480  
 25 tccgcacgga tcttcgccgc ctacgggaat gccgagttcg gtgccgaaat attgagccag 45540  
 gatgtcagcg ctgcattgca agcgggtatt ggcgctcaat acaagcatcg ccgtgggtctg 45600  
 30 ttcccgttgg gtgccaaactc gatgtgtcac gtggtgcaga gcaacggccg catcgcgccc 45660  
 gacggcatgg ttggtgaatt gtggatcaca cagccagcct gcttgtacaa aaccgatgca 45720  
 ttggtgcgtc gcctggcaaa tgggcaactg gaatggttgg gctccctcga tgtccagtcg 45780  
 35 cgtatcgatg atccccgat cgatctgtgc gtcgtggagg cacaactgcg cttgtgcgaa 45840  
 gacgtcggcg aagcggtagt gctgtatgag ccgttgaagc gctgcttggg agcctatctc 45900  
 40 tcggcccgtg gcacagctgc aatcatgacc gacgagacgc tggccaggat ccgccaggcc 45960  
 ctgagcgaaa ccttgccgga ttatctactg cctgcaatct gggtagccgt cgcgcactgg 46020

ccacgcttac cccatgggcg ggtcgacctc ggcgcccttg ctcgaccgga ttctgatctt 46080  
gcgcggcatg agtcgtacat agcgccacgc acagccgtcg aacaggccgt ggccgaaata 46140  
5 tggcaacgcg tgttgaagcg taccaggtc ggctgcatg acaatttctt cgagctgggc 46200  
ggccattcgg tgctggcgat ccagctggtg tccggcttg gcaaggcttt ggccatcgaa 46260  
gtgccggtca ccctggtgtt cgaggcgccg atactggggg cgctggcgcg gcagatcgcc 46320  
10 cccttggttg tcagcgaacg gcgtccgcgc ccgcctggcc tgacgcgcct ggagcataca 46380  
gggcccattc cggcttcgta tgcacaggag cggttatggc tggtgacga gcatatggag 46440  
15 gagcagcgaa ccagctacaa catcagtaac gcagcgcat tcatcgagc agccttcagc 46500  
gtcgaagcga tgcgtgccgc attgaacgcg ctggtggcg gcacgaagt gctgcgcaca 46560  
cgctttcttt cggaggacgg gcagctgcaa cagggtgatc ctgcctcgtt gacgctggag 46620  
20 gtgccggtac gcgaggtgtc ggccgaggag gtcgacctgc tgctggccgc gagcacgcgg 46680  
gagacttctg atctgcggca ggggcccttg ttcaaggcac gcatcctgcg cgtggcgggc 46740  
25 gatcaccatg tgggtgttgag cagcatccac cacatcattt ccgacggctg gtcgctggga 46800  
gtgttcaacc gtgacctgca ccagctgtac gaggcgtgtt tgcgcggcac gccccca 46860  
ctgccgacgc tggcggtgca gtatgccgac tacgcgctgt ggcaacggca atgggagctg 46920  
30 gcggctccgc tgctgtactg gacgcgggca ctggaaggct acgacgacgg cctggacttg 46980  
ccctacgacc ggccgcgcgg cgccacgcgg gcgtggcggg cagggtggt caaacacgc 47040  
35 tatccgccgc aactggccca gcagttggcg gcctacagcc aacagtacca agcgacgctg 47100  
ttcatgagcc tgctggcagg cctggcggtg gtgctgggccc gttacgccga tcgcaaggac 47160  
gtgtgcatcg gcgcgacggt ctccggccgc gaccagctgg agctggaaga gctgatcggc 47220  
40 tttttcatca atattttgcc gctgcgggtg gacctgtcgg gggatccgtg cctggaggag 47280

gtgctgctgc gcacgcgtca agtgggtactg gatggcttcg cgcaccagtc ggtgccgttc 47340  
gagcacgtgt tgcaggcgct gcggcgctcag cgcgacagta gccagatccc gctgggtgccg 47400  
5 gtgatgctgc gacaccagaa cttcccgcag caggagattg gcgattggcc cgaggggagt 47460  
cggctgacgc agatggagct ggggctggac cgtagcacgc cgagcgagct ggattggcag 47520  
10 ttctacggcg acggcagctc gctggagctg acgctggaat acgcgcagga cctcttcgac 47580  
gaagcgacgg tgcggcgat gatcgcacac caccagcagg cggtggaggc gatggtgagc 47640  
cggccacagc tgcgggtggg caagtgggac atgctgacgg ccgaagagcg ccggctgttt 47700  
15 gccgcgctaa atgcgacagg tacgccacgg gagtggccca gtctggcgca gcagttcgaa 47760  
cggcaggcgc aggcgacgcc gcaggccata gcatgcgtga gcgatgggca gtcgtggagc 47820  
tatgcgagct tggaggcgcg cgccaaccag ctggcacagg cgctgcgtgg gcaggggcgcg 47880  
20 ggccgggacg tgcgggtggc ggtacagagt gcgcgcacgc cggaactgct gatggccttg 47940  
ctggcgatct tcaaggccgg tgcattgctat gtgccgatcg atccggccta cccggcgggc 48000  
25 taccgcgagc aaatcctggc cgaggtgcag gtgtcgatcg tctggagca aggcgagctg 48060  
gcgctggacg agcaagggca gttccgcaat cggcggtggc gcgagcaagc cccgacgccg 48120  
ctggggctga ggggacatcc gggcgacctg gcgtgcgtga tggtagctc cggctcgacc 48180  
30 ggccggccca agggcgatg ggtgccgtat gcgcagctgc acaactggct gcatgcaggc 48240  
tggcagcgtt ctgcgttcga ggccggggag cgggtgctgc agaagacctc gatcgcttt 48300  
35 gcggtgctcg taaaggagt gctaagcggg ctgctggcgg ggggtgggca ggtgatgctg 48360  
ccggacgagc aggtgaagga cagcctggcg ttggcgcggg cgatcgagca atggcagggtg 48420  
acgcggctgt acctagtgc gtcgcacctg caggcgctgc tggacgcgac gcaaggacgc 48480  
40 gacgggctac tgcactcgct gcgtcacgtg gtgacggcg ggaagcgtt gccgtcgcg 48540

gtgggcgaag cgggtgcgggt gcgcctgccca cagggtgcagc tatggaacaa ctatggctgc 48600  
acggaactga acgacgcgac ctaccatcgg tcggatacgg tggcgccagg aacgtttgtg 48660  
5 ccgatcggcg caccgatcgc caacaccgag gtatacgtgc tggaccggca gctgcggcag 48720  
gtgccgatcg gggatgatggg cgagctgcac gtacacagcg tggggatggc gcgcggctac 48780  
10 tggaaaccggc cggggctgac ggcctcgcgc ttcacgcgc acccgatatag cgaggagccg 48840  
ggcacacggc tgtacaagac cggatgatatg gtacgcggc tggcggaagg gacgctggaa 48900  
tacctgggccc gacaggactt cgaggtcaag gtgcgcggcc accgggtgga tacgcggcag 48960  
15 gtggagggcg ccttgcgggc gcagcccgcg gtggcgagg cgggtggtgag cggtcaccgg 49020  
gtggacgggg acatgcagtt ggtggcctat gtggtggcg gtgaaggga ggcaccgagc 49080  
gcgggcgagt tgaaacaaca gctgtcggcg cagttgcga cctacatgct gccgaccgtg 49140  
20 taccagtggc tggagcagtt gccgcggctg tccaacggca agttggaccg gttggcgctg 49200  
ccggcgccgc aggtggtaca cgcgaggag tacgtcgcgc cacgcaacga ggccgagcaa 49260  
25 cggctggcg cactgtttgc cgaggtgctg cgggtggagc aggtgggcat ccacgacaac 49320  
ttcttcgcct tgggtgggca ctgcgtgtct gcacgcaac tgatctcgcg catccgcaa 49380  
agttttcacg tcgatctgcc gctgagccgg atcttcgagg caccacgat cgagggcctg 49440  
30 gtcaggcagc tagcgttgcc tagtgaaggc ggcgtggcca gcacgcccag ggtagcgca 49500  
aaccggacga tccattgtc gctgttcag gaacgcctgt ggttcgtgca ccaacacatg 49560  
35 cctgagcaac gcaccagtta caacggcacg ctgccttgc gtttgcgtgg tcctttgtcg 49620  
gtggaagcga tgcgtgcagc gctgcgtgcg ttagtgctgc gccacgaaat cttgcgtacc 49680  
cgcttcgtgt tgccgaccgg tgctagcgag ccggtgcagg tcattgacga gcacagcgat 49740  
40 ttccagctct cagtacagct agtcaggat actgagatcg cgtcgctgat ggatgaactg 49800



gcaagtcata tctacgactt agccaacggc cggctgttca ttgcatgcct tttgcaactg 49860  
gatgagcaag aacatgtgct gctaacggc atgcatcacc ttatctacga cgcttgggtcg 49920  
5 caattcaccg tgatgaaccg cgatctacgc gtgctgtatc accgccacct cggacttgcc 49980  
ggcggagatc tgccggaatt accgatccaa tatgccgact atgcgatctg gcaacgcgcc 50040  
cagaacctgg acgcgcaact ggctatttgg caggctatgt tgcacgacta cgacgacggc 50100  
10 ctggagctgc cctacgacta tccgcgtccg cgcaatcgca cctggcacgc agcgggtctac 50160  
acacacacct atccggctga actggtacag cgctttgccg gcttcgtaca ggcgcacacg 50220  
15 tcgaccttgt tcatcgggct gttggccagc ttccgggtcg tgtgaacaa atacaccggc 50280  
cgggacgact tgtgcatcgg taccaccacg gcaggcgca cgcacctgga gctggagAAC 50340  
ctgatcgggt tcttcatcaa catcttgctt ttgcgcttgc gcttggacgg cgatccggac 50400  
20 gttgccgaaa tcatgcggcg aacacgggtg gtggcgatga gcgcgtttga gaaccaggcg 50460  
ctaccgttcg agcacctgct caacgccctg cacaagcaac gtgacaccag ccggattccg 50520  
25 ctagttccgg tggatgatgc tcatcagaac ttcccgaca cgatcggcga ctggagcgat 50580  
ggcatccgta ccgaagtgat ccagcgcgat ctgcgtgccA ccccaatga aatggacctg 50640  
caattcttcg gcgacggtac ggggctttcg gtcacagtgg aatacgcggc ggagctgttc 50700  
30 tcagaagcga ccattcgccg cctgatccac catcaccaac tgcctctgga gcagatgttg 50760  
gcgccccatg aaagcgccac gtgccccttg gatgttgccg actagcaaaa gccggccgcc 50820  
35 gtcaccogtt catcgatagc gagggaatc atggattcag cgttacctac atctgcattt 50880  
accttcgac tcttttacac cacggttaac gcctactatc gcaactgccg agtcaaggcg 50940  
gcgatcgaaC tggggctatt cgatgtggtg gggcagcagg gccgaactcc cgcagccatc 51000  
40 gccgaggcct gccaggcgtc gccgcgggc attcgcatcc tttgctatta cctagtatcg 51060

atcggttttc tacgccgcaa cggtaggectg ttctacatag atcgcaacat ggccatgtac 51120  
ctggatcgta gttcgcccggt ctacctgggt ggccagcatca agttcctgct ctcgccctac 51180  
5 atcatgagcg ccttcaccga tctgaccgcc gtagtcagga ccggcaagat caacctggcg 51240  
caggacggcg tggtaggcacc ggatcacccg cagtgggtgg aatttgacg cgcgatggca 51300  
10 ccgatgatgg cgctgccctc ggcgtagtc gccaatatgg tgcgttgcc cgctgatcg 51360  
ccgattcggt tgcaggacgt ggccagccggc caccgctgt tcggcatcg cttcgccgag 51420  
cgcttcgcc aggtgaagt gagcttctg gactgggaca acgtgctaga cgtagcacgc 51480  
15 gaaaacgccc aggcggccaa agtggccgag cgagcggtt tctgcccgg caacgcattc 51540  
gacctcgatt acggcagcgg ctacgacgtg atcttgtga ccaacttcct gcaccatttc 51600  
gatgaggtcg atggcgagcg catcttggt aagacgcgcg atgcgctgaa cgacgacggc 51660  
20 atggtgatca ctttcgaatt catcgccgac gaagagcgtt cctcaccgcc gctggccgcc 51720  
accttcagca tgatgatgct gggcaccacc ccggcgggcg agtcctacac ctatagcgat 51780  
25 ctggaaagga tgtttcgga tgcgggttc ggccacgtgg aactaaaatc gataccgccg 51840  
gccttgcgtga aagtgtggt ttcccgcaag agggcccat aatgatcgaa tcggcgacat 51900  
cccctgtggc gaaaaccgag cgcactcgtt gcaccgagct ggacctggat gactcaacg 51960  
30 ccatgctggc caacacgatg caggccctgc tcggtatacg catgatcgag atcggtcgg 52020  
actatcgtt ctctgcgtg tcggtggact ggcggtgcca ccagccctat ggggtattgc 52080  
35 atggcgcgcg atcggtcacc ctggccgagg ctaccggcag catggcgggc tccatgtgcg 52140  
tgccggccgg ccaacgttgc gttggcctag acatcaatgc caaccacatc gcgagcatct 52200  
ccagtggcca agtacagtgc atcgcgcggc cgtgcacat aggggccttg accaggtat 52260  
40 ggcagatgcg catctatgac gaaggtgacc gcacgatctg cgtgtcgcg ctgaccatgg 52320

cggtattatc ggtgcacgtc gcgcgcgtat ccccgaaacc agccagcagc ggagtccaga 52380  
cgtgaacgaa actgcaactg taaccaaggc taccctcagt tcagcgaagg cgagtataac 52440  
5 gccagcctgc gttcaccaat gggttgaagc gcagggtgagt tcgacaccgg atgcgcctgc 52500  
tgccttctta ggcgagcgtc gaatgagtta tggccagctc aacaccgcgc ccaatcggct 52560  
tgcacggctg ttgcagtcac agggcgcttg gcctgggtgcc cgggtcgccg tgtggatgaa 52620  
10 tcgcagcccc gaatgcctgg ccgctttgct ggcggtcagt aaggccgggg cagcttatgt 52680  
accgatcgac ctgagcctgc cgatccgacg tgtccaatac atcttgcagg acagccaggc 52740  
15 ccggctcgta ctggctgatg acgaagggca aggccgcctg gacgaacttg agctgggcgc 52800  
gatgactgcc gtgatgtct gcggcactct ggacggcgac gaggcgaatc tggacctgcc 52860  
ttgcgatccg gcgcagccgg tttattgcat ctatacctcc ggctccacag gtagcccaa 52920  
20 gggcgtgctg gtacggcaca gcgggttggc taactacgtg gcctgggcta agcggcaata 52980  
cgttacggct gacacgacga gtttcgctt ttactcctcg ctgtcgttcg atctgaccgt 53040  
25 cacctcgatc tacgtgcccc tgggtggtgg cctgtgtgtg catgtgtacc cggagcaggg 53100  
cgacgacgtg ccggtaatca accgcgtgct ggacgacaac caagtagacg tgatcaagct 53160  
gacaccctcg cacatgctga tgctgcgcaa cgcggcactg gcgacgtctc ggctgaagac 53220  
30 gctgatcgtg ggtggcgagg acctgaaagc ggcgggtggcg tacgacatcc atcagcggtt 53280  
ccgcgcgat gtggcgatct acaacgaata cggctctacc gaaaccgtag tggggtgcgc 53340  
35 gatccatcgt tacgatccgg cgaccgaacg cgaaggctcg gtgccgattg gtgtgccgat 53400  
cgatcacacc agcctccacc tgctcgatga acgtctgcag ccggtcgcac cgggcgaggt 53460  
cggccagatc cacatcgggtg gcgcgggcgt ggccatcggc tatgtgaaca agccggagat 53520  
40 caccgatgcg caattcattg acaatccctt cgaaggcagc ggccggcttt acgccagtgg 53580

cgacctagga cgcattgctg ccgacggtaa gcttgaattc cttggccgca aggattcgca 53640  
 gatcaagctg cgcggctacc gcatcgaaact gggcgagata gagaacgttc tgcttggcca 53700  
 5 cgcagccttg cgcgaatgca tcgtggatac caccgtggcg ccgcgccgcg actatgacag 53760  
 caagagcttg cgctattgcg cgcgttgcgg tatcgcttca aatttcccca ataccagctt 53820  
 cgacgagcac ggtgtctgca accattgcca cgcctacgac aaataccgga acgtggtcga 53880  
 10 ggattatttc cggaccgaag atgagctacg tactatcttc gagcaggtea aggcgcacaa 53940  
 caggotccgc tacgactgcp tgggtgcttt cagcggcggc aaggacagca cctatgcgct 54000  
 15 atgcccgcta gtggacatgg gcctgcgctg gttggcgta accctggaca atggctacat 54060  
 ctccgacgag gccaaggcaa acgtcgaccg cgtcgtgccc gagctggggg tggaccatcg 54120  
 ctatctgggt actccacaca tgaacgccat ctctgtggac agcctgcac gccacagcaa 54180  
 20 cgtctgcaac ggctgcttca agaccatcta tacgtgggt atcaacctgg cgcacgaagt 54240  
 gggcgtaagc gacattgtaa tgggcctgtc caaaggacag ctgttcgaga cgcgcctgtc 54300  
 25 tgagctgttt cgcgccagca ccttcgacaa ccaggatattt gagaagaacc tgatggaggc 54360  
 gcgcaagatc taccatcgca tcgacgacgc ggcggcccgc ctgctggaca cctcttgcgt 54420  
 gcgcaacgat cgttgcctcg aaagtacgcy tttcatcgac ttctaccgct actgcagtgt 54480  
 30 cagccgcaag gacatgtatc gctatatcgc cgagcgcgta ggctggagcc gtccggctga 54540  
 caccggccgc tcgactaact gcctgctcaa cgatgtgggc atctacatgc acaagaagca 54600  
 35 acgtggctat cacaactatt cgttgcctta cagttgggac gtgcgggtag gccatatccc 54660  
 aagggaagac gcgatgcgcy agctggagga caccgacgat atagacgagg ccaaggctact 54720  
 gggcctgctc aagcagatcg gctatgactc aagcctgato gataccagc cgggcgatgc 54780  
 40 gcagctgato gcctactacg tggcggcgga ggaactggat ccggtggcat tgcgcaattt 54840

tgctgctgcg atcttgcccg agtacatgct gccttcgtat ttcgtgcggc tggaccgaat 54900  
 gccgttgacg ccgaatggca aggtgaaccg ccgagcattg ccgaggccgg agttgaagaa 54960  
 5 gaacgccagc gagggcgata ccgagccgag cagtgcgcta gagcaggaac tggtgcaaat 55020  
 ctggaaagag gtgctgatgg tcgacaaggt cggcgtcagg gacaactttt tcgagctggg 55080  
 10 cggccactcg ctgagcgcgc tgatgttgct ctacagcata gccgagcgct accagaagat 55140  
 ggtcagcatc caggcattct cggttaatcc gaccatcgaa ggtctgtcgg agcatctggt 55200  
 cgcataaaaag ggcaaggacc tcagcgctgt cctctgcatg gtgcggcggt ggggttcgca 55260  
 15 cgcattcaa tatgattgtc atcacttata gtgagtacgc taatcatagg gcagggcgcc 55320  
 gacacaggag gcattcacgg cgctgccgac gcacttgtgc cgccggcgaa cgcccgactg 55380  
 tggagcgcat ccgtgcccac ctaggcaactg ggtctccgaa caccgtgggt cgctggctgg 55440  
 20 atacctgggtg gcaaggcttg ggagatcgaa tcgccaacgt gcctgaagca gtctccgcac 55500  
 tggtagggca gtggtggacg ctggcttttg atcatgcgcg aagccatgcc ggtgaggcca 55560  
 25 tcgctgctga gcgcacagcc ctccaagatg cacgcagcag cttggagggc gaccgccatg 55620  
 gctgcaggcc gagctcgctc agctacgggg tgagaccgaa gctgcccact aaacggaaca 55680  
 gctcgcgacg acccgagcta ttgagctgga gcgcctggtc gagcaactcc aacgccagat 55740  
 30 taatgagatg gagcggcagc gtgacacggc ggtgcagcgc atcaccgagg ctgaggaggc 55800  
 acgggaggtg ctccggaggc agtacgtgaa aatttgatc 55839  
 35  
 <210> 2  
 <211> 2986  
 <212> DNA  
 <213> Xanthomonas albilineans  
 40  
 <400> 2

	gaattcagcg atgttggtg cggaggcgg caccgccttg ccctgcggca ccaggtagtt	60
	gcggccgtaa cccggcttga cgtcgacctt gtcgcccagg ccgcccaggt tggtagacttt	120
5	ctgcagaaga atcaattgca tggcggtact ccgttattcg ttagcggcgg catgcggcca	180
	ccgcaacgcg tgctgtccga ataggacggg attggattgc gcggagtcgg acatgtaccc	240
10	aaccgacacc cggcggttgc ttcggtcgcc gcacacggga atgcgcgcgc ttccgaacga	300
	ctcgatcaa acgtcgtggt tgtccgtgta cgggatcagc gccaggaaac gcgcacgctt	360
	gaccgccgtg gccaaactgac gctggtagctt ggacttggtg ccggtcacgc ggctcggcac	420
15	gatcttgccg ttctcgggtga ggtactggcg cagggtggtg agatccttgt agtcgatctc	480
	tttgacgccc tcggcggtga atttgagaa cttgcgacga cggaagaact tggacatgga	540
20	cctgctcctt aggcggcttc gacggcgctc ccgtcggctt cgttggcggc ggccggacaca	600
	tcgccatcgt cgtcgtcgcg acgacgacgc tcaccacggg cgggcttgte gcccttctcg	660
	tccttgctct tcatgatcag cgactgctcg gtgtcggcgc catcgcgctt gatcgccagg	720
25	tgacgcagca cggcgctggt gaagcggag ctctcgacca actcgtcag cacggcctga	780
	tccacttcga tggtgagcat gacgtagtgc gccttcacca gattctggat cgggtaggcc	840
30	aactgtcggc ggccccagtc ttccaggcgg tggatggtgc cgccgccgtt ctcgaccagc	900
	gacttgtagc gtcgatcat ggcggggacc tgctcgtctt ggtccgatg gaccaggaac	960
	acgatttcgt aatgacgact catgtggttg tacctttcgg atgtggccca agggccagtc	1020
35	agccccccgc aggtggcggt ggagcaaggg ttcccgcgcg aataggcgca ggaagccaat	1080
	aagtatggca gcgcccttga ccaatgacaa gctcatgcac ccaggacgcc cgctctgctc	1140
40	cgcgtcgtcc atcgccattg cgcctctccc cgaccccaag catcgaccaa aggaccgaat	1200
	gcggcgggta ggcgcgactc tgcgacacta gcgcaatgtt atcgtcgaca ttgacgccc	1260

	cagccctcag cgcaacgcaa tgcccaatgc cgtaccgatg cagggcgcg cgggactccc	1320
	gcagccgcaa gcgatgaacc cagggttgcc gagcgtcggc ggcttgagcg caggccagcc	1380
5	attgcagttg tcgttagcac cggaactgca ggcagccgcg cgcagtgecc accgccatct	1440
	gctcgacgac ggcacggcgc tttaacctgt ggcgttcgat accgcgcaat tcgacctggg	1500
10	ggctttcgcg gcaatggcaa tcgcccgcgc ggacagcatc gcccgcagcg tcgcaagcg	1560
	tcaggccgag ttctgttcg gccgtctggc cgcgcgactg gcgctgcaag aggtgctggg	1620
	acctgcgcaa gcgcaggcag acattgcaat cggcgcgacg cgcgcgcctt gctggcctgc	1680
15	cggcagcctg ggcagcattt cccattgcga ggactacgcg gccgccatcg ccatggcggc	1740
	cggcaccgc cagggcgtgg gcacgatct ggaacgacca atcacaccg cggcgcgcg	1800
	ggcgttgctg agcatcgcaa tcgatgccga cgaagccgt cgtctggcaa aggcggcaga	1860
20	cgcgcagtg cgcgaagacc tgctgctgac cgcactattt tcggccaagg aaagcctgtt	1920
	caaagccgcc tacagcgcg tcggacgcta cttegacttc agcgcggcac gcctgtgcgg	1980
25	catcgacctg gcacggcaat gcctgcatct gcgcctgacc gagacactct gcgcgaatt	2040
	cgtggccggg caagtgtgcg aggtcggctt cgcgcgccta ccaccggacc tgggtgtcac	2100
	ccactacgcc tggtagcac gcggacagtc gaaccgcga acgccaacgg cactcaagac	2160
30	gtggcgtgcg ccgcgtcggc cgtgaagctc tccccgcagc cgcactcggc ggtggcattg	2220
	ggattgcgga acacgaaggt ctacccaag ccctgcttgg cgaagtcgat ttcggtgcca	2280
35	tcgaccaact gcagactggc ggcacgcaca taaatccgca ctccgtcctg ctcgaaacac	2340
	gcacgtccg ccggtgcctc gtgcgcgaga tcggtgacat ggcaccaacc ggaacagcct	2400
	gtgcgtacca ccccgaaacg tagaccagc gcaccgggag tctggtcgag gaaacgctgc	2460
40	acgcgtgcaa acgcggcggg ggtgaggcgg atggccatga cgaacgactc caacgacttg	2520

	cgatacgaca ttatacgacc gatgcccgcga acgcctcgca agcgctacgc tccagccagt	2580
	acacttggtc attccatatc gagccactgc ggcgaggatt caagtcatga cggtggtgag	2640
5	cgttgaacat gcgctggcag ggaagatccc ggtcggcggc gaagtgaccg tccgcggctg	2700
	ggtccgtacc cggcgcgact ccaaagcggg gctgtccttc gtcaatgtca gcgacggttc	2760
10	ctgcttcgcg ccgatccagg tggtaggtcc ggcgcgctg cccaactacg aaccggaagt	2820
	gaagcgcctg accgcgggct gcgcggtgat cgcgcgcggg cacctggctg cctcgcaagg	2880
	ccagggccaa agcttcgaga tccaggccga gagcatcgag gtactgggct gggtcgagga	2940
15	cccggagacc taccgatcc aacccaaagc gcattcgctc gaattc	2986
	<210> 3	
	<211> 9673	
20	<212> DNA	
	<213> Xanthomonas albilineans	
	<400> 3	
25	gaattcggac ctggcgagta cttggaccgc gctgtgatgg tcaactgcc a gggtggaagc	60
	ttcgctcccc gcatecgagat gacgttcgtc gtgcgcgac cggcgcctcta ccgcgccgac	120
	tggcaaagca gcggctgcgg accattccga atccgaggac gtgcggttga ctacgccagc	180
30	gtgcaatacg gccagccatt tctgagcgtt ggctatctcc cctaccaacc cggtcgggat	240
	ggcategacc ccgcgcgct ggagccaggc gacctctcca agtttatgtc gattccttgg	300
35	caaaccgact acaacgcctg cgcgacgttc actgccgacc cgaatccgga caacagcacc	360
	acactttact gggcctggcc agcacagcgc ccattcaccg tgcatttagc caccgatgtc	420
	agggacggca agccaggccc gcaacgctat tccattcgcg gtgcggggcac cacatccgac	480
40	gatctgagta acgctggccg ttccaaaac catatcgaca tggatgaaca ctggcaccgc	540



	atcggcttcg tcatccaggg cagcgcgacg gacggcgata ttcgctacag cccggacatg	600
	tacctggaag tggccagtca actggacgaa cgggagatcg cgccctggcc gatgaatgcc	660
5	aacagcgcgg acacttgaag catgaatacc cactgcgacg tggcgggtcat cggcgcaggg	720
	ccggcgggat gcgcggcagc catcgcattg cgccgtgccg gcgtcggcag cgtggctcctg	780
10	atcgatgccg gcgacgggtca gcgcccgcgt tacggcgaga gcctgcctcc ggcgaccggc	840
	ctgctgctgc atgcactggg cgtggccgat accttcgctg cgctggacat gcgcagatgc	900
	atcggcaacg cctcgtcatg gggagcgcga acgttgggct acaacgactt cctgttcgat	960
15	ccacacgggc ccggttgga ggtggatgc cgcgatttcg atgcgttcct gctgcaacag	1020
	gcgagcagcg gcggtaccgg cgtgcgcttg cacaccgcc tggagagtgc ctccgacgcg	1080
20	gacccgatg gtctgcgact gcgcttgccg tcgcacggca cggcactaac cacgctgcat	1140
	gcccgtttcg ccgtcgatgc cagcggccaa cgcgacggc tggcacaggc gctgggcgcc	1200
	gaacgcgtca ccggtgatcg cttggtctgc cttgccgcgc tgttgccggg ggacaccacg	1260
25	agtcggctcg ggcaacgctc gctgctcgaa gcagtcgact atggctgggt gtatgcggca	1320
	ccgttgacgt ccggcgaagc catcgtcgtc ctgccaccg atgcggcggg cctgcgcgaa	1380
30	cagcgtctgc aagaaccgc gcgatggctg gtgcgggttg cacaaccaca ccatatcggc	1440
	gccaccgtcg gctggatgc cagggcacca ccatactgcc tgtccacgcg ccaggcgcgc	1500
	tctgcacgat tgagccactg ctgtggagcg cgctggctgg caatcggcga tgcagcgtcc	1560
35	agctacgacg cgctgtcttc acaaggcgtg cataaggcat tggccgatgc gctcgcagcc	1620
	gccccgcgca tttgcgcgt gctcgaacga caccaagaca ctgcgggtgat ggaacaggca	1680
40	cagcagatgc tggcgcgttt cgaaggctac cagcgcgatgc gcgagcattt ctatcggcag	1740
	gaagcacgct ggctggatgc gccattctgg cgccggcgcc gtgccgcgca aatacctgcc	1800

	ccgccccaca	eggaccattc	ccctataaaa	accacccgca	tgaacgtatc	gccttgagcg	1860
	atcatcaata	caaccaaata	cccacgacat	aggttcatgc	tgggacgacg	acactgcacc	1920
5	tgaaccacat	gccgatgttc	ggctagcagg	accgcaccc	gaacagcgct	gccgcccgcg	1980
	cagcacgcaa	gcccgcccgg	atgcacgacg	tgcagcgcg	caccaggatc	gccgacgcgc	2040
10	gcacgcgctg	gtcagtgcgc	cggcattgcc	agttgcacct	cggcactacc	gaccttggtg	2100
	cgcggtgcgc	tggcggcacc	tagctcatcg	cggcgtttgt	cccattccac	cgtctgcagg	2160
	ttgccccaga	catggctgga	accgcgcccc	tccttggcgc	tgtcgccagg	caacttgagc	2220
15	ggatggtcca	tcgccttcag	cccctgcacg	gtggctgcat	cgaagggtacc	ggtctcggcc	2280
	tcgatcacgt	ccggcaacca	ctgggtggtg	tagcgcttca	gcgcggcgac	ctggtgcgga	2340
	tccagaccgt	cgtcgtagcc	gaggatgcca	agcagaacca	tggatgatgat	acgactaccg	2400
20	cccggagtac	cgagcacgat	cgccttgctc	gcgttctcca	tgaagggtcg	cgtcatcgag	2460
	ctgagcgggc	gcttgccccg	tttgggtgca	ttggccgcat	agcccatcac	cccgaatacg	2520
25	ttgggcgtac	ccggacgcaa	ggcgaagtcg	tccatctcat	cgttgagcag	cacgcgggtg	2580
	cccttgggga	tcagtcccga	gccgtacaac	agattgaccg	tctgggtggc	gccgacacga	2640
	ttgccttcac	ggtcgatgat	cgaaaaatgc	gtggtctcat	cgtcttccag	cggggtcggc	2700
30	tgaccgcgaca	acaggtcgct	gggcgtggcc	ttgtccgggt	tgatgggtcga	acgcaggccc	2760
	accgcatagt	ccttgctcaa	taaaatgcgc	tgcggcacaa	cggtgaaatc	cgggtcgccc	2820
35	aggaagaagg	tgcggtcacg	gtaggcacgg	cgcacgcctt	ccacgggtcag	atggatccgg	2880
	tgcaccgggt	ccatcgccct	gagatcgtag	gcttccagga	tctgcagcat	gctggccagc	2940
	gcaatgccgc	cggaggatgg	tggcgggccc	gtggtgatcg	tccagccctt	gtagtcgaag	3000
40	cggatcggcg	tgcgctgctt	gaccgtgtag	ccggccaact	cgtcagcggt	ccagcggcca	3060

	ccggcctgct tgaccccagc cagcagcttc ctggcggtga cgccgcgata aaagccgtcg	3120
	aagcccttgt cggccagcaa ctgcagagtg acggccagtt ccggctgctt gaacaggteg	3180
5	ccctcggcga tcggccggcc atgacgcaga taaacctcgc gcgtgcccgg ataacgctcc	3240
	atcaccttac gccgggectg atagccctcg gccatgcgcg catacaccgg gaagccgtcg	3300
10	cgggcgatgc ggatcgccgg cgccagcgac tgccgcagcg gcaaccgacc atgccgggtc	3360
	gccaaactcca ccagcgccgc aggcagaccg ggaatgccag cggaccatgg gccgttgacc	3420
	gagcggctgt ggtccagtgc gcccttggcg tcgaggaacg tgcggggcgt cgccgattcc	3480
15	ggcgccactt cgcgcgcgc cagcatcgct tcctggcccc tcctggcatc gtgcaggaga	3540
	aagaaaccgc cgccgccgag accggagctg atcggttcga ccaccgacag cgtcgaggac	3600
20	accgccaccg ccgcategaa ggcattgccg ccctcgcgca ggatctgcaa gcccgcctcg	3660
	gtggcgaggc ggtggccgct ggcgattgcg tcaccgggcg gatgcgacgt gggcgcgacg	3720
	gcgctcgac cgagcgaggc ctggggccac gccgatgaca tcagcaccca ggcaagcaac	3780
25	aggacacagc gaacgctacg cctcatgcgc agcccccgct ccgtgtgggt acaactcggg	3840
	gtggtcgagg cgcaaccgcg ccagcttggc cagcaactgc ggatgggttt ccggaatcgc	3900
30	cggatccgga tcgatgcact ccacggggca caccaccacg cactacggct catcgaaatg	3960
	accgacgcat tcggtgcagc gggccgggtc gatcacgtag atcgtctcgc ccatgaagat	4020
	ggcctgggtt gggcaggccg gttcgcaaac gtcgcagttg acgcagagcg cgttgatctt	4080
35	gagggacata gtgcgccatc ggaccctgac cagcgcatct taccggatcg tgatgacacg	4140
	accatgcatt gacctgtaca acggcgccac cgcctacgcc tcgccactgc gggcgacgcg	4200
40	tgcgtaggga cgccggcgcg cgcaacgcgc gccggcgatg cacaacctac ttggcttcga	4260
	cgaagatgta atcggcaccg gtcggcttga ccaccgcctc gacacgggca ttgtcgcccg	4320

	gggagccgat atagaccacg cgcacgcctt tcatgctgtt cggctcgacc ttggcgaagg	4380
	ccgctgcgat caggtcggcc atcttgacg atgccgagga gccgaacgcc agcatgttcc	4440
5	ccggtgaat accacgaccg acggcgggtg tggcgcttcc gacctgacgc tcgtacttgg	4500
	cctggaactc cgcacccgac tccggcggca agtagtacag gaacgggctg ttggtgacat	4560
	tgcccatgtt ctggattgcc acttctgca ggtatttttt ccaaccggca tcgtcgtcct	4620
10	tggcgggggc agtcagcgcc ggttgcgcat cggcgaccgg ttggcgcc tcttctttt	4680
	tgaggcgct cagcccagg gccaacgaga caatcaacaa cgcgcgtgcg gtggtcttca	4740
15	tggaacggtt tctctgtgt agtcgatgaa tgacggcgcg ctcagccccg cgtcgcgcc	4800
	tggcgggcct gaaccagcgc ctgcaacacc gaaggcgga cgaagccgga cagtcccccg	4860
	ccgaggcgcg caatctcgcg caccagcgag gacgagatga aactgtgttg ctcagccggg	4920
20	gtgaggaaca gcgtctccac ctcggggatc agatgccggt tcatgctgc catctggaac	4980
	tcgtactcga aatcggacac cgcgcgcagg ccgcgcagca gaaccccacc accgaccgaa	5040
25	cgcacgaaat gcgccaacag cgtgtcgaag ccgatcacct ccacgttgcg gtgtccagcc	5100
	agcgctcgc gggccagggc cagcgcaat tccagcgaca gggtagggcc cttggacgga	5160
	ctctgcgcca cgcgaccac cactgctcg aacagcggtg cggcccgatt gaccaaactg	5220
30	atatgcccat tggatgacg atcgaagggt cgggataga cggcgatgc gctattggcc	5280
	acggtcatgc gtaggatacc gcgtgaaagt cgcggggcag tttagcagcg gtgcgtcgg	5340
35	acagggcagc acggacctcg cggctaccgc cctcgcggtg caacgcccg cgcaccggca	5400
	gcgctggcgc ctgcccggcg ggcgattcca agtacaacca ggcacgcacc gccaggcgtg	5460
	ccggcaaacg ctgcaacgcc ttctcccaca gaccggccgt gaaaggcggg tcgacgaagg	5520
40	cgatatcggc cagcgcgcg ccacgtgtt cggccagcca gcgcagcgca tcgcctgca	5580

	ccacctccac ctgagtctgg gcctgcaatc tggcgacggt ggcgcgcaac tgtgccgcct	5640
	gggcccgggtc gcgttcgatc agacaagcgc tgtgcgcgcc gcgcgacacc gcctccaacc	5700
5	ccagcgcacc gctgcctgcg aacagggtcca acacgcgcgc accgggcagt atcggtgca	5760
	accaattgaa cagtgtctcg cggacccggt cggacgtcgg gcgcagcccg gccaggtcgg	5820
10	gcaccggcaa gcgcgtattg cgccaacgcc cgccgatgat gcgtacctgc cccgcaccgg	5880
	gacggttcat cggcagcctc gcgcgggtgt gacggcaaca gaaaccaggc gcagggtcgg	5940
	catcgacggc aagcgttgcg gaacggaacc cggatgatag accagcccc tctgcggcgt	6000
15	atgcatcggg cacggcttga agccgacctc tgccgccacc atgtccgctg atagagccgc	6060
	gcgccccgc gcacggccat ccgtcctcca tggagcacct accgatgagc gtggaaaccc	6120
20	aaaaagaaac cctgggcttt cagaccgagg tcaaacagct gctgcagctg atgatccatt	6180
	cgttgtattc caacaaggag atcttcctgc gcgagctgat ctccaatgcc tccgacgcgg	6240
	ccgacaaaact gcgcttcgag gcactggtea agccggaact tctggacggc gatgcgcaac	6300
25	tgcgcacccg catcggttcc gacaaggacg ccggcaccgt caccatcgac gacaacggca	6360
	tccgcatgag ccgcgaggag atcgtcgcgc acctgggcac catcgccaaa tccggcacct	6420
30	ccgatttcct caagcatctg tccggcgatc agaagaagga ttcgcacctg atcggccagt	6480
	tccgtgtcgg cttctacagt gccttcacg tgcgcgatca agtggacgtg tacagccgtc	6540
	gcgcggggct gccggccagc gacggcgtae actggtcctc gcgtggcgaa ggcgagttcg	6600
35	aggtcgccac catcgacaag cccgagcgcg gcacccgcat cgtgctgcac ttgaaggagg	6660
	aagagaaagg cttcgccgac ggttggaagt tgcgcagcat cgtgcgcaag tactccgacc	6720
40	acatcgccct gccgatcgag ctaatcaagg aacactacgg cgaggacaag gacaagccgg	6780
	aaacccccga gtgggagacc gtcaatcgcg ccagcgcgct gtggacacgg ccgcgcaccg	6840

	agatcaagga cgaggaatac caagaactgt acaagcacat tgcccacgac cagaaaaacc	6900
	cggtggcgtg gagccataac aaggtegaag gcaaaactgga atacacctcg ctgctgtacc	6960
5	tgcccggcgg cgccccgttc gacctgtacc agcgcgatgc ctgcgcgggg ctcaagctgt	7020
	acgtgcagcg cgtcttcac atggaccagg ccgaccaatt cctgccgctg tacctgcgct	7080
10	tcatcaaggg catcgtcgat tccagcgacc tgccgctgaa cgtctcgcgc gaaatcctgc	7140
	aatctggtcc ggtgatcgac tcgatgaagt cgcgctgac caagcgcgca ctggacatgc	7200
	tggaaaagct cgccaaagac gatcccgaac gctacaaggg cgtgtggaag aacttcggcc	7260
15	aggtgctgaa ggaaggtcgg gccaggact tcggcaaccg cgaagagatc gccggcctgc	7320
	tgcgcttcgc gtccaccac agcggcgacg acgcccagaa cgtgtcgctg gccgactacg	7380
20	tggcgcggtg gaaagacggc caggacaagc tgtactacct gaccggggaa agctacgcgc	7440
	aatcaagga cagcccgac ctggagggtgt tccgcaagaa gggcatcgag gtgctcctgc	7500
	tcaccgaccg catcgacgag tggctgatga gctatctcac cgagtctgac agcaaatcct	7560
25	tcgtcgatgt ggcgcgggc gacctggacc tgggcaagct ggacagcgaa gaagaaaagc	7620
	aggcgcgagg agaagccgcc aaggccaagc aagggtggc cgagcgcatc cagcaggtac	7680
30	tcaaggacga ggtcgccgag gtgcgggtct cgcaccggct gaccgattcg ccggcgattc	7740
	ttgccatcgg ccaggggcag atgggtctgc aaatgcggca gatcctggaa gccagcgggc	7800
	agaagctgcc ggagagcaag ccggtgttcg agttcaacct cgcgcacccg ctgatcgaga	7860
35	aactggatgc ggaaccgat gtcgatcgtt tcggtgatct ggcgcgggtg ctgttcgatc	7920
	aggccgcgct ggccgcggc gacagcctca aggaccggc cgcctacgtg cgtcggctca	7980
40	acaagctggt gctggagctg tcggcgtaag cagtgcgca cctgcgcgtc gcaccgcgcg	8040
	acgcagtcca cagcgacccg acattgcaaa gaaaagcggg aacgaaaaaa gggcctacgg	8100

	gccctttttt cttccatcgt cgacatcggc ttgcagcgca cgagcaacgc tgtaatgcgc	8160
	cgggtgcatca cgctcccgac gcgaccagca gcactcacgc ctgcattaac ttaaaacctc	8220
5	accagcttag aacttcacccg tcgcccgcgc ccagtaataa cgcccagta gatcgtaggt	8280
	cgccacatcg gtgttggcat tgacgacgtt gttggcgtag tacagtggcg gctgtcggtc	8340
	ggtcagggtg tccacgcca cttcgaagcg ggtgtgccac ggcttgacct gatagccgac	8400
10	ctgcacgctg tgatagacat aggtaccgat gtgcgcgacc acattggcct gaccgatatc	8460
	ggccgacaac ccctgacgcg cgtcggcact gccaatctcg gtgcggccga cataacgcac	8520
15	gcgccaagac gcactccagt cgcccagatt ccagctcaac gtgccgaggc caccgcagcg	8580
	cggaaaattg ccgtaagcgt aggtgtactt gccggcattg tggatggtga cgggtgcggg	8640
	atcggcggtg ttcggattga tatcgtagcg gatcacatag gtgccgttga ggctggcatt	8700
20	gaagctaccc caggcggtct gcggcaagcg atagttcagg ctgaaatcgg caccgctggc	8760
	ccacaacttg ccagattca cggtcggctc ggcgatatag ttgatcgtgc cattgtcgtt	8820
25	gcgatggatc agcggacaga acggactcgc gtcgttggcg tagcactggt tcagcacggt	8880
	ctgcgcccgc acctgggtga tgggtgcctt caagtcgac ttccacaggt ccgtgctcag	8940
	cgacaggccg tccacccaac ccgggtcgta aaccatgccg aaatcgtagg acttgccggt	9000
30	ttccggtttg agccggtagc cggccaccac cgcgcctgaa gccttggcgg acacctgatt	9060
	gttctcctgc tggtagctgc catcggtggg cacgtgggca caggcagccg cgtgtccgcc	9120
35	gctgtagccg tcgcacggat cgttgaccgc cggggcatca ccgaccacgc cggagtaaag	9180
	ctcgtgatg ttgggcgcac ggaacacctg cgagaccgtg ccgcgcagca acaggttctc	9240
	gaccggacgg tactccaacg ccagtttget gttggctctg ctgccgaccg tgcgtaatc	9300
40	ggaaaagcgg ctgccgacgg tcaggtttag cgaatgcacg ccaggcagcc ccgccagcaa	9360

cggaacaac gcctcggcat aggttcctt gacgtgaaa ctgccaccga gcacgtggc 9420  
 gcagtattcg agcacccegc agatgccgtt ctcgtcgccc gtccacagcg gatcgggcgc 9480  
 5 ggtcgagggtg cgttccttgc ggtaagccac accggccgc agactcactg caccggccgg 9540  
 cagatcgaac aggttgccgt tgacgttggc ttcgaactgt ttgacggtgt acacgttggc 9600  
 10 caccatcgga ttgacttgca gcgcccga cgcggcctgg ttcctgggt tgttgaggtt 9660  
 gaacacgtcg atc 9673  
  
 <210> 4  
 15 <211> 267  
 <212> DNA  
 <213> Xanthomonas albilineans  
  
 <400> 4  
 20 ctaccaccg aggcgaccaa caatgcgcaa gagcaagttc accgagagcc agatcgtcgc 60  
 cacgtgaag caggtggagg gcggtcgcca ggtcaaggat gtatgccgtg agctgggcat 120  
 ttccgaggcg acgtacttgc tcttcactg gtaatagggt gccgtgctga tgccgacttg 180  
 25 gcgacagatg tctttgactg gaacgcctgc gtcggcctgc ttgagcgtgg cgatgatctg 240  
 tgtctcgttg aacttcgatg tgcgcat 267  
  
 30 <210> 5  
 <211> 1755  
 <212> DNA  
 <213> Xanthomonas albilineans  
  
 35 <400> 5  
 ctacttttcg atcagtacgt catcgatgaa catcgcgccc agaccgctgg tgaagaagat 60  
 cgacagcgca tcttcactg aatgggcgat cggtttgcgc atgacgttga agctggtgtt 120  
 40 aagcaccagg ggaatacccg tcaggcggtg gaattctttg atcagggcgt gatagcgcg 180



	gttccaatgt tgcttcaccg tctgcagacg tccgggtgccg tctggttgca cgacgcccgg	240
	caccttgccg gtggcttccg cacggaactt cagggtgccg tccatgtagg gcgattcctg	300
5	gtacagctcg aaatactccg cgccgtgctc atgcaaaatc gacggtgcga acgggcgga	360
	ctcctcgagg aacttcaccc gcgcattgat gatgtccttg atcgcaggcg aacgcggatc	420
10	tgcaaggatc gacgattgc ctagggcccg tggcccgaat tccgcgcggc cttgcaccca	480
	ggcgacgatc ttaccctcgg tcagcagccg ggccgcgcgt tgtgctgcgt cgctcaggca	540
	acgagtgaat ttgatagcg cgccgaagcg ctccacgtta tgcaaggctc ccgcactcat	600
15	gctgctgccc aggtagggcg attgttcggc cgcagccggc ggtgtctgct caggatggtc	660
	ctcggcgtgt gcccataatg cggcgcccac cgcgttaccg tcatcgccag gggcggcgaa	720
20	tacgtgcaga tgacggaacg gagtttcagc cagcacgcgg ccgttagccg aggaattgag	780
	tgcacagccg ccgcccagca ccaagtggtc ggacaagccc aaagcgtgca ggttgtgcag	840
	gaattcgaag aggacgtcg agaacacctg ctggccggca taggccaggt tggccaattc	900
25	gategttggc tggcccttgc atcggcgcat tgcatacagc gtgcgctgca actggctgaa	960
	ttgtgctgcg ggcgcaaacc tcagcgcttag gccgtcgacg cgtagcatct ggcgcaacaa	1020
30	ctcgtacagt tgccgatcat gttgcccgta ggccggccagg cccatcacct tccattcttc	1080
	gccggacagg gtgccgaagc cgcaaacctc gcagatcata ccgtagaaga agcccaggct	1140
	ggcccaactg ctggtctcgc tttggtggat cggcgtaagc ttgccctggt ggtagtggta	1200
35	gcaggccaaa gcattttttt caccatgcc gtccagtact gcgcacaccg cctcctcgaa	1260
	cgggctggtg tagcagccgg ccaccgcgtg ggttaggtgg tgctcgtaat gacggtagct	1320
	gggtggcttg aaggcaggct cggccatgtg gctcaagtca tattcgagca ggtgtccggg	1380
40	gtgctccacc atcgccagct gcgaacggta gaagaagctc tgtgccacga attgcttggt	1440

gacgtgccaa ggcaggtcgc cgaaggcgcgt gcggtattgg tctaccgctt gcgcggtctt 1500  
 gccacggccc tcccgcacga gttcaggtgt ttgcccgctc caactagtag cgacgaccag 1560  
 5 ttcggcgccg ggatcgccgt attcgtggac cagcttgatg gcgcgctgaa acacgtccgg 1620  
 ggcaacgcgc attgaacgct tgtactgcag gtagcgctcg gtggcctcgg caaagcgcac 1680  
 ctgaccatcg tcgccgacga tagcgatggc tgaatcgtgg aaggaattgg cgagtccgat 1740  
 10 gtaagtgcgc ttcac 1755  
  
 <210> 6  
 15 <211> 1491  
 <212> DNA  
 <213> Xanthomonas albilineans  
  
 <400> 6  
 20 ctacggcgat gattgtggcg caaattgtgt cagtttgaac tgcaatccca gcgtagagag 60  
 cgccacgaaa gcattggccg cgatgtagta caccaccgta gcccgaagg cctgcttgaa 120  
 agccagagct acgcctgccg gccctgcag atgctgggtgc aggcgctaa agaaaatttc 180  
 25 cgagaccagg gcgatgcca gcataccgc gacctgctgg atgacctgca gcgcgccgga 240  
 acctgcgccg gcaccttca gaggtaccgt acgcactact gtctggaata gcgaggcgat 300  
 30 ggtgatgcca cagcccagtc cgcgatcag caacggcagg gtaagcgcc agggatccag 360  
 cgagccttca ctgcgcgtga tgatgaccca caaggccaga tagctagcga tcatcagaca 420  
 ggcgcgcgtg aagattttcg cgcgtaggct ttcgacgtgc cgagcgagca tagaggcaat 480  
 35 cgccacgccg acagggaaaag gagtagtggc gacgccggtt tccagtgccg aatacgccag 540  
 tccttgctgc agaaagatca cgaacaccag gaaaaaacc tgcagcgccg aatagaacac 600  
 40 cgacacggac aaggcgccca agatgtagtc gcgatggctc atcaggtaga tcggcagcag 660

	ggccggggcgc gccaaagtggg cttgccgacg ttgccaggcg acgaaggcca ccagcagcgg	720
	aataccgagc gcaatggctg caaagcacca tagcggccag ccgtatgcgc gtccttctat	780
5	tagtgggaac accaggcaca acaaggcgag cgcggccagg gcgatgccga cccagtcggt	840
	atggatgccc gcatgcgcgc gcaccttggg caccagatg gcggccgcca gcaaggtcac	900
10	gaggccgacg ggcacgttga tcaggaagat cgcgcgccag ccgacgccga acgcatcgat	960
	gtggatcagc aagccgctga cgagggggcc ggcgaaatgag gccaggcccc cgaccaggcc	1020
	gaacaacgag aaggcggccg cgcgctcctt cggagcgaac atggtttgcg cgatggccat	1080
15	cacctgtggt gccagcatgg ctgcggccaa gccctgcaaa gcgcgcgcga tgatgagcac	1140
	gtggatatgg ccagcgatgg cgcagaacgc ggacatcaag ataaaaccgg ccacgcccgt	1200
20	gccgaacatg cgcttgccgc cgagcatgtc acccaaccgc cccaacggca gcaaccccaa	1260
	cgcaaacagc agaatgtata tcgctacgat ccattccagc tgttgctcgt ccgcgccag	1320
	gttcttctgg atactgggca gggcgacatt gacgatgcct acgtccagca agttcatgaa	1380
25	attggcgctc agcaaacaga tcacgctgg ccagcgccat cggtagtcga actgcgctcc	1440
	gggtggtgcc atgcggggcg gcatacccag cgcttccttg ggtttttgca t	1491
30	<210> 7 <211> 954 <212> DNA <213> Xanthomonas albilineans	
35	<400> 7 ttatccgctt atggccgctt cagccggtcg catggtgacg gtgagaaaat gcaagatgtc	60
	gcgctccaac tcgcgctgga aggcgctgcg gtcgaagcca ggcggatcga tggccgcctc	120
40	gcccacgcga gctttcatcg cctcggggaa tacgctgatg aaggcgtagt ggccggcatt	180

	gggcaccacg cgcgcttcca gtcgaccatc attgcctagc gccgtgcgtg tcgccacaat	240
	cgtttcgtgc gccattgat ccttttcacc gacgatgagc agcaccggta cctcgacttt	300
5	cgccagggca tcctcgtgca tgtacaggct gaaatccggc gcaagcgcca ccacggcgcg	360
	cacgcgcgga tcagctgtga ccggcacggc cctgatcggt acccgatttt gtcgcaccag	420
10	cgcggtccag gcgggttggt cggcgtgttc cgggcgatgc gcaaaatcga ccatgaaacc	480
	ggtatgcggt tcgccccgg cgatcgctaa ggcggtgtag ccgccgacgg agtggccgat	540
	caccgctacg ttatgggcct gaatggcagg accgaactgc gcatggccgg tgagcgtatc	600
15	gatcacgcgc cggatgtgcc gggggcggtc ttccagattc tgatagctgt attccagctg	660
	atgctggaac aggttgctgc ccggatgttc cggcaaggcg acgataaagc cgtgccgtgc	720
20	taggtaatgt gccagcgtgc gaaacactag gccggcgtg cgcgtgccgt gcgagatcac	780
	cgctagcgga aacggggccgg cttcgatcgg cgcgccagg gccacgtcca gcgtataagg	840
	tcccatcgcc gtatcccggt aaggcgtggc ggtgggatac atcaccacaca tcggcaccac	900
25	cctgctggca tcaccatcgg tttccagttt ttggcaaccc acatagctat tcat	954
	<210> 8	
	<211> 1356	
30	<212> DNA	
	<213> Xanthomonas albilineans	
	<400> 8	
35	ttacgccggc atcagcttat ccagacttgc accggcgggc gccagccaaa cagcggtagc	60
	accttcgccc agctccctgc ccatcaagcc tcgcacgcgc gccagatcct gcggcggttg	120
	cagcaacgcg gccagccgtt ggccgtcggc atcgtgcacg gggttgccat ctaagtcgaa	180
40	ggcaagcccc ttgcacgggc cgaaatcgcg gtggaaacgc tcgtgcggca gctgtagctc	240

	aaaagccagg ccaaggcgcc tgagctggtg attccagcgg ccatgatag cgcgacttc	300
	ggctatgtat tgcggcgca ttaccgcatt gattgccaac tcggcagggtg cgggtggacga	360
5	gaccagtctg tcttcgcagc gcacgtcgac ggcgacctcc gtaccttcga gcttgctgaa	420
	gttgctggtg ctgcggatgc cggcctggta caggacgcgt gaacgctccg aaacgctgtg	480
	gccgaacaga tcaaagatct tcggtagcca atagttaagg tatttctgaa cgactggcaa	540
10	ggggatcgca ccggcgctga agatcgctg cgtatcctca cgcaaggtaa tctcggcgct	600
	tcgatacagc acgcgctcca ggccatccac gccgaactta atatgcagag gttcctcgaa	660
15	catcatgaag cgggcgggtgc gtgccaacgg caggaaagct gactgggtca ccgcttgaat	720
	ctggtacttg cctaccgggt cggcgaagaa gcaccacatg aaatgcgata gccagtcttc	780
	ggtgtggtag ttgaaggcat cgagcaggcg cgggttctgc gcatcgccac tcatgcgttg	840
20	cagcaggccc tcggcggcgt cggctccgtc gctgccaaag tattcgatca gcagatcgga	900
	catcgcccag gtgtgccggc ctctctctag aaaaaactgg aataagtgt ccaggctcat	960
25	cgcgctgggc accatttgcg tcagctcgtg gctctgctca accgcggcgt tttctacgtc	1020
	accttgacg gtgacatgat ccagcagcag gtcacgatat tcttcggca cgcacgacca	1080
	tgccacctgt cccttgcgct cgccgaacac tacggtgttg cggctcggcg gcatcatgaa	1140
30	tacgccccag cggtagtcgc tggggcgcat gcggtgatag cgcgtccact cgtgcccctt	1200
	gacgccaccg gtaggcatgc gcaggttcat ctcgcgatcg tggaattcgc tggggccgcg	1260
35	gaggcgccac cattgcagga agcgaacttg gtaggaagtc agttgcctga ccagcgcgt	1320
	gtgtggatca aggtcgatat tgtaggaat gtacat	1356
40	<210> 9	
	<211> 948	

<212> DNA

<213> *Xanthomonas albilineans*

<400> 9

5	tcaggccgcg ctgtgcatcg aggtaggggc gacttcgccg accgtgagcc cgatgaagtc	60
	gatgatccgc tgagccacgg cacccgatc attgaacagt tgcaggtgac cgccatgac	120
	tagcaggtcc agacgcaaag acgggtcgtg cctagccaac tgcaccgagg cggagtagtg	180
10	gctgaagctg tcgtccttgc agtgacgat cagggtaggg tgcctgcca gggcggtggg	240
	cagcaaggct tgcacggatt gcttgttctc ttcgtaggca cgcattgac gcgagaacac	300
15	caatgtgtc gctggatcgg ctaggtgcag catggtgagc ttttcggcca agtcgtcgcc	360
	gcgtaaaggt tggccgcggt acttgccag gatggcgccg agctttttgg cctgttccag	420
	accgtgccgc tcgatctgaa ggtagatcgg caaggcgcaa cgctcgaatt cggattttac	480
20	gatggcgggc agcaggcccg ccggcgccac ccaagccatg ctgcgtggtg cgaagccatg	540
	cagcgcaatg gcatgcacgg ccaattgtgc agcctgacac caaccgaca aatggcaatc	600
25	ggcgtagtcg tggttggtgca ggatgccag cagggtcgcg gcttggcgat ccagatcgaa	660
	gtcttccgcg gttaccgatg tctgggcatt cgggcagccg atggattccc agcacaacac	720
	atggaaatgc ctagccagtc gttgcgcaa ccggctcagc agcaggtagg acatgccata	780
30	gggcggtagc agcaccagct tgggcgatgc ctgagcgct agccaatata gctcaagctg	840
	cgtccatcg gtagtgcagt attgcgacag ccttaccct gcgagcgct cgtccagggc	900
35	ggacagatct tgcttttcca gatagtgcgg caagcaagca cagcccat	948

<210> 10

<211> 252

40

<212> DNA

<213> *Xanthomonas albilineans*

<400> 10  
 tcacgagtaa ctcgattcga acccacttcc gtctggagag ctgcgctccc ctaaattctt 60  
 gtcacgcagt tcgcgacgcg ataaggggcg catgtcggtc caggtttcgt cgatatacgc 120  
 5 catgcactcg tecttaccgc cagcatagcc ttccctgcgc cagccaggcg ggacctcaag 180  
 atcggagcgc cacagtgaat actgcagttc gtcgttgac agcaccagat aagcctgttc 240  
 10 ctggaacgtc at 252

<210> 11  
 <211> 2151  
 15 <212> DNA  
 <213> Xanthomonas albilineans

<400> 11  
 ttgcgctgcc ttatcataaa taattacgat tcgttcaactt ggaatctcgc cgactacgta 60  
 20 gcgcagatct tcggcgaaga tcccttggtg gtgcacaacg acgagtactc ctggcacgaa 120  
 ctgaaggacc gcgggggatt ttccctcgatc atcgtttctgc ccggtcccgg ctcggtggtt 180  
 25 aatgaagcgg attttcaat ctcgctgcag gcgctggagc agaacgaatt tccggtgtta 240  
 ggcgatgcc tgggctttca gggacttgcg catgtctatg gtggccgcat cctgcacgcg 300  
 ccggtgccct ttcattggcg tcgctccacc gtcacaaaca ccggcgacgg tttgttcgaa 360  
 30 ggcatcccgc agcgtttcga ggcagtgcgc tatcactcgt tgatggtctg ccagcaatcg 420  
 ctgccgcctg tctgaaagt gacggcgct accgattgcg gtgtggtgat gggcttgacg 480  
 35 cacgtgcaac acccgaaatg gggagtacag ttccaccccg aatcgatcct caccgaacac 540  
 ggcaagcgca ttgttgctaa ctttgccaag ctggctgcgc gccacagtgc accgttactt 600  
 gccgggtcgg agcaggccgg caaggtttta agcgtttgcg cggccgagat ggtgacaccg 660  
 40 cgggtacgtc gcatgctgag ccggaagatc aagtgcggtt ggcaggcgga agatgtcttt 720

	ctggccttgt tgcctgacga aaagcattgc ttctggctgg acagccagct ggtctgcagt	780
	ccaatggcgc gctattcggt catgggagcg gtgaacgaga gcgaggtagt gcggcattgc	840
5	gtgcggccag ggagcatggt gcaggaggca ggcgagcggg ttcttgctga gatggatcgg	900
	gcgttgcaat cgggtgcttac tgaggacgtc gccgagcggc caccgttcgc gtttcgcggc	960
10	ggctacgtgg gctacatgag ctacgaaatg aaatcgggtg tcggcgcgcc ggcttcacat	1020
	gccaatgccca tccccgatgc gttgtggatg cgcgtggagc gcttcggtgc ctccgaccac	1080
	gccactgagg aggtatggtt gctggcgctc gccgatacgg aggatctgtc ggcatgggt	1140
15	tggttagacg ccatcgagca acgtatccat gccattgggt aagcggctcc ggcttgcat	1200
	tgcctaggcc tgcgcagcat ggaaatcgag ctcaatcatg gtcgtcgagg ctaccttgag	1260
20	gcaatcgagc gttgcaaaca acgcacgtc gatggcgagt cctatgaaat ctgtcttacc	1320
	gacctgttct cgttccaggc cgagctggat ccattgatgc tctatcgcta catgcggcga	1380
	gggaaccag cgccgttcgg ggcctatttg cgtaacggta gcgattgtat ccttagtact	1440
25	tcaccagagc gttttctgga agtggacggc cacggcacga ttcagaccaa gccaatcaag	1500
	ggcacctgcc gccgtgccga ggatcccaaa ctggaccgta acttgccat gcgcctggcc	1560
30	gcctcgaaa aggaccgagc ggaaaacttg atgatcgtcg acttgatgcg caacgaccta	1620
	agccgcgtgg cgggtgcccg cagcgtcacc gtgcccaagc tgatggacat cgaaagctac	1680
	aagaccgtgc atcagatggt cagcacggtg gaagcgaggc tgcgcgccga ttgcagtcta	1740
35	gtcgacctgc ttaaggcggg gttccccggc ggctcgatca ccggcgccacc gaagttgcgc	1800
	agtatggaga ttattgatgg cctggagaat gcgcgcgtg gcgtgtattg cggcagcatc	1860
40	ggctacctgg gctacaactg cgtcgccgac ctaaacttg cgatccgag tctttcttat	1920
	gacgggcagg aaatacgttt cggcgccggc ggcgccatca ccttcctgtc cgaccgcag	1980



gatgagttcg acgaagtgtt gctgaaggcg gaggcgatcc tcaagccgat ctggcattat 2040

ctacatgcgc cgaacactcc cctgcactac gagttgcgag aggacaagct gctgctagcc 2100

5 gagcactgcg ttagcgaaat gccggccagg caggccttca tcgaaccatg a 2151

<210> 12

<211> 414

10 <212> DNA

<213> Xanthomonas albilineans

<400> 12

15 atgaggcccc cacgcttacg cgcaaccag gacgggctgc tgatggatac ggccggccgg 60

gtggtcgagg gctgcaccag caatctgttc ctctcgaga acggccatct ggtgacgccc 120

gacctgggcg tggccggcgt cagcgggatc atgcgaggca gggatgatcga atatggccgg 180

20 cagcacggtc tcgcctgcgc ggtaaagcac gtctatccgg accagctagt gcgtgctcag 240

gagggtgttc tgactaacgc cgtgttcggc attctgctgg tgcgcagcat tgacgctcac 300

agctaccgca tcgatcctgt taccctgcgt ttgctcgatg ccctgtgtca gggcgatat 360

25 ttcaaccgaac ggtaactaca tcaggtttcc acccatgccg gccaaagacc ttga 414

<210> 13

30 <211> 603

<212> DNA

<213> Xanthomonas albilineans

<400> 13

35 atgccggcca agacccttga aagcaaggat tactgtggag aaagcttcgt cagcgaagat 60

cgctccgggc aatcgctgga gtcgatccga ttcgaggatt gtacgttcgg acaatgcaac 120

ttcaccgagg ctgagctcaa tcgctgcaag ttccgcgaat gcgagttcgt cgactgcaac 180

40 ctgagcctca tcagattcc gcaaaccagc ttcatggaag tgcgcttcgt cgactgcaag 240

	atgctcgggtg tcaactggac cagcgacaaa tggccatcgg tgaagatgga gggggcgctg	300
	tcgttcgagc gctgcatcct caacgacagc ttgttctacg gcctatacct ggccggggta	360
5	aaaatggtgg agtgccgtat ccacgatgcc aacttcaccg aagccgactg cgaggatgcg	420
	gacttcacgc agagcgacct gaagggcagc accttcaca acaccaaact gaccggcgcc	480
	agcttcacgc atgcggtgaa ctaccacatt gacatcttcc acaacgatat caagcgggct	540
10	aggttcagcc tgccggaagc agcctcgctg ctcaacagcc tggatatcga gctgtccgat	600
	tga	603
15	<210> 14 <211> 609 <212> DNA <213> Xanthomonas albilineans	
20	<400> 14 atgcatccgc cgtcgccgtt gaacacgcag cagaaagact ggctgacacg cggtggttcg	
		60
	ttgaccgcgc acctgcgcct gttggggcag gtacagggtgc aagtgcacg ggagcacaaa	120
25	gccatggcct ggctggatga atatcgggtg ctccgactgt cgcgctgcct gcttgtatgg	180
	gtgcgtgaag tggctcctggt ggtggacgcc aaaccctatg tctatgcgcg tagcctgacg	240
30	ccgctgaccg ccagttacaa cgcctggcag gcagtgcgta gcatcggcag tcgcccgtta	300
	gctgatctgt tgttccgtga tcgcagcgtg ctacgttcgg cgttggcgag tcggcgcatc	360
	accgcgcagc atccgctgca cgggcgcgca tgcaacttcg tggcacagtc gcatgcgacg	420
35	caagccctgc tggcgcgcgc ctccggtattt acgcggaag gcgccccgtt gctgatcacc	480
	gaatgcatgc tgccagcgtt gtgggcaacg ctggaaccgg tggcagctcc gcgccaggcg	540
40	agtctgagtg cggacggccc ttgccggcat tcagcgcaga tcgtctcgcc tgagtcgatg	600

ctggaatag

609

5 <210> 15  
 <211> 5880  
 <212> DNA  
 <213> Xanthomonas albilineans

10 <400> 15  
 tcaggcatcg aggtccgtca ccagcatgcg cgccagctca cgcagcgggt cgccttgtaa 60  
 catgctgtag tgattgcccg ccgcgctctt gatctgcgaa agtggtagct aacctgtgat 120  
 atccggcagt acctcgctac ccccgcgtag cttggacatg tcggcatagg acacgtgtac 180  
 15 cgcagtctgt gcctggtaca gatgagcgtt aggtgcgagg cactgcgggt cgaaaccggc 240  
 caacagcccc aggtgatagc gcgtaacgcg caattgctcg gccagcgggt gccacatgcg 300  
 20 gctttccaga gtaaacctca ggtgtgcgag cagtttgctc agtgatgcct ggtggcgggt 360  
 gtagtcgaac acgtgctcgt cgtcaccgtc ggcgaacagc agctgccggg ctctgtctat 420  
 ttcagcctgc tcgaagccgc gcttggccaa cgcggccaac gtattgagcg ctgccacgaa 480  
 25 ggtaagctgc cggggctcgc gcgcatgtac cggtatcagg ctgctatcga gcaggccac 540  
 gtaatcgacg cgcaggccgc gccgctgcaa ttgctcagcc acagccaggg ctagcacgcc 600  
 30 gccggaggac cagcccagca agcggtaggg cgcaccggtc gggccagcca gcaacgcac 660  
 gcagtagtgc ggggccaggt cggacaaatg cgcgaagcgg cgcaccgggt cgcattgcag 720  
 gccatagacc ctggcagagt gccctagggc ggcagccaga tcgatgtagc aatgaatctg 780  
 35 gccgccgatc ggggtgatgg catacaccgc cgcgcgttcg gtgcgtaggc taagcggtag 840  
 gataagactt accggcatgc tgccggcttg gctttggcgc atgccgcgct cgacgacagc 900  
 40 ggcaaaatct tccagcacag gggattcgaa cagcgtgttg acccgcactt cgatgtcgaa 960

actctggcgg atacgcgaga acaactgggt ggcaagcagc gactgaccgc cgaggttgaa 1020  
 gaagttgtcg ttgaggctca cgcgtaaggg ggcggcctgt gcgggggtca gcagttcgct 1080  
 5 ccacagcttg gccaggggtga ttctgacctc gctgcgcgga gcgaggtagt cgctgtcgct 1140  
 gctggcggct tgcggctcgg gcaggtctaa ggtatcgagc ttgccattgg gcaagcgcgg 1200  
 10 aagcgccggc agcgactgga agcgcgttgg cagcatgtag gtaggcaagc gttcctgcag 1260  
 cagcttgccg agctcgctga ggttcaggac accctggcgt ggcaccacgt aggccaacag 1320  
 ttccggcgtg ggcgagcctt gcggccaacc gatcacggcg gcctcggcga cctgcaggtg 1380  
 15 ggccgccagg gctttctcca cctggcgac gtccacgcgg tagccgcgga ccttgacctc 1440  
 gtagtcgcgc cggccgagca gttccagcgt accgttgctc agtaggcggg ccatgtcgcc 1500  
 ggtcctgtac agacgcgagc cggggggggc gtagggattg gcgatgaagc gcgcggcggt 1560  
 20 caggccgccc tggcgccaat agccgtgcgt aatgccgagg ctttcgatgt gcacttcgcc 1620  
 catgatgcca ggcggcaacg gtcgcagttg ttcgtcgagc acatggacct tggattggc 1680  
 25 gatgggcgt cgcaccggga cgaagccgt gccgctgtgc tgctcggccg gatcgcaata 1740  
 ggtcatgtcg ttgatttcgg tacacccgta gatgtaccag gccgtgcagg caggcagcag 1800  
 cgtcctgagc cgttgacgca gttccgccgg gcagggttcg atggagacga agagctggcg 1860  
 30 cagtcgcgcc agccgctgcg gtgtctcagc aacgtggctg agcagcgcgt tgagctggga 1920  
 aggaaaggta tacaggcgtg tgatctgcca ggtttccagc gcgcgcacga aagcggggat 1980  
 35 gtcacgcacg gtatcctcgt cgatgaacac ctgcggtacg ccagcaagta ggccggcgag 2040  
 cagttccttg accgaaatgg caaaggcgat cgaggtcttt tgcgccaccc gctccccggc 2100  
 ctcgaaaggc gcacgtgccc acagcgcagc cagccagttg aggatttgcc gatggggcac 2160  
 40 catcaccccc ttgggacgac cgggtggaacc ggaggtatac atcagtagg ccagctgcgc 2220

	cggtatgcagg gcatgcggca gtggcgtatg cggttgacga gcgatggcgg catcgtccag	2280
	gcgcagccgc ggtacttgga tcagttgccc gtcgatgtcc ttgccgcaga gcaacagccg	2340
5	tggtctgcgc tcgtcgagga tctgctgaat gtaggtggtg gggtaatgcg ggtccaacgg	2400
	cacgtagcag ccaccggcct tgagcacgcc gagtagggca atgaggaaat cgggcgagcg	2460
10	gccgaaccac agggcgacgc gtcctgcgg gcgcaggccg cgctcgatca ggcaatgcgc	2520
	caggcgggtg gcgtgttggt ccagttgggc atagctcaac tgcggtggt gatcggcaca	2580
	agccagttcc tcggcgtgca gtgccacttg cgcacgaac agatccagca cactgcgcga	2640
15	ggtatccaga gtatgagggg tgaactcggg gcgagcgacc ggcagcgaaa aatccgagag	2700
	gcggcagcgc ggttcttcca gcatccgctc cagcactctt tgggtggtgg ccagcatgcg	2760
20	ctgaaccgta gccgcgaaa acagctccgc ggcgtattcg acagtgaactt ccaggtggct	2820
	tccgtcgccg atgaactgca ggtccagctc gttgggtgtg gtgcgttcgc caaattccat	2880
	ctgagcgctg aggaagatct gggcaaatgc attgacgcct tcggtggcga aattttggtg	2940
25	tcggagcatg atcggcacga gcgggatctg gctgctgtca cgcggtttct tgagagcgct	3000
	taagacatgc tcgaacggca gtgcgcgatg cgcgtaggcg tccagcaactt gctggcgcac	3060
30	gtgctgcaga aaatcctcgg caaaggcgtg actgcccaag tttaggcgta ccgccaggat	3120
	attgacgaaa aagccgatca gattctcggg ttccagctga tcgcgtccgg cgctggtagt	3180
	acctaagcag agttctcgcc ggccggtgta ctggtgcaag acgatcgcca ggctcgccat	3240
35	aagtgtcatg aacaaggtag cgcgcggttc ctggctgaat gcggcgagac gcgcggccaa	3300
	ggcgtcggga taggtcaggt gtagtatgcc agcacgcaa gctcgattag ccgggcgtgg	3360
40	aaaatcgtag ggcaaggcca gcccttcttc gtaaccatgc aaacgctggt tccaataatc	3420
	cagatcggcg ctgaaatcct gtacgcgctg ccatgtagca tagtcggcat attgcagtag	3480

	cagcgggtggc agtgccggtg gcgtctgctg tagcgcggct atatagaaag cacgtaggtc	3540
	gtgaaagatc aggttaatcg accagccgtc gcagatgatg tgatgcatgt tcatcaggaa	3600
5	cacgtggtaa tegtccgata cgcgcagcac cgataccttg agcagcgggc cgtgggcaag	3660
	atcgaatacg tgcgcggcgt gctcggcgac taggcgtggc acttctgcgg gtgtcgtgt	3720
10	gatgcaaggc actgggacct gcatggcgtc ggcgatgtgc tggctgggat aatcgccgcc	3780
	agcgcaagtt gctatgcggg tgcgcaaggt ttcatgcctg gccaccagcg cctggatcgc	3840
	ctcgcgcagc gctgacatcg agaaatcggc actgcgtaaa tggcaggcga aggcgacatt	3900
15	gtaactggta cgttgctcgg gcatgtgttc atgcacgaac cacaggcgct cctgctgata	3960
	gctcagcggg acgggagcat cgcgcacggc acgggaagag atggtgttgc cgccagtcgg	4020
20	agcctgttgt tgccgcgctt cgttgaccac tcgcgcacaaa tcttcagca caggggattc	4080
	gaacagcgtg ttgaccgcga cttcgatgtc gaaactctgg cggatacgcg agaacaactg	4140
	ggtggcaagc agcagtgac cgccgaggtt gaagaagttg tcgttgaggc tcacgcgtaa	4200
25	gggggcggcc tgtgcggggg tcagcagttc gctccacagc ttggccaggg tgatttcgac	4260
	ctcgtctgcg ggagcgaggt agtcgtgtc gctgctggcg gcttgcggt cgggcaggct	4320
30	caaggtatcg agcttgccat tgggcaagcg cggaagcgcc ggcagcgact ggaagcgct	4380
	tggcagcatg taggtaggca agcgttcctg cagcagcttg cgcagctcgt cgaggttcag	4440
	gacaccctgg cgtggcacca cgtaggccaa cagttccggc gtgggcgagc cttgcggcca	4500
35	accgatcacg gcggcctcgg cgacctgcag gtgggcgcgc agggctttct ccacctggcg	4560
	cacgtccacg cggtagccgc ggaccttgac ctcgtagtcg cgcggccga gcagttccag	4620
40	cgtaccgttg tccagtaggc gggccatgtc gccggtcctg tacagacgcg agccgggggg	4680
	gccgtaggga ttggcgatga agcgcgcggc ggtcaggccg ccctggcgcc aatagcgtg	4740

	cgtaatgccg aggettttcca tgtgcacttc gcccatgatg ccaggcggca acggtcgcag	4800
	ttgttcgtcg agcacatgga ccttggtatt ggcatgggc cgtccgaccg ggacgaagcc	4860
5	gctgccgctg tctgtctcgg ccggatcgca ataggatcatg tcgttgattt cgggtacacc	4920
	gtagatgtac caggccgtgc aggcaggcag cagcgtcctg agccgttgca gcagttccgc	4980
10	cgggcagggc tcgatggaga cgaagagctg gcgcagtcgc gccagccgct gcggtgtctc	5040
	agcaacgtgg tcgagcagcg cgttgagctg ggaaggaaag gtatacaggc gtgtgatctg	5100
	ccagggtttcc agcgcgcgca cgaaagcggg gatgtcacgc acggtatcct cgtcgatgaa	5160
15	cacctgcggc acgccagcaa gtaggcggc gagcagttcc ttgaccgaga tggcaaaggc	5220
	gacgcaggtc ttttgcgcca cccgctcccc ggctcgaaa ggcgcacgtg cccacagcgc	5280
20	atgcagccag ttgaggattt gccgatggg caccatcacc cccttgggac gaccggtgga	5340
	accggaggta tacatcacgt aggcagctg cgccggatgc agggcatgcg gcagtggcgt	5400
	atgcggttga cgagcgatgg cggcatcgtc caggcgcagc cgcggtactt ggatcagttg	5460
25	cccgatgatg tccttgccgc agagcaacag ccgtggctgc gcgtcgtcga ggatctgctg	5520
	aatgtaggtg gtggggtaat gcgggtccaa cggcacgtag cagccaccgg ccttgagcac	5580
30	gccgagtagg gcaatgagga aatcgggcga gcggccgaac cacagggcga cgcgctcctg	5640
	cgggcgcagg ccgcgctcga tcaggcaatg cgccaggcgg ttggcgtgtt ggtccagttg	5700
	ggcatagctc aactgtcggc gttgatcggc acaagccagt tcctcggcgt gcagtgccac	5760
35	ttgcgcatcg aacagatcca gcacactgcg tgaccaatcc aaggcgagcg cggtatccgg	5820
	actggccgcg gtcagcgca cgtcttcggc atccagtagc gacatgcttg atagtttcat	5880
40	<210> 16	
	<211> 993	

<212> DNA

<213> Xanthomonas albilineans

<400> 16

5	ttaaactgac agcttgagca tggtctcgcc atcgctgcgc gcagcgatgt caggggacga	60
	ttgttcgggc gaataagggt cggccatgca cagcaggatc ttgcggctgc cctcgtaggg	120
10	ctcgctccg tgcgaaacca gcatattgtc gatcagcagc acgtcgcccc gatgccagtc	180
	aaaatggatc ttgtgctggg cgaaaactgt gcgcacatgg tcgagcatgg cggggtcgat	240
	cggcgtgcca tcgccgaaat aggcgttgcg cggcagtcgc tgctcgccga agaacgacag	300
15	catcatcttc tgcgcagctg cctccagcgc agtgtaatga aacagggtgtg cttgggtgaa	360
	ccaaacttca tcgcgggtcg ccggatggca cgcaaaggcc cggcagatct ggctgggtgcg	420
20	caggccgtcg ccgggtccatt cgcattgcat gtcgttgccg gcgcaataag cttctacttc	480
	ctgcttggtg cgggtgttaa acacgtcttc ccatggcagg tcgacccctg cacggtagtt	540
	cctgacgtag cgcacctgtt tgcgcgcaaa gatttcgcgc acttgcggtat cgatagcggc	600
25	tgtgaccttg agcatgtcag ccaacggcgt gcagccgccc tcgctggccg gctgcacgca	660
	atggaacagc agtttcatcg gccagacgcg ctggtaggcg ttctcgcaat gttgcgctat	720
30	ggacagctgc ctgggatatt cgggtggcgt gtagacatgc tggccgacgt cgggtgcgcg	780
	tgtggaacga taggtatagg ccagtcgctc atcgaagaaa cagcgtgaga tctgctccaa	840
	gccaccaggg tgcgcaaagc cacggaacag taacgcctg tgttgccata gcagggtagg	900
35	ccacgtcgcg cgggtgcgtg cattccaatc agtcagcgtg gcctcggccg agtcggcctt	960
	gatggtcagg ggaagatcag cgtttgtgtg cat	993

40 <210> 17

<211> 2298



&lt;212&gt; DNA

<213> *Xanthomonas albilineans*

&lt;400&gt; 17

5	ctaggttcga gcatggccga cgaagaacag gtgggattgc aggtgcttgg cgctagccag	60
	tgtctccaac agcgcaggcc ggattacctt gccgctgcag gtacgtggga tcgtgctcac	120
	ttcgacgaat agatggggat agtgatgctt gcctagcgcg ttcttgacaca aggcgcgtaa	180
10	ggcggcccat agcggccctg tategatgct ggcatcgaca ggcaccacga aggcggcggg	240
	gcggggcaag ccgaactcgt cttcgatcag gcagatcgcg cactccttca cgcaggcgtg	300
15	cgtctggatg acgctctcca gcgtctcagg cgaaagccaa caaccgttga tcttgatggc	360
	ggagcccatt ctgcccgaagt tatggaagcg ccccttggcg tcggcaaaga acaggtcgcg	420
	tgtatcgaac cagccgtcga cgaacaattg ggcactgagt atggggtcgc caacatagcc	480
20	cctcgtcage gtattgcccc tcaccacacag gctgccgact tcgcctatgc ggcagatctc	540
	tccctgcttg ttcaccagct tcacaacaaa gcctggtacc ggcgtgccag tgcaacccat	600
25	gagcgcgtgg cctggccgat tggagatgaa ggtggacagt acctcgggtgc agccgatacc	660
	gtcgagcact tcgacctgcc aacgcgtgct gatcgcatga ccaagcctcg ccggcaagct	720
	ttcgccggcc gatatgcaca ggcaagcgc cgccacacc gcacccggcg cggcctcggc	780
30	aagcaacagc ttgaacacgg cgggcacggc gagcaataca gtgacgtggt aagtgtggat	840
	ggtttgccgc atctgcctga cgctaagcgg cgcggcaatc acatggctga caccagcgag	900
35	cagcgacagc atcaggttgt tcaggccgta ggcgaaaaac aaccgcgacg gtgtatacat	960
	cacgtcatcg ctgcgcagcc cgagcacggc ctgctggtag ttgagatggc agtgcataaa	1020
	atcggcatgc gagtgcgtta ccgccttggg cgtaccagtg gagccggacg tgcatatcat	1080
40	caccgcgggt gcatcggcgg agcagggcgc aaccaccagt tcgtcgtttt cgatcaccgg	1140

	catcaggctc gtcagctcta aggtcggcag gtggcgcaac gcggcatgat gggaaggcgg	1200
	cagttcggca tcatcagca cgaggcgagg cttgatggtc ttgagcgtgg tctcaaagtg	1260
5	gacgagcgac acaagctcgt ttatcggcgc aaagaccaag ccaccggcca agcaggccag	1320
	catcagggca acgcccgtca ggctgtcgat agcaatcagc gccaccgcat caccgctttg	1380
10	caggccaagc agactcaagt gccgggcata ggtcgccgcg cgagagcgca actggcgata	1440
	gctgaaggcc tgctggcgca acggatcgat catttgcgcc gtcgaagcca gatgcgctgc	1500
	ggaaaaaatt tgcgcgcaca cgttgacctg gaccgacggg aggaagccga taggcgcaca	1560
15	ggcgaacacc gccgtgcttg cgtccgacca ggacggcatc ggcccatcgg tcgagcgtgc	1620
	gaaccagctc gcgggcaaat gactggcaat ctgacatagt ttgccgtggg cgcaggccag	1680
20	cagactggta tccacctcga tcaggctctc gacgcaggaa agcgcaggca aagagatctg	1740
	cgccgcgctg ccgcatacgg cactatcgcg caagtccggc aggttccttt ggcgggtggtc	1800
	cgcatgccat agcagcaggc catcgctgcg tcgcgtggcc aaggcttcca gtgccatgcc	1860
25	cagggcgctt tgcaaccggg ccagttgctt gggttcctcg atacggccca aatccagtgc	1920
	cagggtggtg gcgccggggg gcgattcgga cagcacgatt tgggtccgat gcttgaggta	1980
30	atcgcaaata aggccggcca gcttgccctaa ccgtgcatat tcccgtagca ggctaccgaa	2040
	gctgccacag gggtaagggt cggcatagtc aatggttatg tgctggccga tcggcgtgtc	2100
	gctgacatcg atacgcaagc caggataatc gcgccgccat tgatgcagca gcgtggtcca	2160
35	ttgacgagca taggcctcgt tgcgccctgg ccgcgtctga cctaccgacc aacgcaaata	2220
	tagttcgggt ccagagtga tcggaagatt tgcagtgagg ctatccataa gcgttctcgg	2280
40	gtaaggcgat cgacgcat	2298

<210> 18  
 <211> 861  
 <212> DNA  
 <213> *Xanthomonas albilineans*

5

<400> 18  
 tcagcgtttc agcgcggtgga ccagataact ttgcggcacg ccgtgggtgc cgcgcggtgc 60  
 gaccggaaac ggccaacgcc ccatttgctg gccagcggcg gcgatggtca acacccctgg 120  
 ctcccagccc agtggttgga tcaggctttc cggttcgtca gtgccaaact ggcgagccat 180  
 cgcgtgcagc actcgggcat tgggcgagtt gagcatagag aggccgataa catcgaacaa 240  
 cacgctgctg cccttggcac tcaatgcac gatgcgcgcg aacagcagca tcaactgcctc 300  
 ggcgctcaag tagcacagca agccctcgac cagccacaag gtggcggcgc tgccgacgaa 360  
 tccactctcc ttaagtgcct ggggccagtc ttcgcgcaaa tcgatcggta gcgcaatgcg 420  
 ctggcaaacg ggctgggcgt catggagttt ttcgtgcttg tcggagagga catccatgtg 480  
 gtgatctcg tagaccggg tatcggaagg ccaggggaga cgataagcgc gtgcatccat 540  
 accggcggcc aggatcacca cctggccaat gccttcaact accgcctgca tgatcttgctc 600  
 gtcgagccaa cgcgtccgta cctcgatcgc cggaggcatc ggtacgttct ggttggtgcg 660  
 tctgagctct tcaacgaatt catcgccggc cagacgccgt gcgaaagggc catggaacag 720  
 cgctgctcc cgtcgcgttt ccagcgcgcg catgcctgcc acccataaag cggttctttc 780  
 gatctctctc atgcatacgc tccggttcgt ggtcggcttg cgcgatgca tcatagatat 840  
 gcatgactcg attcgcggca c 861

40

<210> 19  
 <211> 720  
 <212> DNA  
 <213> *Xanthomonas albilineans*

<400> 19  
 ttacggatgg tctgatccac gcaagcgaaa gatgagataa accacatcag ctgtcaacgc 60  
 cgatttaaat ttgacctact ttcctttgaa tcgtcgaagt aaatctgacc caccgggggt 120  
 5 cttccatcgt cgggctgcta ggctgcgcag ggcaaagccc gtgcagccc agcagccctg 180  
 cgccggctca cgcccgaagg gcaggtagcc gatctcgtcg accaccagca gcttcggccc 240  
 10 tagtaccgcg cgattgaagt agtccttcag ccggttctgc gccttgaccg ctgccagttg 300  
 catcatcagg tcggccgcgg tgatgaaacg tgccttgctc cccgccatca ccgcacgctg 360  
 gcacagcgcc agggcgatgt gggctttgcc gacaccgctg gggccaagca tcaccacgtt 420  
 15 ctccggcgcg tcgacgaagg tcaggtggcc gagctcgacg atctgcgcct tcgaggcgcc 480  
 gccggcctgg gccagtcga actgctccag cgtcttgatg gacggcatcc tggcaagtcg 540  
 20 cgtcagcacc gtgcgcttgc gctcttcacg cgcgagctgt tcgcttgcca gcaccttctc 600  
 caggaagtag ctggcactct cgcacgcggc ggctgtgcg agtgcttgcc agtccgagct 660  
 caggcgctgcc agcttcaact gctcgcacag cgcggcgatg cgcgcacact gcaggtccat 720  
 25  
 <210> 20  
 <211> 20640  
 <212> DNA  
 30 <213> Xanthomonas albilineans  
 <400> 20  
 ttgccaatg cgctcatgca gataactctt gtagccgtcc agtttgagg cgtattgtta 60  
 35 ggcgtcaccg ctgcgcggc gatccccaat aaggcgggta tgagacgcgc atggccgccc 120  
 ttcccgagg cgtgctgtcg ctctattgct tacctcatgc agagatcgcc aatgtcgccg 180  
 ttacagcaaa cgctgctaac ccgcctcgcc agtgcgggcc cctcccggaac aatgatcgag 240  
 40 tttccgcgtc cggagcacgc atcgccacaa tgttgcgacg atgccgagct tgcgcgactg 300



	gcacatateg aagcctcgat cgccgctacc gcacgcctg gcgcgctgat gccggtggtg	1620
	ttcagcatcg agcggcagga cgaggagcgc gtagctgcgg tgatcgccgt caatcacccg	1680
5	tggacgcggg cagcatgcgc cgcgaggca cacaagatcc ggcaacaggt agccgaccag	1740
	catggagtcg ccctggcgga gctagccttt gccgaacacc ggcaagtgtt cggcacctat	1800
	ccgggcaaac tgaagcggcg cctagtcaag gaagcctatg tcaacggcca gctgcggtt	1860
10	ttatggcatg agggtaagaa ccgggacgta ccagcggccg ccgcggacga tcggcaggcg	1920
	caacacgtgg cggacctgtg tcggaaggtc tttttgccgg tgttggtgtt cgcgccgccg	1980
15	catgcccaat ggccgctgtg cgaactggcg ctggattcgc tccaatgcgt gcgtcttgcc	2040
	ggtgccatcg aagagtgcga cggcgtgcct ttcgaacca cgttgctatt caagcttgag	2100
	acggtcgggg caatcgccga atatgtcctg gcgcacggac gtcaggcgcc cagcccgacg	2160
20	cgtgcgccgg tggcaagcac aacatgctca gaggaaccga tcgccattgt ggcgatgcac	2220
	tgtgaggtgc ccggagcggg cgagaacact gaagcattgt ggtcgctcct gcggagcgac	2280
25	gtcaacgcga tccggccgat cgaatcaacg cgcccgact tatgggcagc gatgcgcgcc	2340
	tatcccgccc tcgcggcgga acagctgccg cgctatgcgg gtttcctcga cgacgttgat	2400
	gctttcgatg ctgcgttttt cggatatctg cgtcgcgagg ccgaatgcat ggacccgcag	2460
30	cagcgcaaag tgctggagat ggtgtggaag ctgategagc aagccggtca cgatccgctg	2520
	tcctggggcg gccagccggt cggcctgttc gtgggtgcgc atacgtccga ctatggcgag	2580
35	ctgctggcga gccagccgca actgatggcc caatgtggcg cttacatcga ttcgggttcg	2640
	catttgacca tgattccgaa ccgggcttcg cgtcgttca atttcaccgg cccagcgaa	2700
	gtaatcaaca gcgcttgctc cagctcgtg gtggcgctgc atcgggcggt tcaatcgctg	2760
40	cgccaaggcg aaagcagtgt cgccctggta ctcggcgtga accttatcct ggctcccaag	2820

	gtgctgtag ccagtgaag cgcgggcatg ctttcgccc atggccgctg caagacgctt	2880
	gacgcgcgcg ccgatggctt cgtgcgttcg gaagggatcg caggggtgat attgaagcca	2940
5	ctggcgagg cgctggccga tggtagacagg gtctacggtc tagtccgcgg cgtggcggtc	3000
	aaccatggcg gccgttccaa ttccttgctg gctcccaacg tcaacgcgca gcggcaactg	3060
10	ctgatccgga cttaccagga agccgggtgc gagccggcca gcgtcggtta tgttgaacta	3120
	cacggcactg gtaccagcct gggtagatccg atcgaaatcc aggcgctgaa ggaagctttc	3180
	attgcgttgg gggcacaggg cgccccgtca aactgcggca tcggttcggt gaagtccgcg	3240
15	ctgggccatc tagaagccgc tgcaggcctg accggcctga tcaagtgct gctgatgctc	3300
	aagcacggcg agcaggccgg cacgcgccat ttcagcacgc tcaatccgct gatcgatttg	3360
20	cgaggtacgt cattcgaagt ggtggcgag catcgcgcat ggccgtcgca ggtcggcatt	3420
	cacggcacac tcttgccgcg tcgcgcgggt atcagctcat tcggttcgg cggcgccaat	3480
	gcgcagcga tcgtggaaga gcatgtcatt gccacgcccc cctcgacgag ctccgctggc	3540
25	ggcccgtag gtatcgtgtt gtcagccgggt agtgaagctg tcttgccgca acaagtgctg	3600
	gccttgtag cctggctaag gcagcaatcg ccgacacccg cgcaaatgat cgatgtcgcc	3660
30	tacaccttac aggtaggacg cgcagccctg tcgcacaggt tggttttag cgcgacggac	3720
	gccgagcagg cattggcgag gcttgagggt cgtctggcgg gcgtgatgga tgccgaggtc	3780
	catcacggtg tcgtggatgc tgccgcaacg gctcccgaac atgggcggca gacgcgcgaa	3840
35	ggtcttgccg gtttgctgcg agcctggact cagggcgctg gcgtcgattg gtggcgctg	3900
	tacggcatac agcgaccgca gcgcgttagc ctgcctgtct accccttcgc tagggaacgc	3960
40	tattggctgc ccggccaggc tatgcatgcc gctgcggacg ctcatccgat gctgcagctg	4020
	ttgcatgcca atgccaaact acatcgtac gccttgctga ggtccggctg cgcaagcttt	4080

	cttggtgac	attgcgtgga	tggtcgacag	gtactaccgg	cagccgtgca	actggaattg	4140
	gtgcgcgccg	tggcgcagcg	ggcatggcg	caggatgagg	gttgatcgca	actggcgacg	4200
5	gtgcctttt	tgcatccct	catgatggag	gagactgagc	tggaggtcga	aatcgaactg	4260
	tcgaagagcg	atcaagatga	gttcgatttc	caacttcacg	atgctcaccg	ccaacaggtc	4320
	tttagccagg	ggcacgtacg	tcgccgggtc	tatacggcga	caccgcgctt	ggatttagcc	4380
10	cagctgcaaa	agctttgtgc	cgagcgcggtg	ttgtccggcg	aagactgtta	tgcgcacttc	4440
	accgcctgcg	gattgcagct	cggcgaccgg	ctcaaataccg	tgcaatcgat	cggctgcgga	4500
15	cgcaatggcg	agggcgagcc	gatcgattg	ggtgtcctgc	gcctgccacc	atcaagcgtt	4560
	gaagacagcc	atgtgctgcc	tcctagcctg	cttgatgggtg	ccttgacgtg	tagccttggc	4620
	ttgcagcggtg	atgtcgagca	catcgccatg	ccatacacgc	tggagcggat	gacgggtgcat	4680
20	gcgccgattc	ctcccgaggc	ctgggtgctg	ctgcgtcacg	gccatgcagc	cagacagtcc	4740
	ctggacatcg	atctcctgga	ttccgaaggt	agggctctgcg	tcagcctcgg	caattacacc	4800
25	ggccgtgcac	cgaaagccgt	ttccgccgtc	agggcgcttg	tcttggcacc	ggtctggcaa	4860
	gcgttgaccg	aaacggcgcc	ggcatggccc	gatccggccg	aacgcacgt	tacggtagga	4920
	gacgatgcat	ggcgtagtca	cttcggtttc	gacgagccgg	ccttgctccct	ggaggacagc	4980
30	gtcgaagtca	tcgcgacgcg	actgggccag	agcggcaagt	tcgatcatct	agtctggatc	5040
	gtgccgatag	ccgagagtga	aaccgatatt	gcagcgcaag	gttcagcggc	gatcgccgggt	5100
35	ttccggttgg	tcaaggcggt	gcttgcggtg	ggctatgcgc	atcgcccgt	gggtctcacc	5160
	gtgctgactc	gccaaagccct	tacgcggcag	ccgtcgacg	cggcagtgca	cgggctgac	5220
	gggacgctgg	ccaaggaata	ctgcaactgg	aaaatccgtc	tgctcgacct	gccgagcgta	5280
40	aaatcttggc	cgcaatggga	gcaattgcgg	tcgttgccct	ggcatgcgca	gggcgaagcc	5340



	ctgatcggcc	gtgggacttg	ttggtatcgg	cggcagttgt	gtgaagtgct	gccgctgccg	5400
	tcgttggaac	cgcgcgcgta	ccgcgtaggc	ggtgtctacg	tcgtgatcgg	cggcgctggc	5460
5	ggcttgggtg	aagtattgag	cgaacacttg	atccgcacgt	acgacgcgca	gctgatctgg	5520
	atcggggcggc	gcgtgctgga	cgaaggcatt	gcgcgcaagc	agaccgggct	tcgctcgctg	5580
10	ggcgcgcac	cgcattacat	ctccgcggac	gcgagtgacc	cggctgccct	gcaggcggca	5640
	cataatgaga	tcgttgcgct	gcatggccag	ccccatgggc	tcatacctaag	caacatcgctg	5700
	ctgaaggatg	ccagtctggc	tcgtatggag	gaagccgatt	tccgtgacgt	gctggccgcg	5760
15	aaactcgacg	tcagcgtgtg	tgcggcacag	gtgttcggca	cggccccccct	tgatttcgtg	5820
	ctgttttttt	cttccatcca	gagcactacc	aaggcgggccc	ggcaaggtaa	ctacgcgcgc	5880
20	ggctgctgct	atgtcgacgc	tttcggcgag	ctatgggcgc	gccgggggttt	gagggtaaag	5940
	accatcaact	ggggctaactg	gggcagcgtg	ggcgtcgtag	cgggcgagga	ctatcgccgg	6000
	cgcattggcg	aaaaacacat	ggcttcgatt	gagggtgccg	aagcgatgca	ggtgttgctg	6060
25	cagttgttgt	gtgcgccgtt	gcaacggctt	gcctacgtca	agatcgacga	tgctaacgca	6120
	atgcgcgctc	tgggcgtagt	agaggacgag	agcgtgcaaa	tccctgtgca	cgcaccggcc	6180
30	gagcctccca	gagggcagcc	tgggtcccgctg	gtcgagttgt	cgggtgaatct	ggatgcccgg	6240
	cgcgaacggg	aaactttgct	ggcggcctgg	ctgcttgagt	tgatcgagca	actcggtggt	6300
	tttcgcgcgg	caagtttcga	catcgctacg	cttgcgcaac	gcctgcacat	cgtaccogcc	6360
35	tatcgaagct	ggctggaaca	cagcgtgcgg	atgctcggcg	tgtatggtta	cctcagagcg	6420
	acgggggaaa	gccgattcga	gctggccgac	aagccgcccg	atgatgccag	gggtgcctgg	6480
40	aacgcgcattg	tgcacgaggc	cagcgtcgaa	gccggtgaag	aggcacagcg	gcgtctgctc	6540
	gatcgctgca	tgcgggcgtt	gccggcggtc	cttcgaggcg	aacgcaaggc	caccgaattg	6600

ctgtttccgg aaggttcgat ggctggttc gagggatatc accagaacaa cccgcttgcc 6660  
 gattacttca acgcacaact agtcacgcga ctgattgcct acttgagacg acgactagag 6720  
 5 tcgacgccta cggcgcgcct gaagctgtgc gagatcggcg ccggcagcgg tgggtactact 6780  
 gcaagcgtgc tacaacagtt gcaggcatat ggtgagcata ttgaggaata tctctatacc 6840  
 10 gacctgtgc ctgtcttctt gcatcatgcg gaaaaacact atcagccacg agcgccttat 6900  
 ttgaggaccg cctgttttga cgtacgcgcg gcgccgacgg cgcaggccct ggaatctggc 6960  
 ggctacgacg tgggtgattgc cgccaacgta ctgcatgcta cgcgcgatat cgccaagacc 7020  
 15 ttgcgcaatg cgaaggcaact cctcaaacct ggctgtctgc tcttgctcaa cgaagtgatc 7080  
 gagcgcagcc tcgtcttgca cctgactttc ggtctgtctg agagctggtg gttgccccag 7140  
 gacaagatct tgcgccttgc cggctcgcgc ttgctggctt gcgccacctg gcgcagcctg 7200  
 20 ctggaggctg agggttttgc ggggctgagc gtgcacaggg cgcaaccga tgcggggcag 7260  
 gccatcatct gtgcctacag cgatgggata gtgcggcaag ccagtacgat cgaggttgcg 7320  
 25 cggaatgaaa aagtaaccgt tccgtcgcag ccggcggaag ccggggaatc gccgctggat 7380  
 ctggtcaaaa aactgcttgg acgcattctg aaaatggatc cggccacact cgataccagc 7440  
 caccgctgg agtactacgg tgctgattcg atcgtggcga tcgaactggc tatggcactg 7500  
 30 cgcgagacat tcccgggttt tgaagtcagc gagctgtttg aaacgcaatc catcgatacc 7560  
 ttgttgggct ctcttgagca ggctcctctc cttgctaccc tcacagctcc gccgcaacaa 7620  
 35 gacatgctgc agcagctgaa acaactgctg gcgcgtacgc tgaagctgga cattacgcag 7680  
 atcgacacga gcaagacgct ggagagctat ggtgtcgact ccacgtcat catcgaatta 7740  
 gccaacgcct tgcgtgagcg ctatccgagc ttggacgcgt cacagctgat ggaaacctta 7800  
 40 tcgatacgacc ggctggttgc ccaatggcag gcaacggagc ccgcctgacc ggcagagcca 7860

	acagcgggaac cgccggtagc cgacgaagac gccgctgcc a tcatcggact ggccggccgc	7920
	tttccaggcg cggacacgtt ggaggagtgc tggacaacc tgcgcaacgg ccaaagcagt	7980
5	atgggagagg tgccaggcga gcgctgggat caccagcact acttcgacag tgaacgccag	8040
	gcaccgggca agacgtatag ccgctggggc gcgtttctga gggacataga cggcttcgat	8100
10	gcagccttct ttgaatggcc cgacagcgtc gcgctggaat cggatccgca agcgcgata	8160
	tttctagagc aggcctatgc cgggatcgaa gatgccggct acacgcctgg ctgcctcagc	8220
	aagagccaac gcgtagggtg attcgtagggt gtgatgaatg gttactacag cggcggagcg	8280
15	cgcttctggc aaatcgccaa ccgctgtgcg taccagtgcg attttcgcgg gccaaagcctg	8340
	gcggtggata ccgcctgttc ggcttcgctc accgcgatcc acctggcgct ggaaagcctg	8400
20	cgcagcggca gttgcgaggt cgcactggcc ggtggcgtga atctgctggt cgatccgcag	8460
	caatatctta atttggctgg cgcgcgatg ctctccgcg gcgccagctg tcggccgttc	8520
	ggcgaggccg cggacggttt cgtggccggc gaagcctgcg gcgtggtgct gctcaagccg	8580
25	ctcaagcaag cgagggccga tggcgatgtg atccatgccg taatcagggg cagcatgatc	8640
	aatgccggtg ggcacaccag cgcgttctcc tcgcctaacc ctgccgccca ggccgaagtc	8700
30	gtgcggcagg ccttcgacgc cgcgggcgtg gcgcccatt cgatcagcta catcgaggcg	8760
	catggcaccg gcaccgtact aggcgatgca gtggagtgg gtgctttgaa taaagtgttc	8820
	gacaagcgcg cggcgccatg cccgatcggc tcgctgaagg cgaacatcgg ccattgccaa	8880
35	agcgcgcggg gcattgccgg cctggccaag ctggtattgc agttcaggca tggcgagttg	8940
	gtgcctagtc tgaatgcgtt tcccttgaat ccctatattg agttcggtcg cttccaggta	9000
40	caacagcagc cggcaccgtg gccgcgccgt ggcgcccagc cgcggcgccg cgggttatct	9060
	gccttcggtg ctggcggatc gaatgcgcac ctagtggtag aggaagctcc ggetatggct	9120

cccgggggtct cgatcagcgc cagctctcca gccttgatcg tgctttcggc gcgaacgctg 9180  
 cctgccttgc aacagcgtgc tcgcgatctg ctcgctctgga tgcaagcgcg gcaggtggat 9240  
 5 gacgtcatgc tggccgacgt tgcttatagc ctgcacttgg gccgcgtcgc gatggagcaa 9300  
 cgcctggctt ttaccgctgg ctcggtgcc gagttgagcg agaaattaca ggcttacctg 9360  
 10 ggccatgcga ttccggccga catctatctg agcgaggaca cggccggcaa accggcaggc 9420  
 gctccgatcg tggccgagga agatctgctc acgctgatgg atgcctggat cgaaaagggc 9480  
 cagtacggtc gtttgctgga gtactggacc aagggccaac cgatcgactg gaacaaactc 9540  
 15 tattggcgca agctgtatgc ggacggacgg ccgcggcgga tcagcctgcc cacctatccg 9600  
 ttcgagcacc ggcgttattg gcaaacgccg gtgcggggcg agcgaagcct gcacgccacc 9660  
 gcgccagcta ctcgggaaac gggtgcgggt ggtgccatgc cggatccggc cggcgctacg 9720  
 20 gtgcaagccc gggtgtgcgc cttgtgcaa gtgttggtgg gcaaaccggt cacggcccag 9780  
 atggatttct ttgcgctcg cggccattcg gtgctggcga tccaattggt ctgcgcacac 9840  
 25 cgcaaaagct tcgggggtgga gtatccggtc agcgttttgt tcgaatcggc gctggtgtcg 9900  
 gacatggcgc ggcagatcga acaattgcgg gtgaacggag tcgccaagcg catgccggcg 9960  
 ttgttgacct cggggcgctt gggcgcgatt cctgcgactt atgcacagga gcgcctatgg 10020  
 30 ctcgctccacg aacatatgag tgagcaacgc agtagttaca acatcacctt tgccatgcac 10080  
 ttcagaggcg tcgacttccg tgctgaagcg atgcgtgccg cattgaacgc gctggtgggtg 10140  
 35 cggcacgaag tgctgcgcac acgctttctt tcggaggacg ggcagctgca acaggtgatc 10200  
 gctgcctcgt tgacgttggg ggtgccggta agagagatgt cggtcgagga ggtcgacctg 10260  
 ctgctggccg cgagcacgcg ggagacttct gatctgcggc agggggccctt gttcaaggca 10320  
 40 cgcatectgc gcgtggcggc cgatcaccat gtggtgttga gcagcatcca ccacatcatt 10380

tccgacggct ggtcgctggg agtgttcaac cgtgacctgc accagctgta cgaggcgtgt 10440  
 ttgcgcggca cccccccac actgccgacg ctggcggtgc agtatgccga ctacgcgctg 10500  
 5 tggcaacggc aatgggagct ggcggtccg ctgtcgact ggacgcgggc actggaaggc 10560  
 tacgacgacg gcctggactt gccctacgac cggccgcgcg gcgccacgcg ggcgtggcgg 10620  
 10 gcagggtgg tcaaacaccg ctatccgccg caactggccc agcagttggc ggcctacagc 10680  
 caacagtacc aagcgacgct gttcatgagc ctgctggcag gcctggcggt ggtgctgggc 10740  
 cgttacgccg atcgcaagga cgtgtgcac gccgcgacgg tctccggccg cgaccagctg 10800  
 15 gagctggaag agctgatcgg ctttttcac aatattttgc cgctgcgggt ggacctgtcg 10860  
 ggggatccgt gcctggagga ggtgctgctg cgcacgcgtc aagtgggtact ggatggcttc 10920  
 20 gcgcaccagt cggtgccgtt cgagcacgtg ttgcaggcgc tgcggcgctca gcgcgacagt 10980  
 agccagatcc cgctgggtgcc ggtgatgctg cgacaccaga acttcccgc gcaggagatt 11040  
 ggcgattggc ccgagggagt gcggctgacg cagatggagc tggggctgga ccgtagcacg 11100  
 25 ccgagcgagc tggattggca gttctacggc gacggcagct cgctggagct gacgctggaa 11160  
 tacgcgcagg acctcttcga cgaagcgacg gtgcggcgga tgatcgaca ccaccagcag 11220  
 gcgttgagg cgatggtgag ccggccacag ctgcgggtgg gcaagtggga catgctgacg 11280  
 30 gccgaagagc gccggctggt tgcgcgcta aatgcgacag gtacgccacg ggagtggccc 11340  
 agtctggcgc agcagttcga acggcaggcg caggcgacgc cgcaggccat cgcgtgcgtg 11400  
 35 agcgatgggc agtcgtggag ctatgcgcag ttggaggcgc gcgccaacca gctggcacag 11460  
 gcgctgcggg ggcagggcgc gggccgggac gtgcgggtgg cgttacagag tgcgcgcacg 11520  
 ccggaactgc tgatggcctt gctggcgatc tttaaggcgc gtgcgtgcta tgtgccgatc 11580  
 40 gatccggcct acccggcggc ctaccgcgag cagatcctgg ccgaggtgca ggtgtcgatc 11640

gtgctggagc aagacgagct ggcgctggac gagcaagggc agttccacaa tccgcgttgg 11700  
cgcgagcaag ccccgacgcc gctggggctg agggagcatc cgggcgacct ggcgtgcgtg 11760  
5 atgggtgacct ccggctcgac cggccggccc aagggcgatga tgggtgcgta tgcgcagctg 11820  
tacaactggc tgcattgcagg ctggcagcgt tctccgttcg aggcggggga gcgggtgctg 11880  
cagaagacct cgatcgctt tgcggtgtcg gtaaaggagt tgctaagcgg gctgctggcg 11940  
10 ggggtggaac aggtgatgct gccggacgag caggtgaagg acagcctggc gttggcgcg 12000  
gcgattgagc aatggcaggt gacggcgctg tacctagtgc catcgacct gcaggcgctg 12060  
15 ctggacgcga cgcaaggacg agacgggcta ctgcactcgc tgcgtcacgt ggtgacggcg 12120  
ggggaagcgt tgccgtctgc ggtgcgcgaa acggtgcggg cgcgtctgcc acaggtgcag 12180  
ctatggaaca actacggctg caccggaactg aacgacgcga cctaccaccg gtcggatacg 12240  
20 gtggcgccag gaacgtttgt gccgatcggc gcaccgatcg ccaacaccga ggtatacgtg 12300  
ctggaccggc agctgcggca ggtgccgatc ggggtgatgg gcgagctgca cgtacacagc 12360  
25 gtggggatgg cgcgcggcta ctggaaccgg ccggggctga cggcctcgcg cttcatcgcg 12420  
caccctata gcgaggagcc gggcacacgg ctgtacaaga ccggtgacat ggtacgccgg 12480  
ctggcggacg ggacgctgga atacctgggc cgacaggact tcgaggtaa ggtgcgcggc 12540  
30 caccgggtgg atacgcggca ggtggaggcg gccttgcggg cgcagccgcg ggtggccgag 12600  
gcggtggtga gcggtcacgg ggtggacggg gacatgcagt tgggtggccta tgtggtggcg 12660  
35 cgtgaagggc aggcaccgag cgcgggcgag ttgaaacaac agctgtcggc gcagttgccg 12720  
acctacatgc tgccgacct gtaccagtgg ctggagcagt tgccgcggct gtccaacggc 12780  
aagttggacc ggttggccct gccggcaccg caggcggtac acgcgcagga gtacgtcgcg 12840  
40 ccacgcaacc aggcggagca acggctggcg gcactgtttg ccgaggtgct gcgggtggag 12900

caggtaggca tccacgacaa cttcttcgcc ttgggtgggc actcgctgtc tgcacgcaa 12960  
ctgatctcgc gtattgccag ggatatggcg atcgatctgc ccctggccat gctgttcgag 13020  
5 ctgcccacgg tagcgagct tagcgaatcc ctgccagcc atgcacgca cagcgattac 13080  
gatgtcatcc ccgcaagcac cgaggaggcg accattccgc tttccactgc gcaggagcgc 13140  
atgtggttcc tgcacaagtt cgtgcaggag acgccgtaca acacccggg tctcgctta 13200  
10 ttgcaaggcg aactggacat ttcggccttg caggtagcat ttcgctgtgt gctagaacgg 13260  
cacgccgtgc tgcgtacca ttcgtggaa accgagcagc aatgcgtaca ggtcattggc 13320  
15 gcagcagagc agttcgtgct gcagcttagg tcgattcgcg acgaggctga tctgcatggc 13380  
ctattgcaca cagccgtcag cgaacccttc gatttagaac gcgagctgcc attgcgcgcc 13440  
ctgctgtatc gcctggacga ccggcggcat tacctagcag tggtcacca tcacatogtc 13500  
20 ttgcacggct ggtcgacctc aatcctgttt cgtgagctgg ccacgcacta tgctgcatgc 13560  
cgccatggcc aatccgcgcc tttgccaccg ctggagctta gctatgccga ttacgcacgc 13620  
25 tgggagcgtg cgaggctgaa ccaggaagac gcgctgcgca agctcgaata ttggaaaacg 13680  
cagcttgccg atgcaccgcc gctggtgttg cccacgacct atgcgcggcc ggttttccag 13740  
aacttcaatg gcgcgactgt ggcgcttcag atcgagccgc cgctgctgca acgcctgcag 13800  
30 cgtttcgccg acgcacacag ctttacattg tacatgetac ttctggcagc actgggcgtc 13860  
gtattgtcgc gccatgcccg gcagaagcat ttctgcattg gcagtcgggt cgccaatcgc 13920  
35 gcccgagccg agttgcacgg tttgatcggt ttgttcgtca acaccctggc ggtacggctc 13980  
gatttggacg gcaatcccag cgtgcgcgag ctgctcgaa gcacccactg caccacgctg 14040  
gccgcctacg agcaccagga tgtgcggtc gaaagaatcg tggaaagcct gaaggtaccg 14100  
40 cgcgataccg cgcgtaaccc gctggggcag gtgatgtca atttccagaa catgccaatg 14160

tcggcgltcg acctggatgg tgtccaggtg caggtgctcc ccatgcacaa cggcacggcc 14220  
aagtgcgagc tgaccttcga cctgctgctg gatggctcac gcctatccgg ttctgctgaa 14280  
5 taccgcaactg ggetgtttgc gccggaatgg gtccaggcgc tggtagagca attcaagtgt 14340  
gtgctggcgg cattggtgga acggccggag gcacgctga atgatttgcc catggcgccc 14400  
aacgaggcgc aaccggcgtc gccggcattg atgaagcatg tcgcgccgag cttgccccaa 14460  
10 ttacttgagg ctatggcggc caatgatgcc gcacgcctcg ccttgcaagc gccggaaggt 14520  
gcgctcagtt acgctcagct aatcgaggca gcaaacgagt tcgcctggcg ttgcggtgct 14580  
15 gagcacgccg gtccggacaa agtcgttgcc ctgtgcctag cgccttgctc cgccttggtg 14640  
gttgctttgc tggccgcttc attatgcggt gcggcgagcg tgctgatcga tccgacgacg 14700  
actgccgagg cgcaatacga ccagttgttc gaaacgcggg ccggcatcgt ggtgacctgt 14760  
20 tctagcttgc tggagaagtt gccgctcgac gaccaggctg tagtgctgat cgacgagcaa 14820  
gctgcagaag cgacgccgcg tttgatgcat ttcaccgacg atccagcttt gcccgcaatg 14880  
25 ctgtattgtg tgtgtgacga aaagggggcga acccgcacga tcatggtcga aagcggcagt 14940  
ttgtcgagtc gcctgctcga tagcgtgcag cgtttcagtc tcgaacgcac cgatcgcttc 15000  
ctgctgcgca gcccgttttc tgccgaactg gcgaataccg aagtactgca atggttggcg 15060  
30 gcaggcggca gcctcagcat cgcacccatg catggcgatt tcgatgccgc tgcttggtg 15120  
gagacctcg cgacgtacgc gatcacctg gcctacctgg ctcaagttga attgaccgag 15180  
35 atgctggcgc atctgcaaaa ccctcctctt gagcgcaaca agctggccgg ctacgcgtg 15240  
ctggtggtgc atggcgcgcc cttgccgacg gcgccactga tgcgctaga cgcgtggtg 15300  
cgagaggtgg gcggttccgc acggatcttc gccgcctaag ggaatgccga gttcggtgcc 15360  
40 gaaatattga gccaggatgt cagcgctgca ttgcaagcgg gtattggcgc tcaatacaag 15420



catcgccgtg gtctgttccc gttgggtgcc aactcgatgt gtcacgtggt gcagagcaac 15480  
 ggccgcatcg cgcgcgacgg catgggttgt gaattgtgga tcacacagcc agcctgcttg 15540  
 5 taaaaaacg atgcatttgt gcgtcgctg gcaaattggc aactggaatg gttgggctcc 15600  
 ctgatgtcc agtcgcgtat cgatgatccc cgcacgatc tgtgcgtcgt ggaggcacia 15660  
 ctgcgcttgt gcgaagacgt cggcgaagcg gtagtgctgt atgagccgtt gaagcgctgc 15720  
 10 ttggtagcct atctctcggc cgtagcaca gctgcaatca tgaccgacga gacgctggcc 15780  
 aggatccgcc aggccctgag cgaaaccttg ccggattatc tactgcctgc aatctgggtg 15840  
 15 ccgctcgcg cactggccacg cttaccccat gggcgggtcg acctcggcgc cttgcctgca 15900  
 ccggatttcg atcttgcgcg gcatgagtcg tacatagcgc caagcacagc cgtcgaacag 15960  
 gccgtggcgg aaatatggca acgcgtgttg aagcgtacc caggcggcgt gcatgacaat 16020  
 20 ttcttcgagc tgggcggcca ttcggtgctg gcgatccagc tgggtgtccgg cttgcgcaag 16080  
 gctttggcca tcgaagtgcc ggtcaccttg gtgttcgagg cgcgatact gggggcgctg 16140  
 25 gcgcggcaga tcgccccctt gttggtcagc gaacggcgtc cgcgcccgc tggcctgacg 16200  
 cgcctggagc atacagggcc gattccggct tcgtatgcac aggagcgggt atggctggtg 16260  
 cagagcata tggaggagca gcgaaccagc tacaacatca gtaacgcagc gcatttcac 16320  
 30 ggagcagcct tcagcgtcga agcgatgcgt gccgcattga acgcgctggt ggcgcggcac 16380  
 gaagtgtgc gcacacgctt tctttcgag gacgggcagc tgcaacaggt gatcgctgcc 16440  
 35 tcgttgacgc tggaggtgcc ggtacgcgag gtgtcgcccg aggaggtcga cctgctgctg 16500  
 gccgcgagca cgcgggagac ttctgatctg cggcaggggc ccttgttcaa ggcacgcac 16560  
 ctgcgcgtgg cggccgatca ccatgtggtg ttgagcagca tccaccacat catttcgac 16620  
 40 ggctggtcgc tgggagtgtt caaccgtgac ctgcaccagc tgtacgagc gtgtttgcgc 16680

ggcacgcccc ccacactgcc gacgctggcg gtgcagtatg ccgactacgc gctgtggcaa 16740  
 cggcaatggg agctggcgcc tccgctgtcg tactggacgc gggcactgga aggctacgac 16800  
 5 gacggcctgg acttgcccta cgaccggccg cgcggcgcca cgcgggcgtg gcgggcaggg 16860  
 ctggtcaaac accgctatcc gccgcaactg gcccagcagt tggcggccta cagccaacag 16920  
 10 taccaagcga cgtgttcat gagcctgctg gcaggcctgg cgttgggtgct gggccgttac 16980  
 gccgatcgca aggacgtgtg catcggcgcg acggtctccg gccgcgacca gctggagctg 17040  
 gaagagctga tcggcttttt catcaatatt ttgccgctgc ggggtggacct gtcgggggat 17100  
 15 ccgtgcctgg aggaggtgct gctgcgcacg cgtcaagtgg tactggatgg cttcgcgcac 17160  
 cagtcggtgc cgttcgagca cgtgttcgag gcgctgcggc gtcagcgca cagtagccag 17220  
 atcccgtggtg tgccgggtgat gctgcgacac cagaacttcc cgacgcagga gattggcgat 17280  
 20 tggcccgagg gagtgcggct gacgcagatg gagctggggc tggaccgtag cacgccgagc 17340  
 gagctggatt ggcagttcta cggcgacggc agctcgctgg agctgacgct ggaatacgcg 17400  
 25 caggacctct tcgacgaagc gacggtgcgg cggatgatcg cacaccacca gcaggcggtg 17460  
 gaggcgatgg tgagccggcc acagctgcgg gtgggcaagt gggacatgct gacggccgaa 17520  
 gagcgccggc tgtttgccgc gctaaatgcg acaggtacgc cacgggagtg gcccagctctg 17580  
 30 gcgcagcagt tcgaacggca ggcgcaggcg acgccgcagg ccatagcatg cgtgagcgat 17640  
 gggcagtcgt ggagctatgc gcagttggag gcgcgcgcca accagctggc acaggcgctg 17700  
 35 cgtgggcagg gcgcgggccc ggacgtgcgg gtggcggtac agagtgcgcg cacgccggaa 17760  
 ctgctgatgg ccttgctggc gatcttcaag gccggtgcat gctatgtgcc gatcgatccg 17820  
 gcctacccgg cggcctaccg cgagcaaatc ctggccgagg tgcagggtgc gatcgtgctg 17880  
 40 gagcaaggcg agctggcgct ggacgagcaa gggcagttcc gcaatcggcg ttggcgcgag 17940

caagccccga cgccgctggg gctgagggga catccgggcg acctggcgtg cgtgatggtg 18000  
acctccggct cgaccggcgg gcccaagggc gtgatggtgc cgtatgcgca gctgcacaac 18060  
5 tggctgcatg caggctggca gcgttctgcg ttcgaggccg gggagcgggt gctgcagaag 18120  
acctcgatcg cctttgcggt gtcggtaaag gagttgctaa gcgggctgct ggcgggggtg 18180  
10 gggcaggtga tgctgccgga cgagcaggtg aaggacagcc tggcgttggc gcgggcgatc 18240  
gagcaatggc aggtgacgcg gctgtacctg gtgccgtcgc acctgcaggc gctgctggac 18300  
gcgacgcaag gacgcgacgg gctactgcac tcgctgcgtc acgtggtgac ggcgggggaa 18360  
15 gcgttgccgt cggcggtggg cgaagcgggt cgggtgcgcc tgccacaggt gcagctatgg 18420  
aacaactatg gctgcacgga actgaacgac gcgacctacc atcggtcgga tacggtggcg 18480  
ccaggaacgt ttgtgccgat cggcgccaccg atcgccaaca ccgaggtata cgtgctggac 18540  
20 cggcagctgc ggcaggtgcc gatcgggggt atgggcgagc tgcacgtaca cagcgtgggg 18600  
atggcgcgcg gctactggaa ccggccgggg ctgacggcct cgcgcttcat cgcgcacceg 18660  
25 tatagcgagg agccggggcac acggctgtac aagaccgggt atatggtacg ccggctggcg 18720  
gacgggacgc tgaataacct gggccgacag gacttcgagg tcaaggtgcg cggccaccgg 18780  
gtggatacgc ggcaggtgga ggcggccttg cgggcgcagc ccgcggtggc cgaggcgggtg 18840  
30 gtgagcggtc accgggtgga cggggacatg cagttggtgg cctatgtggt ggcgcgtgaa 18900  
gggcaggcac cgagcgcggg cgagttgaaa caacagctgt cggcgagtt gccgacctac 18960  
35 atgctgccga ccgtgtacca gtggctggag cagttgccgc ggctgtccaa cggcaagttg 19020  
gaccgggttg cgtgccggc gccgcaggtg gtacacgcgc aggagtacgt cgcgccacgc 19080  
aacgaggccg agcaacggct ggcggcactg tttgccgagg tgctgcgggt ggagcaggtg 19140  
40 ggcacccacg acaacttctt cgccttgggt gggcactcgc tgtctgcac gcaactgatc 19200

tcgcgcaccc gccaaagttt tcacgtcgat ctgccgctga gccggatctt cgaggcaccc 19260

acgatcgagg gcctggtcag gcagctagcg ttgcctagtg aaggcggcgt ggccagcatc 19320

5 gccagggtag cgcgaaaccg gacgatccca ttgtcgtgtg tccaggaacg cctgtgggtc 19380

gtgcaccaac acatgcctga gcaacgcacc agttacaacg gcacgctcgc cttgcgtttg 19440

10 cgtgggtcctt tgtegggtga agcgatgcgt gcacgctcgc gtgcgttagt gctgcgccac 19500

gaaatcttgc gtaccgcctt cgtgttgccg accgggtgcta gcgagccggg gcaggtcatt 19560

gacgagcaca gcgatttcca gctctcagta cagctagtcg aggatactga gatcgcgctc 19620

15 ctgatggatg aactggcaag tcatatctac gacttagcca acggcccgtt gttcattgca 19680

tgcccttttgc aactggatga gcaagaacat gtgctgctaa tcggcatgca tcaccttata 19740

20 tacgacgctt ggtegcgaatt caccgtgatg aaccgcgata tacgcgtgct gtatcacgcg 19800

cacctcggac ttgccggcgg agatctgccg gaattaccga tccaatatgc cgactatgcg 19860

atctggcaac gcgcccagaa cctggacgcg caactggcct attggcaggc tatgttgca 19920

25 gactacgacg acggcctgga gctgcctac gactatccgc gtccgcgcaa tcgcacctgg 19980

cacgcagcgg tetacacaca cacctatccg gctgaactgg tacagcgctt tgccggcttc 20040

30 gtacaggcgc atcagtcgac cttgttcata gggctgttgg ccagcttcgc ggtcgtgttg 20100

aacaaataca ccggccggga cgacttgtgc atcggtacca ccacggcagg gcgcacgcac 20160

ctggagctgg agaacctgat cggtttcttc atcaacatct tgcccttgcg cttgcgcttg 20220

35 gacggcgatc cggacgttgc cgaaatcatg cggcgaacac ggttgggtgg gatgagcgcg 20280

tttgagaacc aggcgctacc gttcgagcac ctgctcaacg ccctgcacaa gcaacgtgac 20340

40 accagccgga ttccgctagt tccggtgggt atgcgtcacc agaacttccc ggacacgac 20400

ggcgactgga gcgatggcat ccgtaccgaa gtgatccagc gcgatctgcg tgccaccccc 20460

aatgaaatgg acctgcaatt ctccggcgac ggtacggggc ttccggtcac agtggataac 20520  
 gcggcgaggc tgttctcaga agcgaccatt cgcgcctga tccaccatca ccaactcgtc 20580  
 5 ctggagcaga tgttggcggc ccatgaaagc gccacgtgcc ccttggatgt tgccgactag 20640  
  
 <210> 21  
 <211> 1032  
 10 <212> DNA  
 <213> *Xanthomonas albilineans*  
  
 <400> 21  
 15 atggattcag cgttacctac atctgcattt accttcgata tcttttacac cacggttaac 60  
 gcctactatc gcactgccgc agtcaaggcg gcgacgaac tggggctatt cgatgtggcg 120  
 gggcagcagg gccgaactcc cgcagccatc gccgaggcct gccaggcgtc gccgcggcg 180  
 20 attcgcatcc tttgctatta cctagtatcg atcgggtttc tacgccgcaa cgggtggcctg 240  
 ttctacatag atcgcaacat ggccatgtac ctggatcgta gttcgcccggt ctacctgggt 300  
 ggcagcatca agttcctgct ctgcacctac atcatgagcg ccttcaccga tctgaccgcc 360  
 25 gtagtcagga ccggcaagat caacctggcg caggacggcg tgggtggcacc ggatcaccgg 420  
 cagtgggtgg aatttgacg cgcgatggca ccgatgatgg cgctgccctc ggcgttgatc 480  
 30 gccaatatgg tgcgttgcc cgctgatcgg ccgattcgtg tgctggacgt ggcagccggc 540  
 cacggcctgt tcggcctcgc ctccgcgcag cgcttcgcc aggctgaagt gagcttctc 600  
 gactggggaca acgtgctaga cgtagcacgc gaaaacgccc aggcggccaa agtggccgag 660  
 35 cgagcgcggtt tcctgcccggt caacgcattc gacctcgatt acggcagcgg ctacgacgtg 720  
 atcttggtga ccaacttctt gcaccatttc gatgaggtcg atggcgagcg catcttggct 780  
 40 aagacgcgcg atgcgctgaa cgacgacggc atggtgatca ctttcgaatt catcgccgac 840

gaagagcggtt cctcaccgcc gctggccgcc accttcagca tgatgatgct gggcaccacc 900

ccggcggggcg agtcctacac ctatagcgat ctggaaagga tgtttcggca tgccggcttc 960

5 ggccacgtgg aactaaaatc gataccgccg gccttgctga aagtgggtgt tccccgcaag 1020

agggcccat aa 1032

10 <210> 22  
<211> 504  
<212> DNA  
<213> Xanthomonas albilineans

15 <400> 22  
atgatcgaat cggcgacatc ccctgtggcg aaaaccgagc gcactctggtg caccgagctg 60

gacctggatg cactcaacgc catgtcggcc aacacgatgc aggcctgct cggatatacgc 120

20 atgategaga tcggctcgga ctatctggtc tctgcatgt cgggtggactg gcgttgccac 180

cagccctatg gggatttgca tggcggcgca tcggtcaccc tggccgaggc taccggcagc 240

atggcggcct ccatgtgctg gccggccggc caacgttgcg ttggcctaga catcaatgcc 300

25 aaccacatcg cgagcatctc cagtggccaa gtacagtgc tcgcggggcc gctgcacata 360

ggggccttga cccaggtatg gcagatgcgc atctatgacg aaggtgaccg cacgatctgc 420

30 gtgtcgcgcc tgaccatggc ggtattatcg gtgcacgtcg cgcgcgtatc cccgaatcca 480

gccagcagcg gattccagac gtga 504

35 <210> 23  
<211> 2826  
<212> DNA  
<213> Xanthomonas albilineans

40 <400> 23  
gtgaacgaaa ctgcaactgt aaccaaggct accctcagtt cagcgaaggc gagtataacg 60

	ccagcctgcg ttcaccaatg gtttgaagcg caggtgagtt cgacaccgga tgcgcctgct	120
	gccttcttag gcgagcgctg aatgagttat ggccagctca acaccgcgc caatcggctt	180
5	gcacggctgt tgcagtcaca gggcggtggg cctggtgcc gggtcgcggg gtggatgaat	240
	cgcagccccg aatgcctggc cgctttgctg gcggctcatga aggccggggc agcttatgta	300
10	ccgatcgacc tgagcctgcc gatccgacgt gtccaatata tcttgaggga cagccaggcc	360
	eggctcgtag tggtcgatga cgaagggcaa ggccgcctgg acgaacttga gctgggcgcg	420
	atgactgccg tcgatgtctg cggcactctg gacggcgacg aggcgaatct ggacctgcct	480
15	tgcgatccgg cgcagccggg ttattgcac tatacctccg gctccacagg tagccccaag	540
	ggcgtgctgg tacggcacag cgggttggt aactacgtgg cctgggctaa gcggcaatac	600
20	gttacggctg acacgacgag ttctgccttt tactcctcgc tgcgttcga tctgaccgtc	660
	acctcgatct acgtgcccc gtgtgctggc ctgtgtgtgc atgtgtaccc ggagcagggc	720
	gacgacgtgc cggtaatcaa ccgcgtgctg gacgacaacc aagtagacgt gatcaagctg	780
25	acaccctcgc acatgctgat gctgcgcaac gcggcactgg cgacgtctcg gctgaagacg	840
	ctgatcgtgg gtggcgagga cctgaaagcg gcgggtggcg acgacatcca tcagcggttc	900
30	cgccgcgatg tggcgatcta caacgaatac ggtcctaccg aaaccgtagt ggggtgcgcg	960
	atccatcggt acgatccggc gaccgaacgc gaaggctcgg tgccgattgg tgtgccgac	1020
	gatcacacca gcctccacct gctcgatgaa cgtctgcagc cggtcgcacc gggcgaggtc	1080
35	ggccagatcc acatcgggtg gcggggcggt gccatcggct atgtgaacaa gccggagatc	1140
	accgatgcgc aattcattga caatcccttc gaaggcagcg gccggcttta cgccagtggc	1200
40	gacctaggac gcatgcgtgc cgacggtgta cttgaattcc ttggccgcaa ggattcgag	1260
	atcaagctgc gcggctaccg catcgaaactg ggcgagatag agaacgttct gcttggccac	1320

	gcagccttgc gcgaaatgcat cgtggataacc accgtggcgc cgcgcgcgca ctatgacagc	1380
	aagagcttgc gctattgcgc gcgttgccgt atcgcttcaa atttcccaa taccagcttc	1440
5	gacgagcacg gtgtctgcaa ccattgccac gcctacgaca aataccgga cgtggtcgag	1500
	gattatttcc ggaccgaaga tgagctacgt actatcttcg agcaggtaa ggcgcacaac	1560
10	aggctccgct acgactgcct ggtggcttcc agcggcgga aggacagcac ctatgcgcta	1620
	tgccgcgtag tggacatggg cctgcgcgtg ttggcgta cccctggaca tggctacatc	1680
	tccgacgagg ccaaggcaaa cgtcgaccgc gtcgtgcgcg agctgggggt ggaccatcgc	1740
15	tatctgggta ctccacacat gaacgccatc ttcgtggaca gcctgcatc ccacagcaac	1800
	gtctgcaacg gctgcttcaa gaccatctat acgctgggta tcaacctggc gcacgaagtg	1860
20	ggcgtaagcg acattgtaat gggcctgtcc aaaggacagc tggtcgagac gcgcctgtct	1920
	gagctgttcc gcgccagcac cttcgacaac caggatattg agaagaacct gatggaggcg	1980
	cgcaagatct accatcgcat cgacgacgcg gcggcccgc tgctggacac ctcttgcggtg	2040
25	cgcaacgacg gcttgctcga aagtacgcgt ttcacgcact tctaccgcta ctgcagtgtc	2100
	agccgcaagg acatgtatc ctatatgcc gagcgcgtag gctggagcgc tccgctgac	2160
30	accggccgct cgactaactg cctgctcaac gatgtgggca tctacatgca caagaagcaa	2220
	cgtggctatc acaactattc gttgccctac agttgggacg tgccggtagg ccatatccca	2280
	aggggaagacg cgatgcgcga gctggaggac accgacgata tagacgaggc caaggtactg	2340
35	ggcctgctca agcagatcgg ctatgactca agcctgatc ataccaggc gggcgatgcg	2400
	cagctgatc cctactacgt ggcggcggag gaactggatc cggtggcatt gcgcaatttt	2460
40	gctgctgcga tcttgcccga gtacatgctg ccttcgtatt tcgtgcggct ggaccgaatg	2520
	ccgttgacgc cgaatggcaa ggtgaaccgc cgagcattgc cgaggccgga gttgaagaag	2580



	aacgccagcg aggcgcatac cgagccgagc agtgcgctag agcaggaact ggtgcaaate	2640
	tggaaagagg tgctgatggt cgacaaggtc ggcgtcaggg acaacttttt cgagctgggc	2700
5	ggccactcgc tgagcgcgct gatgttgctc tacagcatag ccgagcgcta ccagaagatg	2760
	gtcagcatcc aggcattctc ggtaaatccg accatcgaag gtctgtcgga gcatctggtc	2820
10	gcataa	2826
	<210> 24	
	<211> 837	
	<212> DNA	
15	<213> Xanthomonas albilineans	
	<400> 24	
	atgccaatg ccgtaccgat gcagggcgcg cggggactcc cgcagccgca agcgatgaac	60
20	ccaggggtgc cgagcgtcgg cggcttgagc gcaggccagc cattgcagtt gtcgttagca	120
	ccggaactgc aggcagccgc gcgcagtgcc caccgccatc tgctcgacga cggcacggcg	180
25	ctttacctgc tggcgttcga taccgcgcaa ttcgaccggg gggctttcgc ggcaatggca	240
	atcgccccgc cggacagcat cgcgccgagc gtgcgcaagc gtcaggccga gttcctgttc	300
	ggcgtctgg ccgcgcgact ggcgtgcaa gagtgctgg gacctgcgca agcgcaggca	360
30	gacattgcaa tcggcgcgac gcgcgcgccc tgctggcctg ccggcagcct gggcagcatt	420
	tcccattgcg aggactacgc ggccgccatc gccatggcgg ccggcaccgg ccacggcggtg	480
35	ggcatcgatc tggaaacgacc aatcacaccc gcggcgcgcg cggcgttgct gagcatcgca	540
	atcgatgccg acgaagccgc tcgtctggca aaggcggcag acgcgcagtg gccgcaagac	600
	ctgctgctga ccgcactatt ttcggccaag gaaagcctgt tcaaagccgc ctacagcgcg	660
40	gtcggacgct acttcgactt cagcgcggca cgctgtgcy gcatcgacct ggcaaggcaa	720



cgcgggctca agctgtacgt gcagcgcgtc ttcacatcatgg accaggccga ccaattcctg 960  
 ccgctgtacc tgcgcttcat caagggcacc gtcgattcca gcgacctgcc gctgaacgtc 1020  
 5 tcgcgcgaaa tcttgcaatc tggtcgggtg atcgactcga tgaagtcggc gctgaccaag 1080  
 cgcgccactgg acatgctgga aaagctcgcc aaagacgac ccgaacgcta caagggcggtg 1140  
 10 tggagaactc tcggccaggt gctgaaggaa ggtccggccc aggacttcgg caaccgcgaa 1200  
 aagatcgccg gcctgctgcg ctctcgctcc acccacagcg gcgacgacgc ccagaacgtg 1260  
 tcgctggccg actacgtggc gcggatgaaa gacggccagg acaagctgta ctacctgacc 1320  
 15 ggggaaagct acgcgcaaat caaggacagc ccgcacctgg aggtgttccg caagaagggc 1380  
 atcgaggtgc tctgctcac cgaccgcacc gacgagtggc tgatgagcta tctcaccgag 1440  
 ttgcacagca aatccttcgt cgatgtggcg cgcggcgacc tggacctggg caagctggac 1500  
 20 agcgaagaag aaaagcaggc gcaggaagaa gccgccaagg ccaagcaagg gctggccgag 1560  
 cgcacccagc aggtactcaa ggacgaggtc gccgaggtgc gggctctcgca ccggtcgacc 1620  
 25 gattcgccgg cgattcttgc catcgccagc ggcgacatgg gtctgcaaat gcggcagatc 1680  
 ctggaagcca gcgggcagaa gctgccggag agcaagccgg tgttcgagtt caaccccgcg 1740  
 catccgctga tcgagaaact ggatgcggaa cccgatgtcg atcgtttcgg tgatctggcg 1800  
 30 cgggtgctgt tcgatcaggc cgcgctggcc gccggcgaca gcctcaagga cccggccgcc 1860  
 tacgtgcgtc ggctcaacaa gctgttgctg gagctgtcgg cgtaa 1905  
 35  
 <210> 26  
 <211> 6879  
 <212> PRT  
 <213> Xanthomonas albilineans  
 40  
 <400> 26

	Met	Pro	Asn	Ala	Leu	Met	Gln	Ile	Thr	Leu	Val	Ala	Val	Gln	Phe	Ala	
	1				5					10						15	
5	Gly	Val	Leu	Leu	Gly	Val	Thr	Ala	Arg	Ala	Ala	Ile	Pro	Asn	Lys	Ala	
				20					25					30			
10	Gly	Met	Arg	Arg	Ala	Trp	Pro	Pro	Phe	Pro	Gln	Ala	Cys	Cys	Arg	Ser	
		35					40						45				
15	Ile	Ala	Tyr	Leu	Met	Gln	Arg	Ser	Pro	Met	Ser	Pro	Leu	Gln	Gln	Thr	
	50					55						60					
20	Leu	Leu	Thr	Arg	Leu	Ala	Ser	Ala	Ala	Ala	Ser	Arg	Thr	Met	Ile	Glu	
	65				70						75					80	
25	Phe	Pro	Arg	Pro	Glu	His	Ala	Ser	Pro	Gln	Cys	Cys	Asp	Asp	Ala	Glu	
					85					90					95		
30	Leu	Ala	Arg	Leu	Ile	Val	Gln	Leu	Ser	Ala	Gly	Leu	Gln	Pro	Leu	Ala	
				100				105						110			
35	Met	Pro	Gly	Thr	Tyr	Val	Ile	Ile	Ala	Ala	Pro	His	Gly	Gly	Leu	Phe	
		115					120						125				
40	Ala	Ala	Ala	Leu	Leu	Ala	Cys	Leu	His	Ala	Asn	Leu	Val	Ala	Val	Pro	
	130					135						140					
45	Phe	Pro	Leu	Asp	Val	Ala	Gln	Pro	Asn	Glu	Arg	Glu	Gln	Ala	Arg	Leu	
	145				150					155						160	
50	Glu	Thr	Ile	His	Ala	Gln	Leu	Met	Glu	His	Gly	Asn	Val	Ala	Val	Leu	

166

Application of Royer, et al.

165

170

175

5 Leu Asp Asp Val Ala Asp Arg Ser Ala Phe Ala Arg Met Ala His Ala  
180 185 190

10 Ala Gly Thr Phe Leu Ala Thr Phe Ala Asp Leu Lys Arg Glu Ser Thr  
195 200 205

15 Ser Ala Ser Leu Cys Pro Ala Ser Pro Ser Asp Ala Ala Leu Leu Leu  
210 215 220

Phe Thr Ser Gly Ser Ser Gly Glu Ser Lys Gly Ile Leu Leu Ser His  
225 230 235 240

20 Arg Asn Leu His His Gln Ile Gln Ala Gly Ile Arg Gln Trp Ser Leu  
245 250 255

25 Asp Glu His Ser His Val Val Thr Trp Leu Ser Pro Ala His Asn Phe  
260 265 270

30 Gly Leu His Phe Gly Leu Leu Ala Pro Trp Phe Ser Gly Ala Thr Val  
275 280 285

Ser Phe Ile His Pro His Ser Tyr Met Lys Arg Pro Gly Phe Trp Leu  
290 295 300

35 Glu Thr Val Ala Ala Arg Asp Ala Thr His Met Ala Ala Pro Asn Phe  
305 310 315 320

40 Ala Phe Asp Tyr Cys Cys Asp Trp Val Met Val Glu Gln Leu Pro Pro  
325 330 335

5

Ser Ala Leu Ser Thr Leu Thr His Ile Val Cys Gly Gly Glu Pro Val  
340 345 350

10

Arg Ala Ser Thr Met Gln Arg Phe Phe Glu Lys Phe Ala Gly Leu Gly  
355 360 365

15

Ala Arg Thr Gln Thr Phe Met Pro His Phe Gly Leu Ser Glu Thr Gly  
370 375 380

Ala Leu Ser Thr Leu Asp Glu Ala Pro Gln Gln Arg Val Leu Glu Leu  
385 390 395 400

20

Asp Ala Asp Ala Leu Asn Lys Arg Lys Arg Val Ala Ala Gly Ala Ser  
405 410 415

Gln Ala Arg Val Thr Val Leu Asn Cys Gly Ala Val Asp Gln Asp Val  
420 425 430

25

Glu Leu Arg Ile Val Cys Pro Glu Gly Glu Thr Leu Cys Arg Pro Asp  
435 440 445

30

Glu Ile Gly Glu Ile Trp Val Lys Ser Pro Ala Ile Ala Arg Gly Tyr  
450 455 460

35

Leu Phe Ala Lys Pro Ala Asp Gln Arg Gln Phe Asn Cys Ser Ile Arg  
465 470 475 480

40

His Thr Asp Asp Ser Gly Tyr Phe Arg Thr Gly Asp Leu Gly Phe Ile  
485 490 495

	Ala Asp Gly Cys Leu Tyr Val Thr Gly Arg Val Lys Glu Val Leu Ile
	500 505 510
5	Ile Arg Gly Lys Asn His Tyr Pro Ala His Ile Glu Ala Ser Ile Ala
	515 520 525
10	Ala Thr Ala Ser Pro Gly Ala Leu Met Pro Val Val Phe Ser Ile Glu
	530 535 540
15	Arg Gln Asp Glu Glu Arg Val Ala Ala Val Ile Ala Val Asn His Pro
	545 550 555 560
20	Trp Thr Pro Ala Ala Cys Ala Ala Gln Ala His Lys Ile Arg Gln Gln
	565 570 575
25	Val Ala Asp Gln His Gly Val Ala Leu Ala Glu Leu Ala Phe Ala Glu
	580 585 590
30	His Arg His Val Phe Gly Thr Tyr Pro Gly Lys Leu Lys Arg Arg Leu
	595 600 605
35	Val Lys Glu Ala Tyr Val Asn Gly Gln Leu Pro Leu Leu Trp His Glu
	610 615 620
40	Gly Lys Asn Arg Asp Val Pro Ala Ala Ala Ala Asp Asp Arg Gln Ala
	625 630 635 640
	Gln His Val Ala Asp Leu Cys Arg Lys Val Phe Leu Pro Val Leu Gly
	645 650 655
	Val Ala Pro Pro His Ala Gln Trp Pro Leu Cys Glu Leu Ala Leu Asp

	660	665	670
5	Ser Leu Gln Cys Val Arg Leu Ala Gly Ala Ile Glu Glu Cys Tyr Gly 675 680 685		
10	Val Pro Phe Glu Pro Thr Leu Leu Phe Lys Leu Glu Thr Val Gly Ala 690 695 700		
15	Ile Ala Glu Tyr Val Leu Ala His Gly Arg Gln Ala Pro Thr Pro Thr 705 710 715 720		
20	Arg Ala Pro Val Ala Ser Thr Thr Cys Ser Glu Glu Pro Ile Ala Ile 725 730 735		
25	Val Ala Met His Cys Glu Val Pro Gly Ala Gly Glu Asn Thr Glu Ala 740 745 750		
30	Leu Trp Ser Phe Leu Arg Ser Asp Val Asn Ala Ile Arg Pro Ile Glu 755 760 765		
35	Ser Thr Arg Pro Asp Leu Trp Ala Ala Met Arg Ala Tyr Pro Gly Leu 770 775 780		
40	Ala Gly Glu Gln Leu Pro Arg Tyr Ala Gly Phe Leu Asp Asp Val Asp 785 790 795 800		
	Ala Phe Asp Ala Ala Phe Phe Gly Ile Ser Arg Arg Glu Ala Glu Cys 805 810 815		
	Met Asp Pro Gln Gln Arg Lys Val Leu Glu Met Val Trp Lys Leu Ile 820 825 830		



Glu Gln Ala Gly His Asp Pro Leu Ser Trp Gly Gly Gln Pro Val Gly  
 835 840 845  
 5  
 Leu Phe Val Gly Ala His Thr Ser Asp Tyr Gly Glu Leu Leu Ala Ser  
 850 855 860  
 10  
 Gln Pro Gln Leu Met Ala Gln Cys Gly Ala Tyr Ile Asp Ser Gly Ser  
 865 870 875 880  
 15  
 His Leu Thr Met Ile Pro Asn Arg Ala Ser Arg Trp Phe Asn Phe Thr  
 885 890 895  
 20  
 Gly Pro Ser Glu Val Ile Asn Ser Ala Cys Ser Ser Ser Leu Val Ala  
 900 905 910  
 Leu His Arg Ala Val Gln Ser Leu Arg Gln Gly Glu Ser Ser Val Ala  
 915 920 925  
 25  
 Leu Val Leu Gly Val Asn Leu Ile Leu Ala Pro Lys Val Leu Leu Ala  
 930 935 940  
 30  
 Ser Ala Ser Ala Gly Met Leu Ser Pro Asp Gly Arg Cys Lys Thr Leu  
 945 950 955 960  
 35  
 Asp Ala Ala Ala Asp Gly Phe Val Arg Ser Glu Gly Ile Ala Gly Val  
 965 970 975  
 40  
 Ile Leu Lys Pro Leu Ala Gln Ala Leu Ala Asp Gly Asp Arg Val Tyr  
 980 985 990

	Gly Leu Val Arg Gly Val Ala Val Asn His Gly Gly Arg Ser Asn Ser	
	995	1000 1005
5	Leu Arg Ala Pro Asn Val Asn Ala Gln Arg Gln Leu Leu Ile Arg	
	1010	1015 1020
10	Thr Tyr Gln Glu Ala Gly Val Glu Pro Ala Ser Val Gly Tyr Val	
	1025	1030 1035
15	Glu Leu His Gly Thr Gly Thr Ser Leu Gly Asp Pro Ile Glu Ile	
	1040	1045 1050
20	Gln Ala Leu Lys Glu Ala Phe Ile Ala Leu Gly Ala Gln Ala Ala	
	1055	1060 1065
25	Pro Ser Asn Cys Gly Ile Gly Ser Val Lys Ser Ala Leu Gly His	
	1070	1075 1080
30	Leu Glu Ala Ala Ala Gly Leu Thr Gly Leu Ile Lys Val Leu Leu	
	1085	1090 1095
35	Met Leu Lys His Gly Glu Gln Ala Gly Thr Arg His Phe Ser Thr	
	1100	1105 1110
40	Leu Asn Pro Leu Ile Asp Leu Arg Gly Thr Ser Phe Glu Val Val	
	1115	1120 1125
	Ala Gln His Arg Ala Trp Pro Ser Gln Val Gly Ile His Gly Thr	
	1130	1135 1140
	Leu Leu Pro Arg Arg Ala Gly Ile Ser Ser Phe Gly Phe Gly Gly	

	1145		1150		1155	
5	Ala Asn 1160	Ala His 1160	Ala Ile 1165	Val Glu 1165	Glu Glu His Val Ile 1170	Ala Thr Pro
10	Pro Ser 1175	Thr Ser 1175	Ser Ala 1180	Gly Gly 1180	Pro Val Gly Ile 1185	Val Leu Ser
15	Ala Gly 1190	Ser Glu 1190	Ala Val 1195	Leu Arg 1195	Gln Gln Val Leu 1200	Ala Leu Ser
20	Ala Trp 1205	Leu Arg 1205	Gln Gln 1210	Ser Pro 1210	Thr Pro Ala Gln 1215	Met Ile Asp
25	Val Ala 1220	Tyr Thr 1220	Leu Gln 1225	Val Gly 1225	Arg Ala Ala Leu 1230	Ser His Arg
30	Leu Ala 1235	Phe Ser 1235	Ala Thr 1240	Asp Ala 1240	Glu Gln Ala Leu 1245	Ala Arg Leu
35	Glu Gly 1250	Arg Leu 1250	Ala Gly 1255	Val Met 1255	Asp Ala Glu Val 1260	His His Gly
40	Val Val 1265	Asp Ala 1265	Ala Ala 1270	Thr Ala 1270	Pro Glu His Gly 1275	Arg Gln Thr
45	Arg Glu 1280	Gly Leu 1280	Ala Gly 1285	Leu Leu 1285	Arg Ala Trp Thr 1290	Gln Gly Val
50	Arg Val 1295	Asp Trp 1295	Ser Ala 1300	Leu Tyr 1300	Gly Ile Gln Arg 1305	Pro Gln Arg



	Leu	Ala	Gln	Leu	Gln	Lys	Leu	Cys	Ala	Glu	Arg	Val	Leu	Ser	Gly
	1460						1465						1470		
5	Glu	Asp	Cys	Tyr	Ala	His	Phe	Thr	Ala	Cys	Gly	Leu	Gln	Leu	Gly
	1475						1480						1485		
10	Asp	Arg	Leu	Lys	Ser	Val	Gln	Ser	Ile	Gly	Cys	Gly	Arg	Asn	Gly
	1490						1495						1500		
15	Glu	Gly	Glu	Pro	Ile	Ala	Leu	Gly	Val	Leu	Arg	Leu	Pro	Pro	Ser
	1505						1510						1515		
20	Ser	Val	Glu	Asp	Ser	His	Val	Leu	Pro	Pro	Ser	Leu	Leu	Asp	Gly
	1520						1525						1530		
25	Ala	Leu	Gln	Cys	Ser	Leu	Gly	Leu	Gln	Arg	Asp	Val	Glu	His	Ile
	1535						1540						1545		
30	Ala	Met	Pro	Tyr	Thr	Leu	Glu	Arg	Met	Thr	Val	His	Ala	Pro	Ile
	1550						1555						1560		
35	Pro	Pro	Glu	Ala	Trp	Val	Leu	Leu	Arg	His	Gly	His	Ala	Ala	Arg
	1565						1570						1575		
40	Gln	Ser	Leu	Asp	Ile	Asp	Leu	Leu	Asp	Ser	Glu	Gly	Arg	Val	Cys
	1580						1585						1590		
45	Val	Ser	Leu	Gly	Asn	Tyr	Thr	Gly	Arg	Ala	Pro	Lys	Ala	Val	Ser
	1595						1600						1605		
50	Ala	Val	Arg	Ala	Leu	Val	Leu	Ala	Pro	Val	Trp	Gln	Ala	Leu	Thr

	1610		1615		1620			
5	Glu Thr	Ala Pro	Ala Trp	Pro Asp	Pro Ala	Glu Arg	Ile Val	Thr
	1625			1630			1635	
10	Val Gly	Asp Asp	Ala Trp	Arg Ser	His Phe	Gly Phe	Asp Glu	Pro
	1640			1645			1650	
15	Ala Leu	Ser Leu	Glu Asp	Ser Val	Glu Val	Ile Ala	Thr Arg	Leu
	1655			1660			1665	
20	Gly Gln	Ser Gly	Lys Phe	Asp His	Leu Val	Trp Ile	Val Pro	Ile
	1670			1675			1680	
25	Ala Glu	Ser Glu	Thr Asp	Ile Ala	Ala Gln	Gly Ser	Ala Ala	Ile
	1685			1690			1695	
30	Ala Gly	Phe Arg	Leu Val	Lys Ala	Leu Leu	Ala Leu	Gly Tyr	Ala
	1700			1705			1710	
35	His Arg	Pro Leu	Gly Leu	Thr Val	Leu Thr	Arg Gln	Ala Leu	Thr
	1715			1720			1725	
40	Arg Gln	Pro Ser	His Ala	Ala Val	His Gly	Leu Ile	Gly Thr	Leu
	1730			1735			1740	
45	Ala Lys	Glu Tyr	Cys Asn	Trp Lys	Ile Arg	Leu Leu	Asp Leu	Pro
	1745			1750			1755	
50	Ser Val	Lys Ser	Trp Pro	Gln Trp	Glu Gln	Leu Arg	Ser Leu	Pro
	1760			1765			1770	

	Trp	His	Ala	Gln	Gly	Glu	Ala	Leu	Ile	Gly	Arg	Gly	Thr	Cys	Trp
	1775						1780					1785			
5	Tyr	Arg	Arg	Gln	Leu	Cys	Glu	Val	Leu	Pro	Leu	Pro	Ser	Leu	Glu
	1790						1795					1800			
10	Pro	Pro	Pro	Tyr	Arg	Val	Gly	Gly	Val	Tyr	Val	Val	Ile	Gly	Gly
	1805						1810					1815			
15	Ala	Gly	Gly	Leu	Gly	Glu	Val	Leu	Ser	Glu	His	Leu	Ile	Arg	Thr
	1820						1825					1830			
20	Tyr	Asp	Ala	Gln	Leu	Ile	Trp	Ile	Gly	Arg	Arg	Val	Leu	Asp	Glu
	1835						1840					1845			
	Gly	Ile	Ala	Arg	Lys	Gln	Thr	Arg	Leu	Ala	Ser	Leu	Gly	Arg	Ala
	1850						1855					1860			
25	Pro	His	Tyr	Ile	Ser	Ala	Asp	Ala	Ser	Asp	Pro	Ala	Ala	Leu	Gln
	1865						1870					1875			
30	Ala	Ala	His	Asn	Glu	Ile	Val	Ala	Leu	His	Gly	Gln	Pro	His	Gly
	1880						1885					1890			
35	Leu	Ile	Leu	Ser	Asn	Ile	Val	Leu	Lys	Asp	Ala	Ser	Leu	Ala	Arg
	1895						1900					1905			
40	Met	Glu	Glu	Ala	Asp	Phe	Arg	Asp	Val	Leu	Ala	Ala	Lys	Leu	Asp
	1910						1915					1920			

	Val Ser	Val Cys Ala Ala Gln	Val Phe Gly Thr Ala	Pro Leu Asp
	1925	1930	1935	
5	Phe Val	Leu Phe Phe Ser Ser	Ile Gln Ser Thr Thr	Lys Ala Ala
	1940	1945	1950	
10	Gly Gln	Gly Asn Tyr Ala Ala	Gly Cys Cys Tyr Val	Asp Ala Phe
	1955	1960	1965	
15	Gly Glu	Leu Trp Ala Arg Arg	Gly Leu Arg Val Lys	Thr Ile Asn
	1970	1975	1980	
	Trp Gly	Tyr Trp Gly Ser Val	Gly Val Val Ala Gly	Glu Asp Tyr
	1985	1990	1995	
20	Arg Arg	Arg Met Ala Gln Lys	His Met Ala Ser Ile	Glu Gly Ala
	2000	2005	2010	
25	Glu Ala	Met Gln Val Leu Ser	Gln Leu Leu Cys Ala	Pro Leu Gln
	2015	2020	2025	
30	Arg Leu	Ala Tyr Val Lys Ile	Asp Asp Ala Asn Ala	Met Arg Ala
	2030	2035	2040	
35	Leu Gly	Val Val Glu Asp Glu	Ser Val Gln Ile Pro	Val His Ala
	2045	2050	2055	
40	Pro Ala	Glu Pro Pro Arg Gly	Gln Pro Gly Pro Val	Val Glu Leu
	2060	2065	2070	
	Ser Val	Asn Leu Asp Ala Arg	Arg Glu Arg Glu Thr	Leu Leu Ala



	2075		2080		2085
5	Ala Trp Leu Leu Glu Leu Ile Glu Gln Leu Gly Gly Phe Pro Pro 2090 2095 2100				
10	Ala Ser Phe Asp Ile Ala Thr Leu Ala Gln Arg Leu His Ile Val 2105 2110 2115				
15	Pro Ala Tyr Arg Ser Trp Leu Glu His Ser Val Arg Met Leu Gly 2120 2125 2130				
20	Val Tyr Gly Tyr Leu Arg Ala Thr Gly Glu Ser Arg Phe Glu Leu 2135 2140 2145				
25	Ala Asp Lys Pro Pro Asp Asp Ala Arg Gly Ala Trp Asn Ala His 2150 2155 2160				
30	Val His Glu Ala Ser Val Glu Ala Gly Glu Glu Ala Gln Arg Arg 2165 2170 2175				
35	Leu Leu Asp Arg Cys Met Arg Ala Leu Pro Ala Val Leu Arg Gly 2180 2185 2190				
40	Glu Arg Lys Ala Thr Glu Leu Leu Phe Pro Glu Gly Ser Met Ala 2195 2200 2205				
45	Trp Val Glu Gly Ile Tyr Gln Asn Asn Pro Leu Ala Asp Tyr Phe 2210 2215 2220				
50	Asn Ala Gln Leu Val Thr Arg Leu Ile Ala Tyr Leu Arg Arg Arg 2225 2230 2235				

	Leu	Glu	Ser	Thr	Pro	Thr	Ala	Arg	Leu	Lys	Leu	Cys	Glu	Ile	Gly
	2240						2245					2250			
5	Ala	Gly	Ser	Gly	Gly	Thr	Thr	Ala	Ser	Val	Leu	Gln	Gln	Leu	Gln
	2255						2260					2265			
10	Ala	Tyr	Gly	Glu	His	Ile	Glu	Glu	Tyr	Leu	Tyr	Thr	Asp	Leu	Ser
	2270						2275					2280			
15	Pro	Val	Phe	Leu	His	His	Ala	Glu	Lys	His	Tyr	Gln	Pro	Arg	Ala
	2285						2290					2295			
20	Pro	Tyr	Leu	Arg	Thr	Ala	Cys	Phe	Asp	Val	Ala	Arg	Ala	Pro	Thr
	2300						2305					2310			
25	Ala	Gln	Ala	Leu	Glu	Ser	Gly	Gly	Tyr	Asp	Val	Val	Ile	Ala	Ala
	2315						2320					2325			
30	Asn	Val	Leu	His	Ala	Thr	Arg	Asp	Ile	Ala	Lys	Thr	Leu	Arg	Asn
	2330						2335					2340			
35	Ala	Lys	Ala	Leu	Leu	Lys	Pro	Gly	Gly	Leu	Leu	Leu	Leu	Asn	Glu
	2345						2350					2355			
40	Val	Ile	Glu	Arg	Ser	Leu	Val	Leu	His	Leu	Thr	Phe	Gly	Leu	Leu
	2360						2365					2370			
	Glu	Ser	Trp	Trp	Leu	Pro	Gln	Asp	Lys	Ile	Leu	Arg	Leu	Ala	Gly
	2375						2380					2385			

	Ser Pro	Leu Leu	Ala Cys	Ala Thr	Trp Arg	Ser Leu	Leu Glu	Ala
	2390			2395		2400		
5	Glu Gly	Phe Ala	Gly Leu	Ser Val	His Arg	Ala Gln	Pro Asp	Ala
	2405			2410		2415		
10	Gly Gln	Ala Ile	Ile Cys	Ala Tyr	Ser Asp	Gly Ile	Val Arg	Gln
	2420			2425		2430		
15	Ala Ser	Thr Ile	Glu Val	Ala Arg	Asn Glu	Lys Val	Thr Val	Pro
	2435			2440		2445		
20	Ser Gln	Pro Ala	Glu Ala	Gly Glu	Ser Pro	Leu Asp	Leu Val	Lys
	2450			2455		2460		
25	Lys Leu	Leu Gly	Arg Ile	Leu Lys	Met Asp	Pro Ala	Thr Leu	Asp
	2465			2470		2475		
30	Thr Ser	His Pro	Leu Glu	Tyr Tyr	Gly Val	Asp Ser	Ile Val	Ala
	2480			2485		2490		
35	Ile Glu	Leu Ala	Met Ala	Leu Arg	Glu Thr	Phe Pro	Gly Phe	Glu
	2495			2500		2505		
40	Val Ser	Glu Leu	Phe Glu	Thr Gln	Ser Ile	Asp Thr	Leu Leu	Gly
	2510			2515		2520		
	Ser Leu	Glu Gln	Ala Pro	Leu Leu	Ala Thr	Leu Thr	Ala Pro	Pro
	2525			2530		2535		
	Gln Gln	Asp Met	Leu Gln	Gln Leu	Lys Gln	Leu Leu	Ala Arg	Thr

	2540		2545		2550
5	Leu Lys 2555	Leu Asp Ile Thr 2555	Gln 2560	Ile Asp Thr Ser 2560	Lys Thr Leu Glu 2565
10	Ser Tyr 2570	Gly Val Asp Ser 2570	Ile 2575	Val Ile Ile Glu 2580	Leu Ala Asn Ala 2580
15	Leu Arg 2585	Glu Arg Tyr Pro 2585	Ser 2590	Leu Asp Ala Ser 2595	Gln Leu Met Glu 2595
20	Thr Leu 2600	Ser Ile Asp Arg 2600	Leu 2605	Val Ala Gln Trp 2610	Gln Ala Thr Glu 2610
25	Pro Ala 2615	Val Pro Ala Glu 2615	Pro 2620	Thr Ala Glu Pro 2625	Pro Val Ala Asp 2625
30	Glu Asp 2630	Ala Ala Ala Ile 2630	Ile 2635	Gly Leu Ala Gly 2640	Arg Phe Pro Gly 2640
35	Ala Asp 2645	Thr Leu Glu Glu 2645	Phe 2650	Trp Asn Asn Leu 2655	Arg Asn Gly Gln 2655
40	Ser Ser 2660	Met Gly Glu Val 2660	Pro 2665	Gly Glu Arg Trp 2670	Asp His Gln His 2670
	Tyr Phe 2675	Asp Ser Glu Arg 2675	Gln 2680	Ala Pro Gly Lys 2685	Thr Tyr Ser Arg 2685
	Trp Gly 2690	Ala Phe Leu Arg 2690	Asp 2695	Ile Asp Gly Phe 2700	Asp Ala Ala Phe 2700

	Phe Glu Trp Pro Asp Ser Val	Ala Leu Glu Ser Asp	Pro Gln Ala
	2705	2710	2715
5	Arg Ile Phe Leu Glu Gln Ala	Tyr Ala Gly Ile Glu	Asp Ala Gly
	2720	2725	2730
10	Tyr Thr Pro Gly Ser Leu Ser	Lys Ser Gln Arg Val	Gly Val Phe
	2735	2740	2745
15	Val Gly Val Met Asn Gly Tyr	Tyr Ser Gly Gly Ala	Arg Phe Trp
	2750	2755	2760
20	Gln Ile Ala Asn Arg Val Ser	Tyr Gln Phe Asp Phe	Arg Gly Pro
	2765	2770	2775
25	Ser Leu Ala Val Asp Thr Ala	Cys Ser Ala Ser Leu	Thr Ala Ile
	2780	2785	2790
30	His Leu Ala Leu Glu Ser Leu	Arg Ser Gly Ser Cys	Glu Val Ala
	2795	2800	2805
35	Leu Ala Gly Gly Val Asn Leu	Leu Val Asp Pro Gln	Gln Tyr Leu
	2810	2815	2820
40	Asn Leu Ala Gly Ala Ala Met	Leu Ser Ala Gly Ala	Ser Cys Arg
	2825	2830	2835
	Pro Phe Gly Glu Ala Ala Asp	Gly Phe Val Ala Gly	Glu Ala Cys
	2840	2845	2850

	Gly Val	Val Leu Leu Lys Pro	Leu Lys Gln Ala Arg	Ala Asp Gly
	2855	2860	2865	
5	Asp Val	Ile His Ala Val Ile	Arg Gly Ser Met Ile	Asn Ala Gly
	2870	2875	2880	
10	Gly His	Thr Ser Ala Phe Ser	Ser Pro Asn Pro Ala	Ala Gln Ala
	2885	2890	2895	
15	Glu Val	Val Arg Gln Ala Leu	Gln Arg Ala Gly Val	Ala Pro Asp
	2900	2905	2910	
	Ser Ile	Ser Tyr Ile Glu Ala	His Gly Thr Gly Thr	Val Leu Gly
	2915	2920	2925	
20	Asp Ala	Val Glu Leu Gly Ala	Leu Asn Lys Val Phe	Asp Lys Arg
	2930	2935	2940	
25	Ala Ala	Pro Cys Pro Ile Gly	Ser Leu Lys Ala Asn	Ile Gly His
	2945	2950	2955	
30	Ala Glu	Ser Ala Ala Gly Ile	Ala Gly Leu Ala Lys	Leu Val Leu
	2960	2965	2970	
35	Gln Phe	Arg His Gly Glu Leu	Val Pro Ser Leu Asn	Ala Phe Pro
	2975	2980	2985	
	Leu Asn	Pro Tyr Ile Glu Phe	Gly Arg Phe Gln Val	Gln Gln Gln
	2990	2995	3000	
40	Pro Ala	Pro Trp Pro Arg Arg	Gly Ala Gln Pro Arg	Arg Ala Gly

	3005	3010	3015
5	Leu Ser Ala Phe Gly Ala Gly 3020	Gly Ser Asn Ala His 3025	Leu Val Val 3030
10	Glu Glu Ala Pro Ala Met Ala 3035	Pro Gly Val Ser Ile 3040	Ser Ala Ser 3045
15	Ser Pro Ala Leu Ile Val Leu 3050	Ser Ala Arg Thr Leu 3055	Pro Ala Leu 3060
20	Gln Gln Arg Ala Arg Asp Leu 3065	Leu Val Trp Met Gln 3070	Ala Arg Gln 3075
25	Val Asp Asp Val Met Leu Ala 3080	Asp Val Ala Tyr Thr 3085	Leu His Leu 3090
30	Gly Arg Val Ala Met Glu Gln 3095	Arg Leu Ala Phe Thr 3100	Ala Gly Ser 3105
35	Ala Ala Glu Leu Ser Glu Lys 3110	Leu Gln Ala Tyr Leu 3115	Gly His Ala 3120
40	Ile Arg Ala Asp Ile Tyr Leu 3125	Ser Glu Asp Thr Pro 3130	Gly Lys Pro 3135
	Ala Gly Ala Pro Ile Val Ala 3140	Glu Glu Asp Leu Leu 3145	Thr Leu Met 3150
	Asp Ala Trp Ile Glu Lys Gly 3155	Gln Tyr Gly Arg Leu 3160	Leu Glu Tyr 3165

	Trp Thr	Lys Gly Gln Pro Ile	Asp Trp Asn Lys Leu	Tyr Trp Arg
	3170	3175	3180	
5	Lys Leu	Tyr Ala Asp Gly Arg	Pro Arg Arg Ile Ser	Leu Pro Thr
	3185	3190	3195	
10	Tyr Pro	Phe Glu His Arg Arg	Tyr Trp Gln Thr Pro	Val Pro Gly
	3200	3205	3210	
15	Glu Arg	Ser Leu His Ala Thr	Ala Pro Ala Thr Arg	Glu Thr Val
	3215	3220	3225	
20	Ala Val	Gly Ala Met Pro Asp	Pro Ala Gly Ala Thr	Val Gln Ala
	3230	3235	3240	
25	Arg Leu	Cys Ala Leu Cys Gln	Val Leu Leu Gly Lys	Pro Val Thr
	3245	3250	3255	
30	Ala Gln	Met Asp Phe Phe Ala	Val Gly Gly His Ser	Val Leu Ala
	3260	3265	3270	
35	Ile Gln	Leu Val Ser Arg Ile	Arg Lys Ser Phe Gly	Val Glu Tyr
	3275	3280	3285	
40	Pro Val	Ser Ala Leu Phe Glu	Ser Ala Leu Leu Ser	Asp Met Ala
	3290	3295	3300	
	Arg Gln	Ile Glu Gln Leu Arg	Val Asn Gly Val Ala	Lys Arg Met
	3305	3310	3315	



	Pro Ala	Leu Leu	Pro Ala	Gly	Arg Val	Gly Ala	Ile	Pro Ala	Thr
	3320			3325				3330	
5	Tyr Ala	Gln Glu	Arg Leu	Trp	Leu Val	His Glu	His	Met Ser	Glu
	3335			3340				3345	
10	Gln Arg	Ser Ser	Tyr Asn	Ile	Thr Phe	Ala Met	His	Phe Arg	Gly
	3350			3355				3360	
15	Val Asp	Phe Arg	Ala Glu	Ala	Met Arg	Ala Ala	Leu	Asn Ala	Leu
	3365			3370				3375	
20	Val Val	Arg His	Glu Val	Leu	Arg Thr	Arg Phe	Leu	Ser Glu	Asp
	3380			3385				3390	
25	Gly Gln	Leu Gln	Gln Val	Ile	Ala Ala	Ser Leu	Thr	Leu Glu	Val
	3395			3400				3405	
30	Pro Val	Arg Glu	Met Ser	Val	Glu Glu	Val Asp	Leu	Leu Leu	Ala
	3410			3415				3420	
35	Ala Ser	Thr Arg	Glu Thr	Phe	Asp Leu	Arg Gln	Gly	Pro Leu	Phe
	3425			3430				3435	
40	Lys Ala	Arg Ile	Leu Arg	Val	Ala Ala	Asp His	His	Val Val	Leu
	3440			3445				3450	
	Ser Ser	Ile His	His Ile	Ile	Ser Asp	Gly Trp	Ser	Leu Gly	Val
	3455			3460				3465	
	Phe Asn	Arg Asp	Leu His	Gln	Leu Tyr	Glu Ala	Cys	Leu Arg	Gly

	3470		3475		3480
5	Thr Pro Pro Thr Leu Pro Thr	Leu Ala Val Gln Tyr	Ala Asp Tyr		
	3485	3490	3495		
10	Ala Leu Trp Gln Arg Gln Trp	Glu Leu Ala Ala Pro	Leu Ser Tyr		
	3500	3505	3510		
	Trp Thr Arg Ala Leu Glu Gly	Tyr Asp Asp Gly Leu	Asp Leu Pro		
	3515	3520	3525		
15	Tyr Asp Arg Pro Arg Gly Ala	Thr Arg Ala Trp Arg	Ala Gly Leu		
	3530	3535	3540		
20	Val Lys His Arg Tyr Pro Pro	Gln Leu Ala Gln Gln	Leu Ala Ala		
	3545	3550	3555		
25	Tyr Ser Gln Gln Tyr Gln Ala	Thr Leu Phe Met Ser	Leu Leu Ala		
	3560	3565	3570		
30	Gly Leu Ala Leu Val Leu Gly	Arg Tyr Ala Asp Arg	Lys Asp Val		
	3575	3580	3585		
	Cys Ile Gly Ala Thr Val Ser	Gly Arg Asp Gln Leu	Glu Leu Glu		
	3590	3595	3600		
35	Glu Leu Ile Gly Phe Phe Ile	Asn Ile Leu Pro Leu	Arg Val Asp		
	3605	3610	3615		
40	Leu Ser Gly Asp Pro Cys Leu	Glu Glu Val Leu Leu	Arg Thr Arg		
	3620	3625	3630		

	Gln Val	Val Leu Asp Gly Phe	Ala His Gln Ser Val	Pro Phe Glu
	3635	3640	3645	
5	His Val	Leu Gln Ala Leu Arg	Arg Gln Arg Asp Ser	Ser Gln Ile
	3650	3655	3660	
10	Pro Leu	Val Pro Val Met Leu	Arg His Gln Asn Phe	Pro Thr Gln
	3665	3670	3675	
15	Glu Ile	Gly Asp Trp Pro Glu	Gly Val Arg Leu Thr	Gln Met Glu
	3680	3685	3690	
20	Leu Gly	Leu Asp Arg Ser Thr	Pro Ser Glu Leu Asp	Trp Gln Phe
	3695	3700	3705	
	Tyr Gly	Asp Gly Ser Ser Leu	Glu Leu Thr Leu Glu	Tyr Ala Gln
	3710	3715	3720	
25	Asp Leu	Phe Asp Glu Ala Thr	Val Arg Arg Met Ile	Ala His His
	3725	3730	3735	
30	Gln Gln	Ala Leu Glu Ala Met	Val Ser Arg Pro Gln	Leu Arg Val
	3740	3745	3750	
35	Gly Lys	Trp Asp Met Leu Thr	Ala Glu Glu Arg Arg	Leu Phe Ala
	3755	3760	3765	
40	Ala Leu	Asn Ala Thr Gly Thr	Pro Arg Glu Trp Pro	Ser Leu Ala
	3770	3775	3780	

	Gln Gln	Phe Glu Arg Gln Ala	Gln Ala Thr Pro Gln	Ala Ile Ala
	3785	3790	3795	
5	Cys Val	Ser Asp Gly Gln Ser	Trp Ser Tyr Ala Gln	Leu Glu Ala
	3800	3805	3810	
10	Arg Ala	Asn Gln Leu Ala Gln	Ala Leu Arg Gly Gln	Gly Ala Gly
	3815	3820	3825	
15	Arg Asp	Val Arg Val Ala Val	Gln Ser Ala Arg Thr	Pro Glu Leu
	3830	3835	3840	
20	Leu Met	Ala Leu Leu Ala Ile	Phe Lys Ala Gly Ala	Cys Tyr Val
	3845	3850	3855	
25	Pro Ile	Asp Pro Ala Tyr Pro	Ala Ala Tyr Arg Glu	Gln Ile Leu
	3860	3865	3870	
30	Ala Glu	Val Gln Val Ser Ile	Val Leu Glu Gln Asp	Glu Leu Ala
	3875	3880	3885	
35	Leu Asp	Glu Gln Gly Gln Phe	His Asn Pro Arg Trp	Arg Glu Gln
	3890	3895	3900	
40	Ala Pro	Thr Pro Leu Gly Leu	Arg Glu His Pro Gly	Asp Leu Ala
	3905	3910	3915	
	Cys Val	Met Val Thr Ser Gly	Ser Thr Gly Arg Pro	Lys Gly Val
	3920	3925	3930	
	Met Val	Pro Tyr Ala Gln Leu	Tyr Asn Trp Leu His	Ala Gly Trp

	3935		3940		3945
5	Gln Arg Ser Pro Phe Glu Ala Gly Glu Arg Val Leu Gln Lys Thr	3950	3955	3960	
10	Ser Ile Ala Phe Ala Val Ser Val Lys Glu Leu Leu Ser Gly Leu	3965	3970	3975	
	Leu Ala Gly Val Glu Gln Val Met Leu Pro Asp Glu Gln Val Lys	3980	3985	3990	
15	Asp Ser Leu Ala Leu Ala Arg Ala Ile Glu Gln Trp Gln Val Thr	3995	4000	4005	
20	Arg Leu Tyr Leu Val Pro Ser His Leu Gln Ala Leu Leu Asp Ala	4010	4015	4020	
25	Thr Gln Gly Arg Asp Gly Leu Leu His Ser Leu Arg His Val Val	4025	4030	4035	
30	Thr Ala Gly Glu Ala Leu Pro Ser Ala Val Arg Glu Thr Val Arg	4040	4045	4050	
	Ala Arg Leu Pro Gln Val Gln Leu Trp Asn Asn Tyr Gly Cys Thr	4055	4060	4065	
35	Glu Leu Asn Asp Ala Thr Tyr His Arg Ser Asp Thr Val Ala Pro	4070	4075	4080	
40	Gly Thr Phe Val Pro Ile Gly Ala Pro Ile Ala Asn Thr Glu Val	4085	4090	4095	

	Tyr Val	Leu Asp Arg Gln Leu	Arg Gln Val Pro Ile	Gly Val Met
	4100	4105	4110	
5	Gly Glu	Leu His Val His Ser	Val Gly Met Ala Arg	Gly Tyr Trp
	4115	4120	4125	
10	Asn Arg	Pro Gly Leu Thr Ala	Ser Arg Phe Ile Ala	His Pro Tyr
	4130	4135	4140	
15	Ser Glu	Glu Pro Gly Thr Arg	Leu Tyr Lys Thr Gly	Asp Met Val
	4145	4150	4155	
20	Arg Arg	Leu Ala Asp Gly Thr	Leu Glu Tyr Leu Gly	Arg Gln Asp
	4160	4165	4170	
25	Phe Glu	Val Lys Val Arg Gly	His Arg Val Asp Thr	Arg Gln Val
	4175	4180	4185	
30	Glu Ala	Ala Leu Arg Ala Gln	Pro Ala Val Ala Glu	Ala Val Val
	4190	4195	4200	
35	Ser Gly	His Arg Val Asp Gly	Asp Met Gln Leu Val	Ala Tyr Val
	4205	4210	4215	
40	Val Ala	Arg Glu Gly Gln Ala	Pro Ser Ala Gly Glu	Leu Lys Gln
	4220	4225	4230	
	Gln Leu	Ser Ala Gln Leu Pro	Thr Tyr Met Leu Pro	Thr Val Tyr
	4235	4240	4245	

	Gln Trp	Leu Glu Gln Leu Pro	Arg Leu Ser Asn Gly	Lys Leu Asp
	4250	4255	4260	
5	Arg Leu	Ala Leu Pro Ala Pro	Gln Ala Val His Ala	Gln Glu Tyr
	4265	4270	4275	
10	Val Ala	Pro Arg Asn Gln Ala	Glu Gln Arg Leu Ala	Ala Leu Phe
	4280	4285	4290	
15	Ala Glu	Val Leu Arg Val Glu	Gln Val Gly Ile His	Asp Asn Phe
	4295	4300	4305	
20	Phe Ala	Leu Gly Gly His Ser	Leu Ser Ala Ser Gln	Leu Ile Ser
	4310	4315	4320	
25	Arg Ile	Ala Arg Asp Met Ala	Ile Asp Leu Pro Leu	Ala Met Leu
	4325	4330	4335	
30	Phe Glu	Leu Pro Thr Val Ala	Gln Leu Ser Glu Ser	Leu Ala Ser
	4340	4345	4350	
35	His Ala	Arg Asp Ser Asp Tyr	Asp Val Ile Pro Ala	Ser Thr Glu
	4355	4360	4365	
40	Glu Ala	Thr Ile Pro Leu Ser	Thr Ala Gln Glu Arg	Met Trp Phe
	4370	4375	4380	
	Leu His	Lys Phe Val Gln Glu	Thr Pro Tyr Asn Thr	Pro Gly Leu
	4385	4390	4395	
	Ala Leu	Leu Gln Gly Glu Leu	Asp Ile Ser Ala Leu	Gln Val Ala

	4400		4405		4410
5	Phe Arg Cys Val Leu Glu Arg His Ala Val Leu Arg Thr His Phe 4415	4420	4425		
10	Val Glu Thr Glu Gln Gln Cys Val Gln Val Ile Gly Ala Ala Glu 4430	4435	4440		
15	Gln Phe Val Leu Gln Leu Arg Ser Ile Arg Asp Glu Ala Asp Leu 4445	4450	4455		
20	His Gly Leu Leu His Thr Ala Val Ser Glu Pro Phe Asp Leu Glu 4460	4465	4470		
25	Arg Glu Leu Pro Leu Arg Ala Leu Leu Tyr Arg Leu Asp Asp Arg 4475	4480	4485		
30	Arg His Tyr Leu Ala Val Val Ile His His Ile Val Phe Asp Gly 4490	4495	4500		
35	Trp Ser Thr Ser Ile Leu Phe Arg Glu Leu Ala Thr His Tyr Ala 4505	4510	4515		
40	Ala Cys Arg His Gly Gln Ser Ala Pro Leu Pro Pro Leu Glu Leu 4520	4525	4530		
45	Ser Tyr Ala Asp Tyr Ala Arg Trp Glu Arg Ala Arg Leu Asn Gln 4535	4540	4545		
50	Glu Asp Ala Leu Arg Lys Leu Glu Tyr Trp Lys Thr Gln Leu Ala 4550	4555	4560		



	Asp	Ala	Pro	Pro	Leu	Val	Leu	Pro	Thr	Thr	Tyr	Ala	Arg	Pro	Val
	4565						4570					4575			
5															
	Phe	Gln	Asn	Phe	Asn	Gly	Ala	Thr	Val	Ala	Leu	Gln	Ile	Glu	Pro
	4580						4585					4590			
10															
	Pro	Leu	Leu	Gln	Arg	Leu	Gln	Arg	Phe	Ala	Asp	Ala	His	Ser	Phe
	4595						4600					4605			
15															
	Thr	Leu	Tyr	Met	Leu	Leu	Leu	Ala	Ala	Leu	Gly	Val	Val	Leu	Ser
	4610						4615					4620			
20															
	Arg	His	Ala	Arg	Gln	Lys	His	Phe	Cys	Ile	Gly	Ser	Pro	Val	Ala
	4625						4630					4635			
25															
	Asn	Arg	Ala	Arg	Ala	Glu	Leu	His	Gly	Leu	Ile	Gly	Leu	Phe	Val
	4640						4645					4650			
30															
	Asn	Thr	Leu	Ala	Val	Arg	Leu	Asp	Leu	Asp	Gly	Asn	Pro	Ser	Val
	4655						4660					4665			
35															
	Arg	Glu	Leu	Leu	Glu	Arg	Ile	His	Cys	Thr	Thr	Leu	Ala	Ala	Tyr
	4670						4675					4680			
40															
	Glu	His	Gln	Asp	Val	Pro	Phe	Glu	Arg	Ile	Val	Glu	Ser	Leu	Lys
	4685						4690					4695			
45															
	Val	Pro	Arg	Asp	Thr	Ala	Arg	Asn	Pro	Leu	Gly	Gln	Val	Met	Leu
	4700						4705					4710			

	Asn Phe	Gln Asn Met	Pro Met	Ser Ala Phe Asp	Leu	Asp Gly Val
	4715		4720		4725	
5	Gln Val	Gln Val Leu	Pro Met	His Asn Gly Thr	Ala	Lys Cys Glu
	4730		4735		4740	
10	Leu Thr	Phe Asp Leu	Leu Leu	Asp Gly Ser Arg	Leu	Ser Gly Phe
	4745		4750		4755	
15	Val Glu	Tyr Ala Thr	Gly Leu	Phe Ala Pro Glu	Trp	Val Gln Ala
	4760		4765		4770	
	Leu Val	Gln Gln Phe	Lys Cys	Val Leu Ala Ala	Leu	Val Glu Arg
	4775		4780		4785	
20	Pro Glu	Ala Ser Leu	Asn Asp	Leu Pro Met Ala	Pro	Asn Glu Ala
	4790		4795		4800	
25	Gln Pro	Ala Ser Pro	Ala Leu	Met Lys His Val	Ala	Pro Ser Leu
	4805		4810		4815	
30	Pro Asn	Leu Leu Glu	Ala Met	Ala Ala Asn Asp	Ala	Ala Arg Leu
	4820		4825		4830	
35	Ala Leu	Gln Ala Pro	Glu Gly	Ala Leu Ser Tyr	Ala	Gln Leu Ile
	4835		4840		4845	
40	Glu Ala	Ala Asn Glu	Phe Ala	Trp Arg Leu Arg	Cys	Glu His Ala
	4850		4855		4860	
	Gly Pro	Asp Lys Val	Val Ala	Leu Cys Leu Ala	Pro	Cys Ser Ala

	4865		4870		4875
5	Leu Val	Val Ala Leu Leu Ala	Ala Ser Leu Cys Gly	Ala Ala Ser	
	4880		4885	4890	
10	Val Leu	Ile Asp Pro Thr Thr	Thr Ala Glu Ala Gln	Tyr Asp Gln	
	4895		4900	4905	
15	Leu Phe	Glu Thr Arg Ala Gly	Ile Val Val Thr Cys	Ser Ser Leu	
	4910		4915	4920	
20	Leu Glu	Lys Leu Pro Leu Asp	Asp Gln Ala Val Val	Leu Ile Asp	
	4925		4930	4935	
25	Glu Gln	Ala Ala Glu Ala Thr	Pro Arg Leu Met His	Phe Thr Asp	
	4940		4945	4950	
30	Asp Pro	Ala Leu Pro Ala Met	Leu Tyr Cys Val Cys	Asp Glu Lys	
	4955		4960	4965	
35	Gly Arg	Thr Arg Thr Ile Met	Val Glu Ser Gly Ser	Leu Ser Ser	
	4970		4975	4980	
40	Arg Leu	Leu Asp Ser Val Gln	Arg Phe Ser Leu Glu	Arg Thr Asp	
	4985		4990	4995	
45	Arg Phe	Leu Leu Arg Ser Pro	Leu Ser Ala Glu Leu	Ala Asn Thr	
	5000		5005	5010	
50	Glu Val	Leu Gln Trp Leu Ala	Ala Gly Gly Ser Leu	Ser Ile Ala	
	5015		5020	5025	

	Pro Met	His Gly	Asp Phe	Asp	Ala Ala	Ala Trp	Leu	Glu Thr	Leu	
	5030			5035			5040			
5										
	Ala Thr	Tyr Ala	Ile Thr	Val	Ala Tyr	Leu Ala	Gln	Val Glu	Leu	
	5045			5050			5055			
10										
	Thr Glu	Met Leu	Ala His	Leu	Gln Asn	His Pro	Leu	Glu Arg	Asn	
	5060			5065			5070			
15										
	Lys Leu	Ala Gly	Leu Arg	Val	Leu Val	Val His	Gly	Ala Pro	Leu	
	5075			5080			5085			
20										
	Pro Ile	Ala Pro	Leu Met	Arg	Leu Asp	Ala Trp	Leu	Arg Glu	Val	
	5090			5095			5100			
25										
	Gly Gly	Ser Ala	Arg Ile	Phe	Ala Ala	Tyr Gly	Asn	Ala Glu	Phe	
	5105			5110			5115			
30										
	Gly Ala	Glu Ile	Leu Ser	Gln	Asp Val	Ser Ala	Ala	Leu Gln	Ala	
	5120			5125			5130			
35										
	Gly Ile	Gly Ala	Gln Tyr	Lys	His Arg	Arg Gly	Leu	Phe Pro	Leu	
	5135			5140			5145			
40										
	Gly Ala	Asn Ser	Met Cys	His	Val Val	Gln Ser	Asn	Gly Arg	Ile	
	5150			5155			5160			
	Ala Pro	Asp Gly	Met Val	Gly	Glu Leu	Trp Ile	Thr	Gln Pro	Ala	
	5165			5170			5175			

	Cys	Leu	Tyr	Lys	Thr	Asp	Ala	Leu	Val	Arg	Arg	Leu	Ala	Asn	Gly
	5180						5185					5190			
5	Gln	Leu	Glu	Trp	Leu	Gly	Ser	Leu	Asp	Val	Gln	Ser	Arg	Ile	Asp
	5195						5200					5205			
10	Asp	Pro	Arg	Ile	Asp	Leu	Cys	Val	Val	Glu	Ala	Gln	Leu	Arg	Leu
	5210						5215					5220			
15	Cys	Glu	Asp	Val	Gly	Glu	Ala	Val	Val	Leu	Tyr	Glu	Pro	Leu	Lys
	5225						5230					5235			
	Arg	Cys	Leu	Val	Ala	Tyr	Leu	Ser	Ala	Arg	Ser	Thr	Ala	Ala	Ile
	5240						5245					5250			
20	Met	Thr	Asp	Glu	Thr	Leu	Ala	Arg	Ile	Arg	Gln	Ala	Leu	Ser	Glu
	5255						5260					5265			
25	Thr	Leu	Pro	Asp	Tyr	Leu	Leu	Pro	Ala	Ile	Trp	Val	Pro	Leu	Ala
	5270						5275					5280			
30	His	Trp	Pro	Arg	Leu	Pro	His	Gly	Arg	Val	Asp	Leu	Gly	Ala	Leu
	5285						5290					5295			
35	Pro	Ala	Pro	Asp	Phe	Asp	Leu	Ala	Arg	His	Glu	Ser	Tyr	Ile	Ala
	5300						5305					5310			
	Pro	Arg	Thr	Ala	Val	Glu	Gln	Ala	Val	Ala	Glu	Ile	Trp	Gln	Arg
	5315						5320					5325			
40	Val	Leu	Lys	Arg	Thr	Gln	Val	Gly	Val	His	Asp	Asn	Phe	Phe	Glu

	5330		5335		5340
5	Leu Gly Gly His Ser Val Leu Ala Ile Gln Leu Val Ser Gly Leu				
	5345		5350		5355
10	Arg Lys Ala Leu Ala Ile Glu Val Pro Val Thr Leu Val Phe Glu				
	5360		5365		5370
15	Ala Pro Ile Leu Gly Ala Leu Ala Arg Gln Ile Ala Pro Leu Leu				
	5375		5380		5385
20	Val Ser Glu Arg Arg Pro Arg Pro Pro Gly Leu Thr Arg Leu Glu				
	5390		5395		5400
25	His Thr Gly Pro Ile Pro Ala Ser Tyr Ala Gln Glu Arg Leu Trp				
	5405		5410		5415
30	Leu Val His Glu His Met Glu Glu Gln Arg Thr Ser Tyr Asn Ile				
	5420		5425		5430
35	Ser Asn Ala Ala His Phe Ile Gly Ala Ala Phe Ser Val Glu Ala				
	5435		5440		5445
40	Met Arg Ala Ala Leu Asn Ala Leu Val Ala Arg His Glu Val Leu				
	5450		5455		5460
45	Arg Thr Arg Phe Leu Ser Glu Asp Gly Gln Leu Gln Gln Val Ile				
	5465		5470		5475
50	Ala Ala Ser Leu Thr Leu Glu Val Pro Val Arg Glu Val Ser Ala				
	5480		5485		5490

	Glu	Glu	Val	Asp	Leu	Leu	Leu	Ala	Ala	Ser	Thr	Arg	Glu	Thr	Phe
	5495						5500					5505			
5	Asp	Leu	Arg	Gln	Gly	Pro	Leu	Phe	Lys	Ala	Arg	Ile	Leu	Arg	Val
	5510						5515					5520			
10	Ala	Ala	Asp	His	His	Val	Val	Leu	Ser	Ser	Ile	His	His	Ile	Ile
	5525						5530					5535			
15	Ser	Asp	Gly	Trp	Ser	Leu	Gly	Val	Phe	Asn	Arg	Asp	Leu	His	Gln
	5540						5545					5550			
20	Leu	Tyr	Glu	Ala	Cys	Leu	Arg	Gly	Thr	Pro	Pro	Thr	Leu	Pro	Thr
	5555						5560					5565			
	Leu	Ala	Val	Gln	Tyr	Ala	Asp	Tyr	Ala	Leu	Trp	Gln	Arg	Gln	Trp
	5570						5575					5580			
25	Glu	Leu	Ala	Ala	Pro	Leu	Ser	Tyr	Trp	Thr	Arg	Ala	Leu	Glu	Gly
	5585						5590					5595			
30	Tyr	Asp	Asp	Gly	Leu	Asp	Leu	Pro	Tyr	Asp	Arg	Pro	Arg	Gly	Ala
	5600						5605					5610			
35	Thr	Arg	Ala	Trp	Arg	Ala	Gly	Leu	Val	Lys	His	Arg	Tyr	Pro	Pro
	5615						5620					5625			
40	Gln	Leu	Ala	Gln	Gln	Leu	Ala	Ala	Tyr	Ser	Gln	Gln	Tyr	Gln	Ala
	5630						5635					5640			

	Thr Leu	Phe Met Ser Leu Leu	Ala Gly Leu Ala Leu	Val Leu Gly
	5645		5650	5655
5	Arg Tyr	Ala Asp Arg Lys Asp	Val Cys Ile Gly Ala	Thr Val Ser
	5660		5665	5670
10	Gly Arg	Asp Gln Leu Glu Leu	Glu Glu Leu Ile Gly	Phe Phe Ile
	5675		5680	5685
15	Asn Ile	Leu Pro Leu Arg Val	Asp Leu Ser Gly Asp	Pro Cys Leu
	5690		5695	5700
	Glu Glu	Val Leu Leu Arg Thr	Arg Gln Val Val Leu	Asp Gly Phe
	5705		5710	5715
20	Ala His	Gln Ser Val Pro Phe	Glu His Val Leu Gln	Ala Leu Arg
	5720		5725	5730
25	Arg Gln	Arg Asp Ser Ser Gln	Ile Pro Leu Val Pro	Val Met Leu
	5735		5740	5745
30	Arg His	Gln Asn Phe Pro Thr	Gln Glu Ile Gly Asp	Trp Pro Glu
	5750		5755	5760
35	Gly Val	Arg Leu Thr Gln Met	Glu Leu Gly Leu Asp	Arg Ser Thr
	5765		5770	5775
	Pro Ser	Glu Leu Asp Trp Gln	Phe Tyr Gly Asp Gly	Ser Ser Leu
	5780		5785	5790
40	Glu Leu	Thr Leu Glu Tyr Ala	Gln Asp Leu Phe Asp	Glu Ala Thr



	5795	5800	5805
5	Val Arg 5810	Arg Met Ile Ala His 5815	His Gln Gln Ala Leu Glu Ala Met 5820
10	Val Ser 5825	Arg Pro Gln Leu Arg 5830	Val Gly Lys Trp Asp Met Leu Thr 5835
15	Ala Glu 5840	Glu Arg Arg Leu Phe 5845	Ala Ala Leu Asn Ala Thr Gly Thr 5850
20	Pro Arg 5855	Glu Trp Pro Ser Leu 5860	Ala Gln Gln Phe Glu Arg Gln Ala 5865
25	Gln Ala 5870	Thr Pro Gln Ala Ile 5875	Ala Cys Val Ser Asp Gly Gln Ser 5880
30	Trp Ser 5885	Tyr Ala Gln Leu Glu 5890	Ala Arg Ala Asn Gln Leu Ala Gln 5895
35	Ala Leu 5900	Arg Gly Gln Gly Ala 5905	Gly Arg Asp Val Arg Val Ala Val 5910
40	Gln Ser 5915	Ala Arg Thr Pro Glu 5920	Leu Leu Met Ala Leu Leu Ala Ile 5925
	Phe Lys 5930	Ala Gly Ala Cys Tyr 5935	Val Pro Ile Asp Pro Ala Tyr Pro 5940
	Ala Ala 5945	Tyr Arg Glu Gln Ile 5950	Leu Ala Glu Val Gln Val Ser Ile 5955

	Val	Leu	Glu	Gln	Gly	Glu	Leu	Ala	Leu	Asp	Glu	Gln	Gly	Gln	Phe
	5960						5965					5970			
5	Arg	Asn	Arg	Arg	Trp	Arg	Glu	Gln	Ala	Pro	Thr	Pro	Leu	Gly	Leu
	5975						5980					5985			
10	Arg	Gly	His	Pro	Gly	Asp	Leu	Ala	Cys	Val	Met	Val	Thr	Ser	Gly
	5990						5995					6000			
15	Ser	Thr	Gly	Arg	Pro	Lys	Gly	Val	Met	Val	Pro	Tyr	Ala	Gln	Leu
	6005						6010					6015			
20	His	Asn	Trp	Leu	His	Ala	Gly	Trp	Gln	Arg	Ser	Ala	Phe	Glu	Ala
	6020						6025					6030			
25	Gly	Glu	Arg	Val	Leu	Gln	Lys	Thr	Ser	Ile	Ala	Phe	Ala	Val	Ser
	6035						6040					6045			
30	Val	Lys	Glu	Leu	Leu	Ser	Gly	Leu	Leu	Ala	Gly	Val	Gly	Gln	Val
	6050						6055					6060			
35	Met	Leu	Pro	Asp	Glu	Gln	Val	Lys	Asp	Ser	Leu	Ala	Leu	Ala	Arg
	6065						6070					6075			
40	Ala	Ile	Glu	Gln	Trp	Gln	Val	Thr	Arg	Leu	Tyr	Leu	Val	Pro	Ser
	6080						6085					6090			
	His	Leu	Gln	Ala	Leu	Leu	Asp	Ala	Thr	Gln	Gly	Arg	Asp	Gly	Leu
	6095						6100					6105			

	Leu His	Ser Leu Arg His Val	Val Thr Ala Gly Glu	Ala Leu Pro
	6110	6115	6120	
5	Ser Ala	Val Gly Glu Ala Val	Arg Val Arg Leu Pro	Gln Val Gln
	6125	6130	6135	
10	Leu Trp	Asn Asn Tyr Gly Cys	Thr Glu Leu Asn Asp	Ala Thr Tyr
	6140	6145	6150	
15	His Arg	Ser Asp Thr Val Ala	Pro Gly Thr Phe Val	Pro Ile Gly
	6155	6160	6165	
	Ala Pro	Ile Ala Asn Thr Glu	Val Tyr Val Leu Asp	Arg Gln Leu
	6170	6175	6180	
20	Arg Gln	Val Pro Ile Gly Val	Met Gly Glu Leu His	Val His Ser
	6185	6190	6195	
25	Val Gly	Met Ala Arg Gly Tyr	Trp Asn Arg Pro Gly	Leu Thr Ala
	6200	6205	6210	
30	Ser Arg	Phe Ile Ala His Pro	Tyr Ser Glu Glu Pro	Gly Thr Arg
	6215	6220	6225	
35	Leu Tyr	Lys Thr Gly Asp Met	Val Arg Arg Leu Ala	Asp Gly Thr
	6230	6235	6240	
	Leu Glu	Tyr Leu Gly Arg Gln	Asp Phe Glu Val Lys	Val Arg Gly
	6245	6250	6255	
40	His Arg	Val Asp Thr Arg Gln	Val Glu Ala Ala Leu	Arg Ala Gln

	6260		6265		6270
5	Pro Ala Val Ala Glu Ala Val Val Ser Gly His Arg Val Asp Gly				
	6275		6280		6285
10	Asp Met Gln Leu Val Ala Tyr Val Val Ala Arg Glu Gly Gln Ala				
	6290		6295		6300
	Pro Ser Ala Gly Glu Leu Lys Gln Gln Leu Ser Ala Gln Leu Pro				
	6305		6310		6315
15	Thr Tyr Met Leu Pro Thr Val Tyr Gln Trp Leu Glu Gln Leu Pro				
	6320		6325		6330
20	Arg Leu Ser Asn Gly Lys Leu Asp Arg Leu Ala Leu Pro Ala Pro				
	6335		6340		6345
25	Gln Val Val His Ala Gln Glu Tyr Val Ala Pro Arg Asn Glu Ala				
	6350		6355		6360
30	Glu Gln Arg Leu Ala Ala Leu Phe Ala Glu Val Leu Arg Val Glu				
	6365		6370		6375
	Gln Val Gly Ile His Asp Asn Phe Phe Ala Leu Gly Gly His Ser				
	6380		6385		6390
35	Leu Ser Ala Ser Gln Leu Ile Ser Arg Ile Arg Gln Ser Phe His				
	6395		6400		6405
40	Val Asp Leu Pro Leu Ser Arg Ile Phe Glu Ala Pro Thr Ile Glu				
	6410		6415		6420

	Gly Leu	Val Arg	Gln Leu	Ala	Leu Pro	Ser Glu	Gly Gly	Val Ala	
	6425			6430			6435		
5	Ser Ile	Ala Arg	Val Ala	Arg	Asn Arg	Thr Ile	Pro	Leu Ser	Leu
	6440			6445			6450		
10	Phe Gln	Glu Arg	Leu Trp	Phe	Val His	Gln His	Met	Pro Glu	Gln
	6455			6460			6465		
15	Arg Thr	Ser Tyr	Asn Gly	Thr	Leu Ala	Leu Arg	Leu	Arg Gly	Pro
	6470			6475			6480		
20	Leu Ser	Val Glu	Ala Met	Arg	Ala Ala	Leu Arg	Ala	Leu Val	Leu
	6485			6490			6495		
25	Arg His	Glu Ile	Leu Arg	Thr	Arg Phe	Val Leu	Pro	Thr Gly	Ala
	6500			6505			6510		
30	Ser Glu	Pro Val	Gln Val	Ile	Asp Glu	His Ser	Asp	Phe Gln	Leu
	6515			6520			6525		
35	Ser Val	Gln Leu	Val Glu	Asp	Thr Glu	Ile Ala	Ser	Leu Met	Asp
	6530			6535			6540		
40	Glu Leu	Ala Ser	His Ile	Tyr	Asp Leu	Ala Asn	Gly	Pro Leu	Phe
	6545			6550			6555		
	Ile Ala	Cys Leu	Leu Gln	Leu	Asp Glu	Gln Glu	His	Val Leu	Leu
	6560			6565			6570		

	Ile Gly	Met His His Leu Ile	Tyr Asp Ala Trp Ser	Gln Phe Thr
	6575	6580	6585	
5	Val Met	Asn Arg Asp Leu Arg	Val Leu Tyr His Arg	His Leu Gly
	6590	6595	6600	
10	Leu Ala	Gly Gly Asp Leu Pro	Glu Leu Pro Ile Gln	Tyr Ala Asp
	6605	6610	6615	
15	Tyr Ala	Ile Trp Gln Arg Ala	Gln Asn Leu Asp Ala	Gln Leu Ala
	6620	6625	6630	
	Tyr Trp	Gln Ala Met Leu His	Asp Tyr Asp Asp Gly	Leu Glu Leu
	6635	6640	6645	
20	Pro Tyr	Asp Tyr Pro Arg Pro	Arg Asn Arg Thr Trp	His Ala Ala
	6650	6655	6660	
25	Val Tyr	Thr His Thr Tyr Pro	Ala Glu Leu Val Gln	Arg Phe Ala
	6665	6670	6675	
30	Gly Phe	Val Gln Ala His Gln	Ser Thr Leu Phe Ile	Gly Leu Leu
	6680	6685	6690	
35	Ala Ser	Phe Ala Val Val Leu	Asn Lys Tyr Thr Gly	Arg Asp Asp
	6695	6700	6705	
	Leu Cys	Ile Gly Thr Thr Thr	Ala Gly Arg Thr His	Leu Glu Leu
	6710	6715	6720	
40	Glu Asn	Leu Ile Gly Phe Phe	Ile Asn Ile Leu Pro	Leu Arg Leu

	6725	6730	6735
5	Arg Leu Asp Gly Asp Pro Asp Val Ala Glu Ile Met Arg Arg Thr 6740	6745	6750
10	Arg Leu Val Ala Met Ser Ala Phe Glu Asn Gln Ala Leu Pro Phe 6755	6760	6765
15	Glu His Leu Leu Asn Ala Leu His Lys Gln Arg Asp Thr Ser Arg 6770	6775	6780
20	Ile Pro Leu Val Pro Val Val Met Arg His Gln Asn Phe Pro Asp 6785	6790	6795
25	Thr Ile Gly Asp Trp Ser Asp Gly Ile Arg Thr Glu Val Ile Gln 6800	6805	6810
30	Arg Asp Leu Arg Ala Thr Pro Asn Glu Met Asp Leu Gln Phe Phe 6815	6820	6825
35	Gly Asp Gly Thr Gly Leu Ser Val Thr Val Glu Tyr Ala Ala Glu 6830	6835	6840
40	Leu Phe Ser Glu Ala Thr Ile Arg Arg Leu Ile His His His Gln 6845	6850	6855
	Leu Val Leu Glu Gln Met Leu Ala Ala His Glu Ser Ala Thr Cys 6860	6865	6870
	Pro Leu Asp Val Ala Asp 6875		

&lt;210&gt; 27

&lt;211&gt; 343

&lt;212&gt; PRT

5 &lt;213&gt; Xanthomonas albilineans

&lt;400&gt; 27

10 Met Asp Ser Ala Leu Pro Thr Ser Ala Phe Thr Phe Asp Leu Phe Tyr  
 1 5 10 15

15 Thr Thr Val Asn Ala Tyr Tyr Arg Thr Ala Ala Val Lys Ala Ala Ile  
 20 25 30

20 Glu Leu Gly Leu Phe Asp Val Val Gly Gln Gln Gly Arg Thr Pro Ala  
 35 40 45

Ala Ile Ala Glu Ala Cys Gln Ala Ser Pro Arg Gly Ile Arg Ile Leu  
 50 55 60

25 Cys Tyr Tyr Leu Val Ser Ile Gly Phe Leu Arg Arg Asn Gly Gly Leu  
 65 70 75 80

30 Phe Tyr Ile Asp Arg Asn Met Ala Met Tyr Leu Asp Arg Ser Ser Pro  
 85 90 95

35 Gly Tyr Leu Gly Gly Ser Ile Lys Phe Leu Leu Ser Pro Tyr Ile Met  
 100 105 110

Ser Ala Phe Thr Asp Leu Thr Ala Val Val Arg Thr Gly Lys Ile Asn  
 115 120 125

40 Leu Ala Gln Asp Gly Val Val Ala Pro Asp His Pro Gln Trp Val Glu



	130	135	140
5	Phe Ala Arg Ala Met Ala Pro Met Met Ala Leu Pro Ser Ala Leu Ile 145	150	155 160
10	Ala Asn Met Val Ser Leu Pro Ala Asp Arg Pro Ile Arg Val Leu Asp 165	170	175
15	Val Ala Ala Gly His Gly Leu Phe Gly Ile Ala Phe Ala Gln Arg Phe 180	185	190
20	Arg Gln Ala Glu Val Ser Phe Leu Asp Trp Asp Asn Val Leu Asp Val 195	200	205
25	Ala Arg Glu Asn Ala Gln Ala Ala Lys Val Ala Glu Arg Ala Arg Phe 210	215	220
30	Leu Pro Gly Asn Ala Phe Asp Leu Asp Tyr Gly Ser Gly Tyr Asp Val 225	230	235 240
35	Ile Leu Leu Thr Asn Phe Leu His His Phe Asp Glu Val Asp Gly Glu 245	250	255
40	Arg Ile Leu Ala Lys Thr Arg Asp Ala Leu Asn Asp Asp Gly Met Val 260	265	270
	Ile Thr Phe Glu Phe Ile Ala Asp Glu Glu Arg Ser Ser Pro Pro Leu 275	280	285
	Ala Ala Thr Phe Ser Met Met Met Leu Gly Thr Thr Pro Ala Gly Glu 290	295	300

Ser Tyr Thr Tyr Ser Asp Leu Glu Arg Met Phe Arg His Ala Gly Phe  
 305 310 315 320

5

Gly His Val Glu Leu Lys Ser Ile Pro Pro Ala Leu Leu Lys Val Val  
 325 330 335

10

Val Ser Arg Lys Arg Ala Pro  
 340

15

<210> 28  
 <211> 167  
 <212> PRT  
 <213> Xanthomonas albilineans

20

<400> 28  
 Met Ile Glu Ser Ala Thr Ser Pro Val Ala Lys Thr Glu Arg Ile Trp  
 1 5 10 15

25

Cys Thr Glu Leu Asp Leu Asp Ala Leu Asn Ala Met Ser Ala Asn Thr  
 20 25 30

30

Met Gln Ala Leu Leu Gly Ile Arg Met Ile Glu Ile Gly Ser Asp Tyr  
 35 40 45

35

Leu Val Ser Cys Met Ser Val Asp Trp Arg Cys His Gln Pro Tyr Gly  
 50 55 60

40

Val Leu His Gly Gly Ala Ser Val Thr Leu Ala Glu Ala Thr Gly Ser  
 65 70 75 80

Met Ala Ala Ser Met Cys Val Pro Ala Gly Gln Arg Cys Val Gly Leu

212

Application of Royer, et al

85

90

95

5 Asp Ile Asn Ala Asn His Ile Ala Ser Ile Ser Ser Gly Gln Val Gln  
100 105 110

10 Cys Ile Ala Arg Pro Leu His Ile Gly Ala Leu Thr Gln Val Trp Gln  
115 120 125

15 Met Arg Ile Tyr Asp Glu Gly Asp Arg Thr Ile Cys Val Ser Arg Leu  
130 135 140

Thr Met Ala Val Leu Ser Val His Val Ala Arg Val Ser Pro Asn Pro  
145 150 155 160

20 Ala Ser Ser Gly Val Gln Thr  
165

25 <210> 29  
<211> 941  
<212> PRT  
<213> Xanthomonas albilineans

30 <400> 29

Met Asn Glu Thr Ala Thr Val Thr Lys Ala Thr Leu Ser Ser Ala Lys  
1 5 10 15

35 Ala Ser Ile Thr Pro Ala Cys Val His Gln Trp Phe Glu Ala Gln Val  
20 25 30

40 Ser Ser Thr Pro Asp Ala Pro Ala Ala Phe Leu Gly Glu Arg Arg Met  
35 40 45

Ser Tyr Gly Gln Leu Asn Thr Arg Ala Asn Arg Leu Ala Arg Leu Leu  
 50 55 60

5 Gln Ser Gln Gly Val Gly Pro Gly Ala Arg Val Ala Val Trp Met Asn  
 65 70 75 80

10 Arg Ser Pro Glu Cys Leu Ala Ala Leu Leu Ala Val Met Lys Ala Gly  
 85 90 95

15 Ala Ala Tyr Val Pro Ile Asp Leu Ser Leu Pro Ile Arg Arg Val Gln  
 100 105 110

Tyr Ile Leu Gln Asp Ser Gln Ala Arg Leu Val Leu Val Asp Asp Glu  
 115 120 125

20 Gly Gln Gly Arg Leu Asp Glu Leu Glu Leu Gly Ala Met Thr Ala Val  
 130 135 140

25 Asp Val Cys Gly Thr Leu Asp Gly Asp Glu Ala Asn Leu Asp Leu Pro  
 145 150 155 160

30 Cys Asp Pro Ala Gln Pro Val Tyr Cys Ile Tyr Thr Ser Gly Ser Thr  
 165 170 175

35 Gly Ser Pro Lys Gly Val Leu Val Arg His Ser Gly Leu Ala Asn Tyr  
 180 185 190

Val Ala Trp Ala Lys Arg Gln Tyr Val Thr Ala Asp Thr Thr Ser Phe  
 195 200 205

40 Ala Phe Tyr Ser Ser Leu Ser Phe Asp Leu Thr Val Thr Ser Ile Tyr

	210	215	220
5	Val Pro Leu Val Ala Gly Leu Cys Val His Val Tyr Pro Glu Gln Gly 225 230 235 240		
10	Asp Asp Val Pro Val Ile Asn Arg Val Leu Asp Asp Asn Gln Val Asp 245 250 255		
15	Val Ile Lys Leu Thr Pro Ser His Met Leu Met Leu Arg Asn Ala Ala 260 265 270		
20	Leu Ala Thr Ser Arg Leu Lys Thr Leu Ile Val Gly Gly Glu Asp Leu 275 280 285		
25	Lys Ala Ala Val Ala Tyr Asp Ile His Gln Arg Phe Arg Arg Asp Val 290 295 300		
30	Ala Ile Tyr Asn Glu Tyr Gly Pro Thr Glu Thr Val Val Gly Cys Ala 305 310 315 320		
35	Ile His Arg Tyr Asp Pro Ala Thr Glu Arg Glu Gly Ser Val Pro Ile 325 330 335		
40	Gly Val Pro Ile Asp His Thr Ser Leu His Leu Leu Asp Glu Arg Leu 340 345 350		
45	Gln Pro Val Ala Pro Gly Glu Val Gly Gln Ile His Ile Gly Gly Ala 355 360 365		
50	Gly Val Ala Ile Gly Tyr Val Asn Lys Pro Glu Ile Thr Asp Ala Gln 370 375 380		

Phe Ile Asp Asn Pro Phe Glu Gly Ser Gly Arg Leu Tyr Ala Ser Gly  
385 390 395 400

5 Asp Leu Gly Arg Met Arg Ala Asp Gly Lys Leu Glu Phe Leu Gly Arg  
405 410 415

10 Lys Asp Ser Gln Ile Lys Leu Arg Gly Tyr Arg Ile Glu Leu Gly Glu  
420 425 430

15 Ile Glu Asn Val Leu Leu Gly His Ala Ala Leu Arg Glu Cys Ile Val  
435 440 445

20 Asp Thr Thr Val Ala Pro Arg Arg Asp Tyr Asp Ser Lys Ser Leu Arg  
450 455 460

Tyr Cys Ala Arg Cys Gly Ile Ala Ser Asn Phe Pro Asn Thr Ser Phe  
465 470 475 480

25 Asp Glu His Gly Val Cys Asn His Cys His Ala Tyr Asp Lys Tyr Arg  
485 490 495

30 Asn Val Val Glu Asp Tyr Phe Arg Thr Glu Asp Glu Leu Arg Thr Ile  
500 505 510

35 Phe Glu Gln Val Lys Ala His Asn Arg Leu Arg Tyr Asp Cys Leu Val  
515 520 525

40 Ala Phe Ser Gly Gly Lys Asp Ser Thr Tyr Ala Leu Cys Arg Val Val  
530 535 540

Asp Met Gly Leu Arg Val Leu Ala Tyr Thr Leu Asp Asn Gly Tyr Ile  
 545 550 555 560

5 Ser Asp Glu Ala Lys Ala Asn Val Asp Arg Val Val Arg Glu Leu Gly  
 565 570 575

10 Val Asp His Arg Tyr Leu Gly Thr Pro His Met Asn Ala Ile Phe Val  
 580 585 590

15 Asp Ser Leu His Arg His Ser Asn Val Cys Asn Gly Cys Phe Lys Thr  
 595 600 605

Ile Tyr Thr Leu Gly Ile Asn Leu Ala His Glu Val Gly Val Ser Asp  
 610 615 620

20 Ile Val Met Gly Leu Ser Lys Gly Gln Leu Phe Glu Thr Arg Leu Ser  
 625 630 635 640

25 Glu Leu Phe Arg Ala Ser Thr Phe Asp Asn Gln Val Phe Glu Lys Asn  
 645 650 655

30 Leu Met Glu Ala Arg Lys Ile Tyr His Arg Ile Asp Asp Ala Ala Ala  
 660 665 670

35 Arg Leu Leu Asp Thr Ser Cys Val Arg Asn Asp Arg Leu Leu Glu Ser  
 675 680 685

Thr Arg Phe Ile Asp Phe Tyr Arg Tyr Cys Ser Val Ser Arg Lys Asp  
 690 695 700

40 Met Tyr Arg Tyr Ile Ala Glu Arg Val Gly Trp Ser Arg Pro Ala Asp

	705		710		715		720
5	Thr Gly Arg Ser Thr Asn Cys Leu Leu Asn Asp Val Gly Ile Tyr Met	725		730		735	
10	His Lys Lys Gln Arg Gly Tyr His Asn Tyr Ser Leu Pro Tyr Ser Trp	740		745		750	
15	Asp Val Arg Val Gly His Ile Pro Arg Glu Asp Ala Met Arg Glu Leu	755		760		765	
20	Glu Asp Thr Asp Asp Ile Asp Glu Ala Lys Val Leu Gly Leu Leu Lys	770		775		780	
25	Gln Ile Gly Tyr Asp Ser Ser Leu Ile Asp Thr Gln Ala Gly Asp Ala	785		790		795	800
30	Gln Leu Ile Ala Tyr Tyr Val Ala Ala Glu Glu Leu Asp Pro Val Ala	805		810		815	
35	Leu Arg Asn Phe Ala Ala Ala Ile Leu Pro Glu Tyr Met Leu Pro Ser	820		825		830	
40	Tyr Phe Val Arg Leu Asp Arg Met Pro Leu Thr Pro Asn Gly Lys Val	835		840		845	
	Asn Arg Arg Ala Leu Pro Arg Pro Glu Leu Lys Lys Asn Ala Ser Glu	850		855		860	
	Ala His Thr Glu Pro Ser Ser Ala Leu Glu Gln Glu Leu Val Gln Ile	865		870		875	880



Trp Lys Glu Val Leu Met Val Asp Lys Val Gly Val Arg Asp Asn Phe  
885 890 895

5 Phe Glu Leu Gly Gly His Ser Leu Ser Ala Leu Met Leu Leu Tyr Ser  
900 905 910

10 Ile Ala Glu Arg Tyr Gln Lys Met Val Ser Ile Gln Ala Phe Ser Val  
915 920 925

15 Asn Pro Thr Ile Glu Gly Leu Ser Glu His Leu Val Ala  
930 935 940

<210> 30  
<211> 239  
20 <212> PRT  
<213> Xanthomonas albilineans

<400> 30

25 Met Asp Leu Gln Cys Ala Arg Ile Ala Ala Leu Cys Glu Gln Leu Lys  
1 5 10 15

30 Leu Ala Arg Leu Ser Ser Asp Trp Gln Ala Leu Ala Gln Ala Ala Ala  
20 25 30

Cys Glu Asp Ala Ser Tyr Phe Leu Glu Lys Val Leu Ala Ser Glu Gln  
35 35 40 45

Leu Ala Arg Glu Glu Arg Lys Arg Thr Val Leu Thr Arg Leu Ala Arg  
50 55 60

40 Met Pro Ser Ile Lys Thr Leu Glu Gln Phe Asp Trp Ala Gln Ala Gly

219

Application of Royer, et al

	65		70		75		80
5	Gly Ala Ser Lys Ala Gln Ile Val Glu Leu Gly His Leu Thr Phe Val						
		85		90		95	
10	Glu Arg Ala Glu Asn Val Val Met Leu Gly Pro Ser Gly Val Gly Lys						
		100		105		110	
15	Thr His Ile Ala Leu Ala Leu Cys Gln Arg Ala Val Met Ala Gly His						
		115		120		125	
20	Lys Ala Arg Phe Ile Thr Ala Ala Asp Leu Met Met Gln Leu Ala Ala						
		130		135		140	
25	Val Lys Ala Gln Asn Arg Leu Lys Asp Tyr Phe Asn Arg Ala Val Leu						
		145		150		155	160
30	Gly Pro Lys Leu Leu Val Val Asp Glu Ile Gly Tyr Leu Pro Phe Gly						
		165		170		175	
35	Arg Glu Pro Ala Gln Gly Cys Trp Ala Ala Thr Gly Phe Ala Leu Arg						
		180		185		190	
40	Ser Leu Ala Ala Arg Arg Trp Lys Thr Pro Gly Gly Ser Asp Leu Leu						
		195		200		205	
45	Arg Arg Phe Lys Gly Lys Trp Val Lys Phe Lys Ser Ala Leu Thr Ala						
		210		215		220	
50	Asp Val Val Tyr Leu Ile Phe Arg Leu Arg Gly Ser Asp His Pro						
		225		230		235	

<210> 31  
 <211> 286  
 <212> PRT  
 5 <213> Xanthomonas albilineans

<400> 31

10 Met Pro Arg Ile Glu Tyr Cys Ile Ser Met Met His Arg Arg Lys Pro  
 1 5 10 15

15 Thr Thr Asn Arg Ser Val Cys Met Arg Asp Ile Glu Arg Thr Ala Leu  
 20 25 30

20 Trp Val Ala Gly Met Arg Ala Leu Glu Ser Glu Arg Glu Gln Ala Leu  
 35 40 45

Phe His Asp Pro Phe Ala Arg Arg Leu Ala Gly Asp Glu Phe Val Glu  
 50 55 60

25 Glu Leu Arg Arg Asn Asn Gln Asn Val Pro Met Pro Pro Ala Ile Glu  
 65 70 75 80

30 Val Arg Thr Arg Trp Leu Asp Asp Lys Ile Met Gln Ala Val Ser Glu  
 85 90 95

35 Gly Ile Gly Gln Val Val Ile Leu Ala Ala Gly Met Asp Ala Arg Ala  
 100 105 110

Tyr Arg Leu Pro Trp Pro Ser Asp Thr Arg Val Tyr Glu Ile Asp His  
 115 120 125

40 Met Asp Val Leu Ser Asp Lys His Glu Lys Leu His Asp Ala Gln Pro

	130	135	140
5	Val Cys Gln Arg Ile Ala Leu Pro Ile Asp Leu Arg Glu Asp Trp Pro 145	150	155 160
10	Gln Ala Leu Lys Glu Ser Gly Phe Val Gly Ser Ala Ala Thr Leu Trp 165	170	175
15	Leu Val Glu Gly Leu Leu Cys Tyr Leu Ser Ala Glu Ala Val Met Leu 180	185	190
20	Leu Phe Ala Arg Ile Asp Ala Leu Ser Ala Lys Gly Ser Ser Val Leu 195	200	205
25	Phe Asp Val Ile Gly Leu Ser Met Leu Asn Ser Pro Asn Ala Arg Val 210	215	220
30	Leu His Ala Met Ala Arg Gln Phe Gly Thr Asp Glu Pro Glu Ser Leu 225	230	235 240
35	Ile Gln Pro Leu Gly Trp Glu Pro Gly Val Leu Thr Ile Ala Ala Ala 245	250	255
40	Gly Gln Gln Met Gly Arg Trp Pro Phe Pro Val Ala Pro Arg Gly Thr 260	265	270
	His Gly Val Pro Gln Ser Tyr Leu Val His Ala Leu Lys Arg 275	280	285
	<210> 32		
	<211> 765		

<212> PRT

<213> Xanthomonas albilineans

<400> 32

5

Met Arg Arg Ser Pro Tyr Pro Arg Thr Leu Met Asp Ser Pro Leu Thr  
1 5 10 15

10

Asn Leu Pro Met His Ser Gly Thr Glu Leu Asp Leu Arg Trp Ser Val  
20 25 30

15

Gly Gln Thr Arg Pro Gly Arg Asn Glu Ala Tyr Ala Arg Gln Trp Thr  
35 40 45

20

Thr Leu Leu His Gln Trp Arg Arg Asp Tyr Pro Gly Leu Arg Ile Asp  
50 55 60

Val Ser Asp Thr Pro Ile Gly Gln His Ile Thr Ile Asp Tyr Ala Ala  
65 70 75 80

25

Pro Tyr Pro Cys Gly Ser Phe Gly Ser Leu Leu Arg Glu Tyr Ala Arg  
85 90 95

30

Leu Gly Lys Leu Ala Gly Leu Ile Cys Asp Tyr Leu Lys His Arg His  
100 105 110

35

Gln Ile Val Leu Ser Glu Ser Pro Pro Gly Ala Asn Thr Leu Ala Leu  
115 120 125

40

Asp Leu Gly Arg Ile Glu Glu Pro Lys Gln Leu Asp Arg Leu Gln Gly  
130 135 140

	Ala Leu Gly Met Ala Leu Glu Ala Leu Ala Thr Arg Arg Ser Asp Gly	
	145	150 155 160
5	Leu Leu Leu Trp His Ala Asp His Arg Gln Arg Asn Leu Pro Asp Leu	
	165	170 175
10	Arg Asp Ser Ala Val Cys Gly Ser Ala Ala Gln Ile Ser Leu Pro Ala	
	180	185 190
15	Leu Ser Cys Val Glu Asp Leu Ile Glu Val Asp Thr Ser Leu Leu Ala	
	195	200 205
20	Cys Asp His Gly Lys Leu Cys Gln Ile Ala Ser His Leu Pro Ala Ser	
	210	215 220
25	Trp Phe Ala Arg Ser Thr Asp Gly Pro Met Pro Ser Trp Ser Asp Ala	
	225	230 235 240
30	Ser Thr Ala Val Phe Ala Cys Ala Pro Ile Gly Phe Leu Pro Ser Val	
	245	250 255
35	Gln Val Asn Val Cys Ala Gln Ile Phe Ser Ala Ala His Leu Ala Ser	
	260	265 270
40	Thr Ala Gln Met Ile Asp Pro Leu Arg Gln Gln Ala Phe Ser Tyr Arg	
	275	280 285
	Gln Leu Arg Ser Arg Ala Ala Thr Tyr Ala Arg His Leu Ser Leu Leu	
	290	295 300
	Gly Leu Gln Ser Gly Asp Ala Val Ala Leu Ile Ala Ile Asp Ser Leu	

224

Application of Royer, et al

305

310

315

320

5

Ala Gly Val Ala Leu Met Leu Ala Cys Leu Ala Gly Gly Leu Val Phe  
325 330 335

10

Ala Pro Ile Asn Glu Leu Val Ser Leu Val His Phe Glu Thr Thr Leu  
340 345 350

15

Lys Thr Ile Lys Pro Arg Leu Val Leu Ile Asp Ala Glu Leu Pro Pro  
355 360 365

Ser His His Ala Ala Leu Arg His Leu Pro Thr Leu Glu Leu Thr Ser  
370 375 380

20

Leu Met Pro Val Ile Glu Asn Asp Glu Leu Val Val Ala Pro Cys Ser  
385 390 395 400

25

Ala Asp Ala Pro Ala Val Met Ile Cys Thr Ser Gly Ser Thr Gly Thr  
405 410 415

30

Pro Lys Ala Val Thr His Ser His Ala Asp Phe Met His Cys His Leu  
420 425 430

35

Asn Tyr Gln Gln Ala Val Leu Gly Leu Arg Ser Asp Asp Val Met Tyr  
435 440 445

Thr Pro Ser Arg Leu Phe Phe Ala Tyr Gly Leu Asn Asn Leu Met Leu  
450 455 460

40

Ser Leu Leu Ala Gly Val Ser His Val Ile Ala Ala Pro Leu Ser Val  
465 470 475 480

Arg Gln Ile Ala Gln Thr Ile His Thr Tyr His Val Thr Val Leu Leu  
 485 490 495

5

Ala Val Pro Ala Val Phe Lys Leu Leu Leu Ala Glu Ala Ala Pro Asp  
 500 505 510

10

Ala Val Trp Pro Ala Leu Arg Leu Cys Ile Ser Ala Gly Glu Ser Leu  
 515 520 525

15

Pro Ala Arg Leu Gly His Ala Ile Ser Thr Arg Trp Gln Val Glu Val  
 530 535 540

20

Leu Asp Gly Ile Gly Cys Thr Glu Val Leu Ser Thr Phe Ile Ser Asn  
 545 550 555 560

25

Arg Pro Gly His Ala Leu Met Gly Cys Thr Gly Thr Pro Val Pro Gly  
 565 570 575

30

Phe Val Val Lys Leu Val Asn Lys Gln Gly Glu Ile Cys Arg Ile Gly  
 580 585 590

35

Glu Val Gly Ser Leu Trp Val Arg Gly Asn Thr Leu Thr Arg Gly Tyr  
 595 600 605

40

Val Gly Asp Pro Ile Leu Ser Ala Gln Leu Phe Val Asp Gly Trp Phe  
 610 615 620

Asp Thr Arg Asp Leu Phe Phe Ala Asp Ala Lys Gly Arg Phe His Asn  
 625 630 635 640



	Leu	Gly	Arg	Met	Gly	Ser	Ala	Ile	Lys	Ile	Asn	Gly	Cys	Trp	Leu	Ser
				645					650						655	
5	Pro	Glu	Thr	Leu	Glu	Ser	Val	Ile	Gln	Thr	His	Ala	Cys	Val	Lys	Glu
				660					665						670	
10	Cys	Ala	Ile	Cys	Leu	Ile	Glu	Asp	Glu	Phe	Gly	Leu	Pro	Arg	Pro	Ala
				675				680							685	
15	Ala	Phe	Val	Val	Pro	Val	Asp	Ala	Ser	Ile	Asp	Thr	Gly	Ala	Leu	Trp
				690				695					700			
20	Ala	Ala	Leu	Arg	Ala	Leu	Cys	Lys	Asn	Ala	Leu	Gly	Lys	His	His	Tyr
				705				710					715			720
25	Pro	His	Leu	Phe	Val	Glu	Val	Ser	Thr	Ile	Pro	Arg	Thr	Cys	Ser	Gly
								725					730			735
30	Lys	Val	Ile	Arg	Pro	Ala	Leu	Leu	Glu	Thr	Leu	Ala	Ser	Ala	Lys	His
								740					745			750
35	Leu	Gln	Ser	His	Leu	Phe	Phe	Val	Gly	His	Ala	Arg	Thr			
								755					760			765
	<210>	33														
	<211>	330														
	<212>	PRT														
	<213>	Xanthomonas albilineans														
	<400>	33														
40	Met	His	Thr	Asn	Ala	Asp	Leu	Pro	Leu	Thr	Ile	Lys	Ala	Asp	Ser	Ala
	1				5					10					15	

Glu Ala Thr Leu Thr Asp Trp Asn Ala Thr His Arg Ala Thr Trp Pro  
 20 25 30  
 5  
 Thr Leu Leu Trp Gln His Arg Ala Leu Leu Phe Arg Gly Phe Ala His  
 35 40 45  
 10  
 Pro Gly Gly Leu Glu Gln Ile Ser Arg Cys Phe Phe Asp Glu Arg Leu  
 50 55 60  
 15  
 Ala Tyr Thr Tyr Arg Ser Thr Pro Arg Thr Asp Val Gly Gln His Val  
 65 70 75 80  
 20  
 Tyr Thr Ala Thr Glu Tyr Pro Arg Gln Leu Ser Ile Ala Gln His Cys  
 85 90 95  
 25  
 Glu Asn Ala Tyr Gln Arg Val Trp Pro Met Lys Leu Leu Phe His Cys  
 100 105 110  
 30  
 Val Gln Pro Ala Ser Glu Gly Gly Cys Thr Pro Leu Ala Asp Met Leu  
 115 120 125  
 35  
 Lys Val Thr Ala Ala Ile Asp Pro Gln Val Arg Glu Ile Phe Ala Arg  
 130 135 140  
 40  
 Lys Gln Val Arg Tyr Val Arg Asn Tyr Arg Ala Gly Val Asp Leu Pro  
 145 150 155 160  
 Trp Glu Asp Val Phe Asn Thr Arg Asn Lys Gln Glu Val Glu Ala Tyr  
 165 170 175

```

Cys Ala Arg Asn Asp Met Gln Cys Glu Trp Thr Gly Asp Gly Leu Arg
      180                               185                             190

5   Thr Ser Gln Ile Cys Arg Ala Phe Ala Cys His Pro Ala Thr Gly Asp
     195                               200                             205

10  Glu Val Trp Phe Asn Gln Ala His Leu Phe His Tyr Thr Ala Leu Glu
     210                               215                             220

15  Ala Ala Ala Gln Lys Met Met Leu Ser Phe Phe Gly Glu Gln Gly Leu
     225                               230                             235                             240

20  Pro Arg Asn Ala Tyr Phe Gly Asp Gly Thr Pro Ile Asp Pro Ala Met
     245                               250                             255

25  Leu Asp His Val Arg Thr Val Phe Ala Gln His Lys Ile His Phe Asp
     260                               265                             270

30  Trp His Arg Asp Asp Val Leu Leu Ile Asp Asn Met Leu Val Ser His
     275                               280                             285

35  Gly Arg Glu Pro Tyr Glu Gly Ser Arg Lys Ile Leu Val Cys Met Ala
     290                               295                             300

40  Glu Pro Tyr Ser Pro Glu Gln Ser Ser Pro Asp Ile Ala Ala Arg Ser
     305                               310                             315                             320

    Asp Gly Glu Ala Met Leu Lys Leu His Val
       325                               330

<210>  34

```

<211> 1959  
 <212> PRT  
 <213> Xanthomonas albilineans

5 <400> 34

Met Lys Leu Ser Ser Met Ser Leu Leu Asp Ala Glu Asp Val Ala Leu  
 1 5 10 15

10

Thr Ala Ala Ser Pro Asp Thr Ala Leu Ala Leu Asp Trp Ser Arg Ser  
 20 25 30

15

Val Leu Asp Leu Phe Asp Ala Gln Val Ala Leu His Ala Glu Glu Leu  
 35 40 45

20

Ala Cys Ala Asp Gln His Arg Gln Leu Ser Tyr Ala Gln Leu Asp Gln  
 50 55 60

25

His Ala Asn Arg Leu Ala His Cys Leu Ile Glu Arg Gly Leu Arg Pro  
 65 70 75 80

Gln Glu Arg Val Ala Leu Trp Phe Gly Arg Ser Pro Asp Phe Leu Ile  
 85 90 95

30

Ala Leu Leu Gly Val Leu Lys Ala Gly Gly Cys Tyr Val Pro Leu Asp  
 100 105 110

35

Pro His Tyr Pro Thr Thr Tyr Ile Gln Gln Ile Leu Asp Asp Ala Gln  
 115 120 125

40

Pro Arg Leu Leu Leu Cys Gly Lys Asp Ile Asp Gly Gln Leu Ile Gln  
 130 135 140

230

Application of Royer, et al

	Val	Pro	Arg	Leu	Arg	Leu	Asp	Asp	Ala	Ala	Ile	Ala	Arg	Gln	Pro	His	145	150	155	160
5	Thr	Pro	Leu	Pro	His	Ala	Leu	His	Pro	Ala	Gln	Leu	Ala	Tyr	Val	Met	165	170	175	
10	Tyr	Thr	Ser	Gly	Ser	Thr	Gly	Arg	Pro	Lys	Gly	Val	Met	Val	Pro	His	180	185	190	
15	Arg	Gln	Ile	Leu	Asn	Trp	Leu	His	Ala	Leu	Trp	Ala	Arg	Ala	Pro	Phe	195	200	205	
	Glu	Ala	Gly	Glu	Arg	Val	Ala	Gln	Lys	Thr	Ser	Ile	Ala	Phe	Ala	Ile	210	215	220	
20	Ser	Val	Lys	Glu	Leu	Leu	Ala	Gly	Leu	Leu	Ala	Gly	Val	Pro	Gln	Val	225	230	235	240
25	Phe	Ile	Asp	Glu	Asp	Thr	Val	Arg	Asp	Ile	Pro	Ala	Phe	Val	Arg	Ala	245	250	255	
30	Leu	Glu	Thr	Trp	Gln	Ile	Thr	Arg	Leu	Tyr	Thr	Phe	Pro	Ser	Gln	Leu	260	265	270	
35	Asn	Ala	Leu	Leu	Asp	His	Val	Ala	Glu	Thr	Pro	Gln	Arg	Leu	Ala	Arg	275	280	285	
	Leu	Arg	Gln	Leu	Phe	Val	Ser	Ile	Glu	Pro	Cys	Pro	Ala	Glu	Leu	Leu	290	295	300	
40	Gln	Arg	Leu	Arg	Thr	Leu	Leu	Pro	Ala	Cys	Thr	Ala	Trp	Tyr	Ile	Tyr				

231

Application of Royer, et al.

	305		310		315		320
5	Gly Cys Thr Glu Ile Asn Asp Met Thr Tyr Cys Asp Pro Ala Glu Gln	325		330		335	
10	His Ser Gly Ser Gly Phe Val Pro Val Gly Arg Pro Ile Ala Asn Thr	340		345		350	
15	Lys Val His Val Leu Asp Glu Gln Leu Arg Pro Leu Pro Pro Gly Ile	355		360		365	
20	Met Gly Glu Val His Ile Glu Ser Leu Gly Ile Thr His Gly Tyr Trp	370		375		380	
25	Arg Gln Gly Gly Leu Thr Ala Ala Arg Phe Ile Ala Asn Pro Tyr Gly	385		390		395	400
30	Pro Pro Gly Ser Arg Leu Tyr Arg Thr Gly Asp Met Ala Arg Leu Leu	405		410		415	
35	Asp Asn Gly Thr Leu Glu Leu Leu Gly Arg Arg Asp Tyr Glu Val Lys	420		425		430	
40	Val Arg Gly Tyr Arg Val Asp Val Arg Gln Val Glu Lys Ala Leu Ala	435		440		445	
	Ala His Leu Gln Val Ala Glu Ala Ala Val Ile Gly Trp Pro Gln Gly	450		455		460	
	Ser Pro Thr Pro Glu Leu Leu Ala Tyr Val Val Pro Arg Gln Gly Val	465		470		475	480

Leu Asn Leu Asp Glu Leu Arg Lys Leu Leu Gln Glu Arg Leu Pro Thr  
 485 490 495

5

Tyr Met Leu Pro Thr Arg Phe Gln Ser Leu Pro Ala Leu Pro Arg Leu  
 500 505 510

10

Pro Asn Gly Lys Leu Asp Thr Leu Ser Leu Pro Glu Pro Gln Ala Ala  
 515 520 525

15

Ser Ser Asp Ser Asp Tyr Leu Ala Pro Arg Ser Glu Val Glu Ile Thr  
 530 535 540

20

Leu Ala Lys Leu Trp Ser Glu Leu Leu Thr Pro Ala Gln Ala Ala Pro  
 545 550 555 560

Leu Arg Val Ser Leu Asn Asp Asn Phe Phe Asn Leu Gly Gly His Ser  
 565 570 575

25

Leu Leu Ala Thr Gln Leu Phe Ser Arg Ile Arg Gln Ser Phe Asp Ile  
 580 585 590

30

Glu Val Arg Val Asn Thr Leu Phe Glu Ser Pro Val Leu Glu Asp Phe  
 595 600 605

35

Ala Arg Val Val Asn Glu Ala Arg Gln Gln Gln Ala Pro Thr Gly Gly  
 610 615 620

40

Asn Thr Ile Ser Ser Arg Ala Val Arg Asp Ala Pro Val Pro Leu Ser  
 625 630 635 640

	Tyr	Gln	Gln	Glu	Arg	Leu	Trp	Phe	Val	His	Glu	His	Met	Pro	Glu	Gln	
						645				650					655		
5	Arg	Thr	Ser	Tyr	Asn	Val	Ala	Phe	Ala	Cys	His	Leu	Arg	Ser	Ala	Asp	
					660				665					670			
10	Phe	Ser	Met	Ser	Ala	Leu	Arg	Glu	Ala	Ile	Gln	Ala	Leu	Val	Ala	Arg	
			675					680						685			
15	His	Glu	Thr	Leu	Arg	Thr	Arg	Ile	Ala	Thr	Cys	Ala	Gly	Gly	Asp	Tyr	
		690					695					700					
20	Pro	Ser	Gln	His	Ile	Ala	Asp	Ala	Met	Gln	Val	Pro	Val	Pro	Cys	Ile	
	705					710					715					720	
25	Thr	Ala	Thr	Pro	Ala	Glu	Val	Pro	Arg	Leu	Val	Ala	Glu	His	Ala	Ala	
					725					730					735		
30	His	Val	Phe	Asp	Leu	Ala	His	Gly	Pro	Leu	Leu	Lys	Val	Ser	Val	Leu	
				740					745						750		
35	Arg	Val	Ser	Asp	Asp	Tyr	His	Val	Phe	Leu	Met	Asn	Met	His	His	Ile	
		755						760						765			
40	Ile	Cys	Asp	Gly	Trp	Ser	Ile	Asn	Leu	Ile	Phe	His	Asp	Leu	Arg	Ala	
	770						775						780				
45	Phe	Tyr	Ile	Ala	Ala	Leu	Gln	Gln	Thr	Pro	Pro	Ala	Leu	Pro	Pro	Leu	
	785					790					795					800	
50	Leu	Leu	Gln	Tyr	Ala	Asp	Tyr	Ala	Thr	Trp	Gln	Arg	Val	Gln	Asp	Phe	



234

Application of Royer, et al

805

810

815

5

Ser Ala Asp Leu Asp Tyr Trp Lys Gln Arg Leu His Gly Tyr Glu Glu  
                   820                  825                  830

10

Gly Leu Ala Leu Pro Tyr Asp Phe Pro Arg Pro Ala Asn Arg Ala Trp  
                   835                  840                  845

15

Arg Ala Gly Ile Leu His Leu Thr Tyr Pro Asp Ala Leu Ala Ala Arg  
                   850                  855                  860

Leu Ala Ala Phe Ser Gln Glu Arg Arg Val Thr Leu Phe Met Thr Leu  
                   865                  870                  875                  880

20

Met Ala Ser Leu Ala Ile Val Leu His Gln Tyr Thr Gly Arg Arg Glu  
                   885                  890                  895

25

Leu Cys Leu Gly Thr Thr Ser Ala Gly Arg Asp Gln Leu Glu Thr Glu  
                   900                  905                  910

30

Asn Leu Ile Gly Phe Phe Val Asn Ile Leu Ala Val Arg Leu Asn Leu  
                   915                  920                  925

35

Gly Ser His Ala Phe Ala Glu Asp Phe Leu Gln His Val Arg Gln Gln  
                   930                  935                  940

Val Leu Asp Ala Tyr Ala His Arg Ala Leu Pro Phe Glu His Val Leu  
                   945                  950                  955                  960

40

Ser Ala Leu Lys Lys Pro Arg Asp Ser Ser Gln Ile Pro Leu Val Pro  
                   965                  970                  975

Ile Met Leu Arg His Gln Asn Phe Ala Thr Glu Gly Val Asn Ala Phe  
 980 985 990

5

Ala Gln Ile Phe Leu Ser Ala Gln Met Glu Phe Gly Glu Arg Thr Thr  
 995 1000 1005

10

Pro Asn Glu Leu Asp Leu Gln Phe Ile Gly Asp Gly Ser His Leu  
 1010 1015 1020

15

Glu Val Thr Val Glu Tyr Ala Ala Glu Leu Phe Ser Ala Ala Thr  
 1025 1030 1035

20

Val Gln Arg Met Leu Ala His His Gln Arg Val Leu Glu Arg Met  
 1040 1045 1050

25

Leu Glu Glu Pro Arg Cys Arg Leu Ser Asp Phe Ser Leu Pro Val  
 1055 1060 1065

30

Ala Arg Thr Glu Phe Thr Pro His Thr Leu Asp Thr Ser Arg Ser  
 1070 1075 1080

35

Val Leu Asp Leu Phe Asp Ala Gln Val Ala Leu His Ala Glu Glu  
 1085 1090 1095

40

Leu Ala Cys Ala Asp Gln His Arg Gln Leu Ser Tyr Ala Gln Leu  
 1100 1105 1110

Asp Gln His Ala Asn Arg Leu Ala His Cys Leu Ile Glu Arg Gly  
 1115 1120 1125

	Leu Arg	Pro Gln Glu Arg Val	Ala Leu Trp Phe Gly	Arg Ser Pro
	1130	1135	1140	
5	Asp Phe	Leu Ile Ala Leu Leu	Gly Val Leu Lys Ala	Gly Gly Cys
	1145	1150	1155	
10	Tyr Val	Pro Leu Asp Pro His	Tyr Pro Thr Thr Tyr	Ile Gln Gln
	1160	1165	1170	
15	Ile Leu	Asp Asp Ala Gln Pro	Arg Leu Leu Leu Cys	Gly Lys Asp
	1175	1180	1185	
	Ile Asp	Gly Gln Leu Ile Gln	Val Pro Arg Leu Arg	Leu Asp Asp
	1190	1195	1200	
20	Ala Ala	Ile Ala Arg Gln Pro	His Thr Pro Leu Pro	His Ala Leu
	1205	1210	1215	
25	His Pro	Ala Gln Leu Ala Tyr	Val Met Tyr Thr Ser	Gly Ser Thr
	1220	1225	1230	
30	Gly Arg	Pro Lys Gly Val Met	Val Pro His Arg Gln	Ile Leu Asn
	1235	1240	1245	
35	Trp Leu	His Ala Leu Trp Ala	Arg Ala Pro Phe Glu	Ala Gly Lys
	1250	1255	1260	
	Arg Val	Ala Gln Lys Thr Ser	Ile Ala Phe Ala Ile	Ser Val Lys
	1265	1270	1275	
40	Glu Leu	Leu Ala Gly Leu Leu	Ala Gly Val Pro Gln	Val Phe Ile

	1280	1285	1290
5	Asp Glu 1295	Asp Thr Val Arg Asp 1300	Ile Pro Ala Phe Val Arg Ala Leu 1305
10	Glu Thr 1310	Trp Gln Ile Thr Arg 1315	Leu Tyr Thr Phe Pro Ser Gln Leu 1320
15	Asn Ala 1325	Leu Leu Asp His Val 1330	Ala Glu Thr Pro Gln Arg Leu Ala 1335
	Arg Leu 1340	Arg Gln Leu Phe Val 1345	Ser Ile Glu Pro Cys Pro Ala Glu 1350
20	Leu Leu 1355	Gln Arg Leu Arg Thr 1360	Leu Leu Pro Ala Cys Thr Ala Trp 1365
25	Tyr Ile 1370	Tyr Gly Cys Thr Glu 1375	Ile Asn Asp Met Thr Tyr Cys Asp 1380
30	Pro Ala 1385	Glu Gln His Ser Gly 1390	Ser Gly Phe Val Pro Val Gly Arg 1395
	Pro Ile 1400	Ala Asn Thr Lys Val 1405	His Val Leu Asp Glu Gln Leu Arg 1410
35	Pro Leu 1415	Pro Pro Gly Ile Met 1420	Gly Glu Val His Ile Glu Ser Leu 1425
40	Gly Ile 1430	Thr His Gly Tyr Trp 1435	Arg Gln Gly Gly Leu Thr Ala Ala 1440

	Arg Phe	Ile Ala Asn Pro Tyr	Gly Pro Pro Gly Ser	Arg Leu Tyr
	1445	1450	1455	
5	Arg Thr	Gly Asp Met Ala Arg	Leu Leu Asp Asn Gly	Thr Leu Glu
	1460	1465	1470	
10	Leu Leu	Gly Arg Arg Asp Tyr	Glu Val Lys Val Arg	Gly Tyr Arg
	1475	1480	1485	
15	Val Asp	Val Arg Gln Val Glu	Lys Ala Leu Ala Ala	His Leu Gln
	1490	1495	1500	
20	Val Ala	Glu Ala Ala Val Ile	Gly Trp Pro Gln Gly	Ser Pro Thr
	1505	1510	1515	
	Pro Glu	Leu Leu Ala Tyr Val	Val Pro Arg Gln Gly	Val Leu Asn
	1520	1525	1530	
25	Leu Asp	Glu Leu Arg Lys Leu	Leu Gln Glu Arg Leu	Pro Thr Tyr
	1535	1540	1545	
30	Met Leu	Pro Thr Arg Phe Gln	Ser Leu Pro Ala Leu	Pro Arg Leu
	1550	1555	1560	
35	Pro Asn	Gly Lys Leu Asp Thr	Leu Ser Leu Pro Glu	Pro Gln Ala
	1565	1570	1575	
40	Ala Ser	Ser Asp Ser Asp Tyr	Leu Ala Pro Arg Ser	Glu Val Glu
	1580	1585	1590	

	Ile Thr	Leu Ala Lys	Leu Trp	Ser Glu	Leu Leu Thr	Pro Ala Gln
	1595		1600		1605	
5	Ala Ala	Pro Leu Arg	Val Ser	Leu Asn Asp	Asn Phe	Phe Asn Leu
	1610		1615		1620	
10	Gly Gly	His Ser Leu	Leu Ala	Thr Gln	Leu Phe Ser	Arg Ile Arg
	1625		1630		1635	
15	Gln Ser	Phe Asp Ile	Glu Val	Arg Val	Asn Thr Leu	Phe Glu Ser
	1640		1645		1650	
20	Pro Val	Leu Glu Asp	Phe Ala	Ala Val	Val Glu Arg	Gly Met Arg
	1655		1660		1665	
25	Gln Ser	Gln Ala Gly	Ser Met	Pro Val	Ser Leu Ile	Val Pro Leu
	1670		1675		1680	
30	Ser Leu	Arg Thr Glu	Arg Ala	Ala Val	Tyr Ala Ile	His Pro Ile
	1685		1690		1695	
35	Gly Gly	Gln Ile His	Cys Tyr	Ile Asp	Leu Ala Ala	Ala Leu Gly
	1700		1705		1710	
40	His Ser	Ala Arg Val	Tyr Gly	Leu Gln	Cys Glu Pro	Val Arg Arg
	1715		1720		1725	
	Phe Ala	His Leu Ser	Asp Leu	Ala Ala	His Tyr Cys	Asp Ala Leu
	1730		1735		1740	
	Leu Ala	Gly Pro Thr	Gly Ala	Pro Tyr	Arg Leu Leu	Gly Trp Ser

	1745		1750		1755
5	Ser Gly 1760	Gly Val 1760	Leu Ala 1765	Leu Ala 1765	Val Ala 1770
				Glu Gln 1770	Leu Gln Arg
10	Arg Gly 1775	Leu Arg 1775	Val Asp 1780	Tyr Val 1780	Gly Leu 1785
				Leu Asp 1785	Ser Ser Leu
15	Ile Pro 1790	Val His 1790	Ala Arg 1795	Glu Pro 1795	Arg Gln 1800
				Leu Thr 1800	Phe Val Ala
20	Ala Leu 1805	Asn Thr 1805	Leu Ala 1810	Ala Leu 1810	Lys Arg 1815
				Gly Phe 1815	Glu Gln
25	Ala Glu 1820	Ile Asp 1820	Glu Ala 1825	Arg Gln 1825	Leu Leu 1830
				Phe Ala 1830	Asp Gly Asp
30	Asp Glu 1835	His Val 1835	Phe Asp 1840	Tyr Ser 1840	Arg His 1845
				Gln Ala 1845	Ser Leu Asp
35	Lys Leu 1850	Leu Ala 1850	His Leu 1855	Arg Phe 1855	Thr Leu 1860
				Glu Ser 1860	Arg Met Trp
40	Pro Pro 1865	Leu Ala 1865	Glu Gln 1870	Leu Arg 1870	Val Thr 1875
				Arg Tyr 1875	His Leu Gly
45	Leu Leu 1880	Ala Gly 1880	Phe Glu 1885	Pro Gln 1885	Cys Leu 1890
				Gln Pro 1890	Asn Ala His
50	Leu Tyr 1895	Gln Ala 1895	Gln Thr 1900	Ala Val 1900	His Val 1905
				Ser Tyr 1905	Ala Asp Met

Ser Lys Pro Arg Gly Gly Ser Glu Val Leu Pro Asp Ile Thr Gly  
 1910 1915 1920

5

Tyr Val Pro Leu Ser Gln Ile Lys Ser Ala Ala Gly Asn His Tyr  
 1925 1930 1935

10

Ser Met Leu Gln Gly Asp Pro Leu Arg Glu Leu Ala Arg Met Leu  
 1940 1945 1950

15

Val Thr Asp Leu Asp Ala  
 1955

<210> 35  
 <211> 83  
 <212> PRT  
 <213> Xanthomonas albilineans

20

<400> 35

25

Met Thr Phe Glu Glu Gln Ala Tyr Leu Val Leu Ile Asn Asp Glu Leu  
 1 5 10 15

30

Gln Tyr Ser Leu Trp Pro Ser Asp Leu Glu Val Pro Pro Gly Trp Arg  
 20 25 30

35

Lys Glu Gly Tyr Ala Gly Gly Lys Asp Glu Cys Met Ala Tyr Ile Asp  
 35 40 45

40

Glu Thr Trp Thr Asp Met Arg Pro Leu Ser Leu Arg Glu Leu Asp Asp  
 50 55 60

Lys Asn Leu Gly Asp Ala Ser Ser Pro Asp Gly Ser Gly Phe Glu Ser



242

Application of Royer, et al.

65

70

75

80

Ser Tyr Ser

5

<210> 36

<211> 315

10

<212> PRT

<213> Xanthomonas albilineans

<400> 36

15

Met Gly Cys Ala Cys Leu Pro His Tyr Leu Glu Lys Gln Asp Leu Ser  
1 5 10 15

20

Ala Leu Asp Asp Ala Leu Ala Gly Val Arg Leu Ser Gln Tyr Cys Thr  
20 25 30

25

Thr Asp Gly Arg Gln Leu Glu Leu Tyr Trp Leu Gly Ala Gln Ala Ser  
35 40 45

Pro Lys Leu Val Leu Leu Pro Pro Tyr Gly Met Ser Tyr Leu Leu Leu  
50 55 60

30

Ser Arg Leu Ala Gln Arg Leu Ala Arg His Phe His Val Leu Cys Trp  
65 70 75 80

35

Glu Ser Ile Gly Cys Pro Asn Ala Gln Thr Ser Val Thr Ala Glu Asp  
85 90 95

40

Phe Asp Leu Asp Arg Gln Ala Ala Thr Leu Leu Gly Ile Leu His Gln  
100 105 110

243

Application of Royer, et al

	His Asp Tyr Ala Asp Cys His Phe Val Gly Trp Cys Gln Ala Ala Gln
	115 120 125
5	Leu Ala Val His Ala Ile Ala Leu His Gly Phe Ala Pro Arg Ser Met
	130 135 140
10	Ala Trp Val Ala Pro Ala Gly Leu Leu Pro Pro Ile Val Lys Ser Glu
	145 150 155 160
15	Phe Glu Arg Cys Ala Leu Pro Ile Tyr Leu Gln Ile Glu Arg His Gly
	165 170 175
20	Leu Glu Gln Ala Lys Lys Leu Ala Ala Ile Leu Asp Lys Tyr Arg Gly
	180 185 190
25	Gln Pro Leu Arg Gly Asp Asp Leu Ala Glu Lys Leu Thr Met Leu His
	195 200 205
30	Leu Ala Asp Pro Ala Ser Thr Leu Val Phe Ser Arg Tyr Met Arg Ala
	210 215 220
35	Tyr Glu Glu Asn Lys Gln Ser Val Gln Ala Leu Leu Pro Thr Ala Leu
	225 230 235 240
40	Gly Arg His Pro Thr Leu Ile Val His Cys Lys Asp Asp Ser Phe Ser
	245 250 255
45	His Tyr Ser Ala Ser Val Gln Leu Ala Arg His Asp Pro Ser Leu Arg
	260 265 270
50	Leu Asp Leu Leu Asp His Gly Gly His Leu Gln Leu Phe Asn Asp Pro

244

Application of Royer, et al

275

280

285

5

Gly Ala Val Ala Gln Arg Ile Ile Asp Phe Ile Gly Leu Thr Val Gly  
 290 295 300

10

Glu Val Ala Pro Thr Ser Met His Ser Ala Ala  
 305 310 315

15

<210> 37  
 <211> 451  
 <212> PRT  
 <213> Xanthomonas albilineans

<400> 37

20

Met Tyr Ile Pro Asn Asn Ile Asp Leu Asp Pro His Ser Ala Leu Val  
 1 5 10 15

25

Arg Gln Leu Thr Ser Tyr Gln Val Arg Phe Leu Gln Trp Trp Arg Leu  
 20 25 30

30

Arg Gly Pro Ser Glu Phe His Asp Arg Glu Met Asn Leu Arg Met Pro  
 35 40 45

35

Thr Gly Gly Val Lys Gly Ser Glu Trp Thr Arg Tyr His Arg Met Arg  
 50 55 60

40

Pro Ser Asp Tyr Arg Trp Gly Val Phe Met Met Pro Pro Asp Arg Asn  
 65 70 75 80

Thr Val Val Phe Gly Glu Arg Lys Gly Gln Val Ala Trp Ser Cys Val  
 85 90 95

	Pro Glu Glu Tyr Arg Asp Leu Leu Leu Asp His Val Thr Val Gln Gly
	100 105 110
5	Asp Val Glu Asn Ala Ala Val Glu Gln Ser His Glu Leu Thr Gln Met
	115 120 125
10	Val Pro Ser Ala Ile Asp Leu Glu His Leu Phe Gln Phe Phe Leu Glu
	130 135 140
15	Glu Gly Arg His Thr Trp Ala Met Ser His Leu Leu Ile Glu Tyr Phe
	145 150 155 160
20	Gly Ser Asp Gly Ala Asp Ala Ala Glu Gly Leu Leu Gln Arg Met Ser
	165 170 175
25	Glu Asp Trp Leu Ser His Phe Met Trp Cys Phe Phe Ala Asp Arg Val
	195 200 205
30	Gly Lys Tyr Gln Ile Gln Ala Val Thr Gln Ser Ala Phe Leu Pro Leu
	210 215 220
35	Ala Arg Thr Ala Arg Phe Met Met Phe Glu Glu Pro Leu His Ile Lys
	225 230 235 240
40	Phe Gly Val Asp Gly Leu Glu Arg Val Leu Tyr Arg Ser Ala Glu Ile
	245 250 255
	Thr Leu Arg Glu Asp Thr His Ala Ile Phe Asp Ala Gly Ala Ile Pro

246

Application of Royer, et al.

	260	265	270
5	Leu Pro Val Val Gln Lys Tyr	Leu Asn Tyr Trp	Leu Pro Lys Ile Phe
	275	280	285
10	Asp Leu Phe Gly His Asp Val Ser Glu Arg Ser Arg Val Leu Tyr Gln		
	290	295	300
15	Ala Gly Ile Arg Ser Pro Arg Asn Phe Asp Lys Leu Glu Gly Thr Glu		
	305	310	315 320
20	Val Ala Val Asp Val Arg Cys Glu Asp Arg Leu Val Ser Ser Thr Ala		
	325	330	335
25	Glu Val Gly Ala Ile Ile Gly Arg Trp Asn Gln Gln Leu Arg Arg Leu		
	355	360	365
30	Gly Leu Ala Phe Glu Leu Gln Leu Pro His Glu Arg Phe His Arg Asp		
	370	375	380
35	Phe Gly Pro Cys Lys Gly Leu Ala Phe Asp Leu Asp Gly Asn Pro Val		
	385	390	395 400
40	His Asp Ala Asp Gly Gln Arg Leu Ala Ala Leu Leu Pro Thr Pro Gln		
	405	410	415
	Asp Leu Ala Gly Val Arg Gly Leu Met Gly Arg Glu Leu Gly Glu Gly		
	420	425	430

Arg Thr Ala Val Trp Leu Ala Pro Ala Gly Ala Ser Leu Asp Lys Leu  
435 440 445

5  
Met Pro Ala  
450

10  
<210> 38  
<211> 317  
<212> PRT  
<213> Xanthomonas albilineans

15  
<400> 38

Met Asn Ser Tyr Val Gly Cys Gln Lys Leu Glu Thr Asp Gly Asp Ala  
1 5 10 15

20  
Ser Arg Val Val Pro Met Trp Val Met Tyr Pro Thr Ala Thr Pro Ser  
20 25 30

25  
Arg Asp Thr Ala Met Gly Pro Tyr Thr Leu Asp Val Ala Leu Gly Ala  
35 40 45

30  
Pro Ile Glu Ala Gly Pro Phe Pro Leu Ala Val Ile Ser His Gly Thr  
50 55 60

35  
Arg Ser Ala Gly Leu Val Phe Arg Thr Leu Ala His Tyr Leu Ala Arg  
65 70 75 80

40  
His Gly Phe Ile Val Ala Leu Pro Glu His Pro Gly Asp Asn Leu Phe  
85 90 95

Gln His Gln Leu Glu Tyr Ser Tyr Gln Asn Leu Glu Asp Arg Pro Arg

248

Application of Royer, et al

	100	105	110
5	His Ile Arg Ala Val Ile Asp Thr Leu Thr Gly His Ala Gln Phe Gly 115	120	125
10	Pro Ala Ile Gln Ala His Asn Val Ala Val Ile Gly His Ser Val Gly 130	135	140
15	Gly Tyr Thr Ala Leu Ala Ile Ala Gly Gly Glu Pro His Thr Gly Phe 145	150	155 160
20	Met Val Asp Phe Ala His Arg Pro Glu His Ala Glu Gln Pro Ala Trp 165	170	175
25	Thr Ala Leu Val Arg Gln Asn Arg Val Pro Ile Arg Ala Val Pro Val 180	185	190
30	Thr Ala Asp Pro Arg Val Arg Ala Val Val Ala Leu Ala Pro Asp Phe 195	200	205
35	Ser Leu Tyr Met His Glu Asp Ala Leu Ala Lys Val Glu Val Pro Val 210	215	220
40	Leu Leu Ile Val Gly Glu Lys Asp Gln Trp Ala His Glu Thr Ile Val 225	230	235 240
	Ala Thr Arg Thr Ala Leu Gly Asn Asp Gly Arg Leu Glu Ala Arg Val 245	250	255
	Val Pro Asn Ala Gly His Tyr Ala Phe Ile Ser Val Phe Pro Glu Ala 260	265	270

Met Lys Ala Arg Val Gly Glu Ala Ala Ile Asp Pro Pro Gly Phe Asp  
 275 280 285

5

Arg Ser Ala Phe Gln Arg Glu Leu Glu Arg Asp Ile Leu His Phe Leu  
 290 295 300

10

Thr Val Thr Met Arg Pro Ala Glu Ala Ala Ile Ser Gly  
 305 310 315

15

<210> 39  
 <211> 496  
 <212> PRT  
 <213> Xanthomonas albilineans

20

<400> 39

Met Gln Lys Pro Lys Glu Ala Leu Gly Met Pro Pro Gly Met Ala Pro  
 1 5 10 15

25

Pro Gly Ala Gln Phe Asp Tyr Arg Trp Arg Trp Pro Ala Met Ile Val  
 20 25 30

30

Leu Leu Ser Ala Asn Phe Met Asn Leu Leu Asp Val Gly Ile Val Asn  
 35 40 45

35

Val Ala Leu Pro Ser Ile Gln Lys Asn Leu Gly Ala Asp Glu Gln Gln  
 50 55 60

Leu Glu Trp Ile Val Ala Ile Tyr Ile Leu Leu Phe Ala Leu Gly Leu  
 65 70 75 80

40

Leu Pro Leu Gly Arg Leu Gly Asp Met Leu Gly Arg Lys Arg Met Phe



250

Application of Royer, et al

85

90

95

5

Gly Thr Gly Val Ala Gly Phe Ile Leu Met Ser Ala Phe Cys Ala Ile  
 100 105 110

10

Ala Gly Asn Ile His Val Leu Ile Ile Ala Arg Ala Leu Gln Gly Leu  
 115 120 125

15

Ala Ala Ala Met Leu Ala Pro Gln Val Met Ala Ile Ala Gln Thr Met  
 130 135 140

Phe Ala Pro Lys Glu Arg Ala Ala Ala Phe Ser Leu Phe Gly Leu Val  
 145 150 155 160

20

Ala Gly Leu Ala Ser Phe Ala Gly Pro Leu Val Ser Gly Leu Leu Ile  
 165 170 175

25

His Ile Asp Ala Phe Gly Val Gly Trp Arg Ala Ile Phe Leu Ile Asn  
 180 185 190

30

Val Pro Ile Gly Leu Val Thr Leu Leu Ala Ala Ala Ile Trp Val Pro  
 195 200 205

35

Lys Val Pro Ala His Ala Gly Ile His Asn Asp Trp Val Gly Ile Ala  
 210 215 220

Leu Ala Ala Leu Ala Leu Leu Cys Leu Val Phe Pro Leu Ile Glu Gly  
 225 230 235 240

40

Arg Ala Tyr Gly Trp Pro Leu Trp Cys Phe Ala Ala Ile Ala Leu Gly  
 245 250 255

Ile Pro Leu Leu Val Ala Phe Val Ala Trp Gln Arg Arg Gln Ala His  
260 265 270

5  
Leu Ala Arg Pro Ala Leu Leu Pro Ile Tyr Leu Met Ser His Arg Asp  
275 280 285

10  
Tyr Ile Leu Gly Ala Leu Ser Val Ser Val Phe Tyr Ser Ala Leu Gln  
290 295 300

15  
Gly Phe Phe Leu Val Phe Val Ile Phe Leu Gln Gln Gly Leu Ala Tyr  
305 310 315 320

20  
Ser Ala Leu Glu Thr Gly Val Ala Thr Thr Pro Phe Pro Val Gly Val  
325 330 335

25  
Ala Ile Ala Ser Met Leu Ala Arg His Val Glu Ser Leu Arg Ala Lys  
340 345 350

30  
Ile Phe Ser Gly Ala Cys Leu Met Ile Ala Ser Tyr Leu Ala Leu Trp  
355 360 365

35  
Val Ile Ile Thr Arg Ser Glu Gly Ser Leu Asp Pro Trp Thr Leu Thr  
370 375 380

40  
Leu Pro Leu Leu Ile Gly Gly Leu Gly Cys Gly Ile Thr Ile Ala Ser  
385 390 395 400

Leu Phe Gln Thr Val Met Arg Thr Val Pro Leu Lys Asp Ala Gly Ala  
405 410 415

Gly Ser Gly Ala Leu Gln Val Ile Gln Gln Val Gly Gly Met Leu Gly  
420 425 430

5 Ile Ala Leu Val Ser Glu Ile Phe Phe Ser Gly Leu His Gln His Leu  
435 440 445

10 Gln Gly Pro Ala Gly Val Ala Leu Ala Phe Lys Gln Ala Phe Gly Ala  
450 455 460

15 Thr Val Val Tyr Tyr Ile Ala Ala Asn Ala Phe Val Ala Leu Ser Thr  
465 470 475 480

20 Leu Gly Leu Gln Phe Lys Leu Thr Gln Phe Ala Pro Gln Ser Ser Pro  
485 490 495

<210> 40  
<211> 584  
<212> PRT  
<213> Xanthomonas albilineans

25 <400> 40

30 Met Lys Arg Thr Tyr Ile Gly Leu Ala Asn Ser Phe His Asp Ser Ala  
1 5 10 15

Ile Ala Ile Val Gly Asp Asp Gly Gln Val Arg Phe Ala Glu Ala Thr  
20 25 30

35 Glu Arg Tyr Leu Gln Tyr Lys Arg Ser Ile Gly Val Ala Pro Asp Val  
35 40 45

40 Phe Gln Arg Ala Ile Lys Leu Val His Glu Tyr Gly Asp Pro Gly Ala  
50 55 60

Glu Leu Val Val Ala Thr Ser Trp Ser Gly Gln Thr Pro Glu Leu Met  
 65 70 75 80

5

Arg Glu Gly Leu Gly Lys Thr Ala Gln Ala Val Asp Gln Tyr Arg Ser  
 85 90 95

10

Ala Phe Gly Asp Leu Pro Trp His Val Asn Lys Gln Phe Val Ala Gln  
 100 105 110

15

Ser Phe Phe Tyr Arg Ser Gln Leu Ala Met Val Glu His Pro Gly His  
 115 120 125

20

Leu Leu Glu Tyr Asp Leu Ser His Met Ala Glu Pro Ala Phe Lys Pro  
 130 135 140

25

Pro Ser Tyr Arg His Tyr Glu His His Leu Thr His Ala Val Ala Gly  
 145 150 155 160

30

Cys Tyr Thr Ser Pro Phe Glu Glu Ala Val Cys Ala Val Leu Asp Gly  
 165 170 175

35

Met Gly Glu Lys Asn Ala Leu Ala Cys Tyr His Tyr Gln Gln Gly Lys  
 180 185 190

40

Leu Thr Pro Ile His Gln Ser Glu Thr Ser Ser Trp Ala Ser Leu Gly  
 195 200 205

Phe Phe Tyr Gly Met Ile Cys Glu Val Cys Gly Phe Gly Thr Leu Ser  
 210 215 220

254

Application of Royer, et al

Gly Glu Glu Trp Lys Val Met Gly Leu Ala Ala Tyr Gly Gln His Asp  
 225 230 235 240

5 Arg Gln Leu Tyr Glu Leu Leu Arg Gln Met Leu Arg Val Asp Gly Leu  
 245 250 255

10 Thr Leu Arg Phe Ala Pro Ala Ala Gln Phe Ser Gln Leu Gln Arg Thr  
 260 265 270

15 Leu Tyr Ala Met Arg Arg Cys Lys Gly Gln Pro Thr Ile Glu Leu Ala  
 275 280 285

20 Asn Leu Ala Tyr Ala Gly Gln Gln Val Phe Cys Asp Val Leu Phe Glu  
 290 295 300

Phe Leu His Asn Leu His Ala Leu Gly Leu Ser Asp His Leu Val Leu  
 305 310 315 320

25 Gly Gly Gly Cys Ala Leu Asn Ser Ser Ala Asn Gly Arg Val Leu Ala  
 325 330 335

30 Glu Thr Pro Phe Arg His Leu His Val Phe Ala Ala Pro Gly Asp Asp  
 340 345 350

35 Gly Asn Ala Val Gly Ala Ala Leu Trp Ala His Ala Glu Asp His Pro  
 355 360 365

Glu Gln Thr Pro Pro Ala Ala Arg Glu Gln Ser Pro Tyr Leu Gly Ser  
 370 375 380

40 Ser Met Ser Ala Glu Thr Leu His Asn Val Glu Arg Phe Gly Ala Leu

255

Application of Royer, et al

	385		390		395		400									
5	Ser	Lys	Phe	Thr	Arg	Cys	Leu	Asp	Asp	Ala	Ala	Gln	Arg	Ala	Ala	Arg
					405					410					415	
10	Leu	Leu	Thr	Glu	Gly	Lys	Ile	Val	Ala	Trp	Val	Gln	Gly	Arg	Ala	Glu
				420					425					430		
15	Phe	Gly	Pro	Arg	Ala	Leu	Gly	Asn	Arg	Ser	Ile	Leu	Ala	Asp	Pro	Arg
		435						440						445		
20	Ser	Pro	Ala	Ile	Lys	Asp	Ile	Ile	Asn	Ala	Arg	Val	Lys	Phe	Arg	Glu
		450					455						460			
25	Glu	Phe	Arg	Pro	Phe	Ala	Pro	Ser	Ile	Leu	His	Glu	His	Gly	Ala	Glu
	465					470				475				480		
30	Tyr	Phe	Glu	Leu	Tyr	Gln	Glu	Ser	Pro	Tyr	Met	Glu	Arg	Thr	Leu	Lys
				485						490				495		
35	Phe	Arg	Ala	Glu	Ala	Thr	Arg	Lys	Val	Pro	Gly	Val	Val	His	His	Asp
			500						505					510		
40	Gly	Thr	Gly	Arg	Leu	Gln	Thr	Val	Lys	Gln	His	Trp	Asn	Pro	Arg	Tyr
		515					520						525			
45	His	Ala	Leu	Ile	Lys	Glu	Phe	Tyr	Arg	Leu	Thr	Gly	Ile	Pro	Leu	Val
		530					535					540				
50	Leu	Asn	Thr	Ser	Phe	Asn	Val	Met	Gly	Lys	Pro	Ile	Ala	His	Ser	Val
	545					550					555				560	

Glu Asp Ala Leu Ser Ile Phe Phe Thr Ser Gly Leu Asp Ala Met Phe  
 565 570 575

5

Ile Asp Asp Val Leu Ile Glu Lys  
 580

10

<210> 41  
 <211> 88  
 <212> PRT  
 <213> Xanthomonas albilineans

15

<400> 41

Met Arg Thr Ser Lys Phe Asn Glu Thr Gln Ile Ile Ala Thr Leu Lys  
 1 5 10 15

20

Gln Ala Asp Ala Gly Val Pro Val Lys Asp Ile Cys Arg Gln Val Gly  
 20 25 30

25

Ile Ser Thr Ala Thr Tyr Tyr Gln Trp Lys Ser Lys Tyr Val Ala Ser  
 35 40 45

30

Glu Met Pro Ser Ser Arg His Thr Ser Leu Thr Trp Arg Pro Pro Ser  
 50 55 60

35

Thr Cys Phe Ser Val Ala Thr Ile Trp Leu Ser Val Asn Leu Leu Leu  
 65 70 75 80

40

Arg Ile Val Gly Arg Leu Gly Gly  
 85

<210> 42

<211> 716  
 <212> PRT  
 <213> Xanthomonas albilineans

5 <400> 42

Met Arg Cys Leu Ile Ile Asn Asn Tyr Asp Ser Phe Thr Trp Asn Leu  
 1 5 10 15

10

Ala Asp Tyr Val Ala Gln Ile Phe Gly Glu Asp Pro Leu Val Val His  
 20 25 30

15

Asn Asp Glu Tyr Ser Trp His Glu Leu Lys Asp Arg Gly Gly Phe Ser  
 35 40 45

20

Ser Ile Ile Val Ser Pro Gly Pro Gly Ser Val Val Asn Glu Ala Asp  
 50 55 60

25

Phe His Ile Ser Leu Gln Ala Leu Glu Gln Asn Glu Phe Pro Val Leu  
 65 70 75 80

Gly Val Cys Leu Gly Phe Gln Gly Leu Ala His Val Tyr Gly Gly Arg  
 85 90 95

30

Ile Leu His Ala Pro Val Pro Phe His Gly Arg Arg Ser Thr Val Ile  
 100 105 110

35

Asn Thr Gly Asp Gly Leu Phe Glu Gly Ile Pro Gln Arg Phe Glu Ala  
 115 120 125

40

Val Arg Tyr His Ser Leu Met Val Cys Gln Gln Ser Leu Pro Pro Val  
 130 135 140



Leu Lys Val Thr Ala Arg Thr Asp Cys Gly Val Val Met Gly Leu Gln  
 145 150 155 160

5 His Val Gln His Pro Lys Trp Gly Val Gln Phe His Pro Glu Ser Ile  
 165 170 175

10 Leu Thr Glu His Gly Lys Arg Ile Val Ala Asn Phe Ala Lys Leu Ala  
 180 185 190

15 Ala Arg His Ser Ala Pro Leu Leu Ala Gly Ser Glu Gln Ala Gly Lys  
 195 200 205

20 Val Leu Ser Val Cys Ala Pro Glu Met Val Thr Pro Arg Val Arg Arg  
 210 215 220

Met Leu Ser Arg Lys Ile Lys Cys Arg Trp Gln Ala Glu Asp Val Phe  
 225 230 235 240

25 Leu Ala Leu Phe Ala Asp Glu Lys His Cys Phe Trp Leu Asp Ser Gln  
 245 250 255

30 Leu Val Cys Ser Pro Met Ala Arg Tyr Ser Phe Met Gly Ala Val Asn  
 260 265 270

35 Glu Ser Glu Val Val Arg His Cys Val Arg Pro Gly Ser Met Val Gln  
 275 280 285

Glu Ala Gly Glu Arg Phe Leu Ala Glu Met Asp Arg Ala Leu Gln Ser  
 290 295 300

40 Val Leu Thr Glu Asp Val Ala Glu Arg Pro Pro Phe Ala Phe Arg Gly

259

Application of Royer, et al

	305		310		315		320
5	Gly Tyr Val Gly Tyr Met Ser Tyr Glu Met Lys Ser Val Phe Gly Ala						
		325			330		335
10	Pro Ala Ser His Ala Asn Ala Ile Pro Asp Ala Leu Trp Met Arg Val						
		340			345		350
15	Glu Arg Phe Val Ala Phe Asp His Ala Thr Glu Glu Val Trp Leu Leu						
		355			360		365
20	Ala Leu Ala Asp Thr Glu Asp Leu Ser Ala Leu Ala Trp Leu Asp Ala						
		370			375		380
25	Ile Glu Gln Arg Ile His Ala Ile Gly Gln Ala Ala Pro Ala Cys Ile						
		385			390		395
30	Ser Leu Gly Leu Arg Ser Met Glu Ile Glu Leu Asn His Gly Arg Arg						
			405		410		415
35	Gly Tyr Leu Glu Ala Ile Glu Arg Cys Lys Gln Arg Ile Val Asp Gly						
		420			425		430
40	Glu Ser Tyr Glu Ile Cys Leu Thr Asp Leu Phe Ser Phe Gln Ala Glu						
		435			440		445
	Leu Asp Pro Leu Met Leu Tyr Arg Tyr Met Arg Arg Gly Asn Pro Ala						
		450			455		460
	Pro Phe Gly Ala Tyr Leu Arg Asn Gly Ser Asp Cys Ile Leu Ser Thr						
		465			470		475
							480

Ser Pro Glu Arg Phe Leu Glu Val Asp Gly His Gly Thr Ile Gln Thr  
 485 490 495

5

Lys Pro Ile Lys Gly Thr Cys Arg Arg Ala Glu Asp Pro Gln Leu Asp  
 500 505 510

10

Arg Asn Leu Ala Met Arg Leu Ala Ala Ser Glu Lys Asp Arg Ala Glu  
 515 520 525

15

Asn Leu Met Ile Val Asp Leu Met Arg Asn Asp Leu Ser Arg Val Ala  
 530 535 540

20

Val Pro Gly Ser Val Thr Val Pro Lys Leu Met Asp Ile Glu Ser Tyr  
 545 550 555 560

Lys Thr Val His Gln Met Val Ser Thr Val Glu Ala Arg Leu Arg Ala  
 565 570 575

25

Asp Cys Ser Leu Val Asp Leu Leu Lys Ala Val Phe Pro Gly Gly Ser  
 580 585 590

30

Ile Thr Gly Ala Pro Lys Leu Arg Ser Met Glu Ile Ile Asp Gly Leu  
 595 600 605

35

Glu Asn Ala Pro Arg Gly Val Tyr Cys Gly Ser Ile Gly Tyr Leu Gly  
 610 615 620

40

Tyr Asn Cys Val Ala Asp Leu Asn Ile Ala Ile Arg Ser Leu Ser Tyr  
 625 630 635 640

Asp Gly Gln Glu Ile Arg Phe Gly Ala Gly Gly Ala Ile Thr Phe Leu  
645 650 655

5 Ser Asp Pro Gln Asp Glu Phe Asp Glu Val Leu Leu Lys Ala Glu Ala  
660 665 670

10 Ile Leu Lys Pro Ile Trp His Tyr Leu His Ala Pro Asn Thr Pro Leu  
675 680 685

15 His Tyr Glu Leu Arg Glu Asp Lys Leu Leu Leu Ala Glu His Cys Val  
690 695 700

Ser Glu Met Pro Ala Arg Gln Ala Phe Ile Glu Pro  
705 710 715

20 <210> 43  
<211> 137  
<212> PRT  
<213> Xanthomonas albilineans

25 <400> 43

30 Met Arg Pro Pro Arg Leu Arg Ala Asn Gln Asp Gly Leu Leu Met Asp  
1 5 10 15

Thr Ala Gly Arg Val Val Glu Gly Cys Thr Ser Asn Leu Phe Leu Val  
20 25 30

35 Glu Asn Gly His Leu Val Thr Pro Asp Leu Gly Val Ala Gly Val Ser  
35 40 45

40 Gly Ile Met Arg Gly Arg Val Ile Glu Tyr Gly Arg Gln His Gly Leu  
50 55 60

Ala Cys Ala Val Lys His Val Tyr Pro Asp Gln Leu Val Arg Ala Gln  
65 70 75 80

5 Glu Val Phe Leu Thr Asn Ala Val Phe Gly Ile Leu Leu Val Arg Ser  
85 90 95

10 Ile Asp Ala His Ser Tyr Arg Ile Asp Pro Val Thr Leu Arg Leu Leu  
100 105 110

15 Asp Ala Leu Cys Gln Gly Val Tyr Phe Thr Glu Arg Ser Leu His Gln  
115 120 125

20 Val Ser Thr His Ala Gly Gln Asp Pro  
130 135

<210> 44  
<211> 200  
<212> PRT  
25 <213> Xanthomonas albilineans

<400> 44

30 Met Pro Ala Lys Thr Leu Glu Ser Lys Asp Tyr Cys Gly Glu Ser Phe  
1 5 10 15

35 Val Ser Glu Asp Arg Ser Gly Gln Ser Leu Glu Ser Ile Arg Phe Glu  
20 25 30

40 Asp Cys Thr Phe Arg Gln Cys Asn Phe Thr Glu Ala Glu Leu Asn Arg  
35 40 45

Cys Lys Phe Arg Glu Cys Glu Phe Val Asp Cys Asn Leu Ser Leu Ile

263

Application of Royer, et al.

	50		55		60
5	Ser Ile Pro Gln Thr Ser Phe Met Glu Val Arg Phe Val Asp Cys Lys				
	65		70		75 80
10	Met Leu Gly Val Asn Trp Thr Ser Ala Gln Trp Pro Ser Val Lys Met				
		85		90	95
15	Glu Gly Ala Leu Ser Phe Glu Arg Cys Ile Leu Asn Asp Ser Leu Phe				
		100		105	110
20	Tyr Gly Leu Tyr Leu Ala Gly Val Lys Met Val Glu Cys Arg Ile His				
		115		120	125
25	Asp Ala Asn Phe Thr Glu Ala Asp Cys Glu Asp Ala Asp Phe Thr Gln				
		130		135	140
30	Ser Asp Leu Lys Gly Ser Thr Phe His Asn Thr Lys Leu Thr Gly Ala				
		145		150	155 160
35	Ser Phe Ile Asp Ala Val Asn Tyr His Ile Asp Ile Phe His Asn Asp				
		165		170	175
40	Ile Lys Arg Ala Arg Phe Ser Leu Pro Glu Ala Ala Ser Leu Leu Asn				
		180		185	190
	Ser Leu Asp Ile Glu Leu Ser Asp				
		195		200	
	<210> 45				
	<211> 202				

<212> PRT

<213> Xanthomonas albilineans

<400> 45

5

Met His Pro Pro Ser Pro Leu Asn Thr Gln Gln Lys Asp Trp Leu Thr  
1 5 10 15

10

Arg Gly Gly Ser Leu Thr Ala His Leu Arg Leu Leu Gly Gln Val Gln  
20 25 30

15

Val Gln Val Gln Arg Glu His Lys Ser Met Ala Trp Leu Asp Glu Tyr  
35 40 45

20

Arg Val Leu Gly Leu Ser Arg Cys Leu Leu Val Trp Val Arg Glu Val  
50 55 60

25

Val Leu Val Val Asp Ala Lys Pro Tyr Val Tyr Ala Arg Ser Leu Thr  
65 70 75 80

Pro Leu Thr Ala Ser Tyr Asn Ala Trp Gln Ala Val Arg Ser Ile Gly  
85 90 95

30

Ser Arg Pro Leu Ala Asp Leu Leu Phe Arg Asp Arg Ser Val Leu Arg  
100 105 110

35

Ser Ala Leu Ala Ser Arg Arg Ile Thr Ala Gln His Pro Leu His Arg  
115 120 125

40

Arg Ala Cys Asn Phe Val Ala Gln Ser His Ala Thr Gln Ala Leu Leu  
130 135 140

265

Application of Royer, et al.

Ala Arg Arg Ser Val Phe Thr Arg Gln Gly Ala Pro Leu Leu Ile Thr  
 145 150 155 160

5 Glu Cys Met Leu Pro Ala Leu Trp Ala Thr Leu Glu Pro Val Ala Ala  
 165 170 175

10 Pro Arg Gln Ala Ser Leu Ser Ala Asp Gly Pro Cys Arg His Ser Ala  
 180 185 190

15 Gln Ile Val Ser Pro Glu Ser Met Leu Glu  
 195 200

<210> 46  
 <211> 278  
 <212> PRT  
 20 <213> Xanthomonas albilineans

<400> 46

25 Met Pro Asn Ala Val Pro Met Gln Gly Ala Arg Gly Leu Pro Gln Pro  
 1 5 10 15

30 Gln Ala Met Asn Pro Gly Leu Pro Ser Val Gly Gly Leu Ser Ala Gly  
 20 25 30

Gln Pro Leu Gln Leu Ser Leu Ala Pro Glu Leu Gln Ala Ala Ala Arg  
 35 40 45

35 Ser Ala His Arg His Leu Leu Asp Asp Gly Thr Ala Leu Tyr Leu Leu  
 50 55 60

40 Ala Phe Asp Thr Ala Gln Phe Asp Pro Gly Ala Phe Ala Ala Met Ala  
 65 70 75 80



Ile Ala Arg Pro Asp Ser Ile Ala Arg Ser Val Arg Lys Arg Gln Ala  
85 90 95

5  
Glu Phe Leu Phe Gly Arg Leu Ala Ala Arg Leu Ala Leu Gln Glu Val  
100 105 110

10  
Leu Gly Pro Ala Gln Ala Gln Ala Asp Ile Ala Ile Gly Ala Thr Arg  
115 120 125

15  
Ala Pro Cys Trp Pro Ala Gly Ser Leu Gly Ser Ile Ser His Cys Glu  
130 135 140

20  
Asp Tyr Ala Ala Ala Ile Ala Met Ala Ala Gly Thr Arg His Gly Val  
145 150 155 160

Gly Ile Asp Leu Glu Arg Pro Ile Thr Pro Ala Ala Arg Ala Ala Leu  
165 170 175

25  
Leu Ser Ile Ala Ile Asp Ala Asp Glu Ala Ala Arg Leu Ala Lys Ala  
180 185 190

30  
Ala Asp Ala Gln Trp Pro Gln Asp Leu Leu Leu Thr Ala Leu Phe Ser  
195 200 205

35  
Ala Lys Glu Ser Leu Phe Lys Ala Ala Tyr Ser Ala Val Gly Arg Tyr  
210 215 220

40  
Phe Asp Phe Ser Ala Ala Arg Leu Cys Gly Ile Asp Leu Ala Arg Gln  
225 230 235 240

267

Application of Royer, et al

Cys Leu His Leu Arg Leu Thr Glu Thr Leu Cys Ala Gln Phe Val Ala  
 245 250 255

5 Gly Gln Val Cys Glu Val Gly Phe Ala Arg Leu Pro Pro Asp Leu Val  
 260 265 270

10 Leu Thr His Tyr Ala Trp  
 275

<210> 47  
 <211> 634  
 15 <212> PRT  
 <213> Xanthomonas albilineans  
 <400> 47

20 Met Ser Val Glu Thr Gln Lys Glu Thr Leu Gly Phe Gln Thr Glu Val  
 1 5 10 15

25 Lys Gln Leu Leu Gln Leu Met Ile His Ser Leu Tyr Ser Asn Lys Glu  
 20 25 30

30 Ile Phe Leu Arg Glu Leu Ile Ser Asn Ala Ser Asp Ala Ala Asp Lys  
 35 40 45

Leu Arg Phe Glu Ala Leu Val Lys Pro Glu Leu Leu Asp Gly Asp Ala  
 50 55 60

35 Gln Leu Arg Ile Arg Ile Gly Phe Asp Lys Asp Ala Gly Thr Val Thr  
 65 70 75 80

40 Ile Asp Asp Asn Gly Ile Gly Met Ser Arg Glu Glu Ile Val Ala His  
 85 90 95

Leu Gly Thr Ile Ala Lys Ser Gly Thr Ser Asp Phe Leu Lys His Leu  
 100 105 110

5

Ser Gly Asp Gln Lys Lys Asp Ser His Leu Ile Gly Gln Phe Gly Val  
 115 120 125

10

Gly Phe Tyr Ser Ala Phe Ile Val Ala Asp Gln Val Asp Val Tyr Ser  
 130 135 140

15

Arg Arg Ala Gly Leu Pro Ala Ser Asp Gly Val His Trp Ser Ser Arg  
 145 150 155 160

20

Gly Glu Gly Glu Phe Glu Val Ala Thr Ile Asp Lys Pro Glu Arg Gly  
 165 170 175

25

Thr Arg Ile Val Leu His Leu Lys Glu Glu Glu Lys Gly Phe Ala Asp  
 180 185 190

30

Gly Trp Lys Leu Arg Ser Ile Val Arg Lys Tyr Ser Asp His Ile Ala  
 195 200 205

35

Leu Pro Ile Glu Leu Ile Lys Glu His Tyr Gly Glu Asp Lys Asp Lys  
 210 215 220

40

Pro Glu Thr Pro Glu Trp Glu Thr Val Asn Arg Ala Ser Ala Leu Trp  
 225 230 235 240

Thr Arg Pro Arg Thr Glu Ile Lys Asp Glu Glu Tyr Gln Glu Leu Tyr  
 245 250 255

	Lys His Ile Ala His Asp His Glu Asn Pro Val Ala Trp Ser His Asn
	260 265 270
5	Lys Val Glu Gly Lys Leu Glu Tyr Thr Ser Leu Leu Tyr Leu Pro Gly
	275 280 285
10	Arg Ala Pro Phe Asp Leu Tyr Gln Arg Asp Ala Ser Arg Gly Leu Lys
	290 295 300
15	Leu Tyr Val Gln Arg Val Phe Ile Met Asp Gln Ala Asp Gln Phe Leu
	305 310 315 320
20	Pro Leu Tyr Leu Arg Phe Ile Lys Gly Ile Val Asp Ser Ser Asp Leu
	325 330 335
25	Ser Met Lys Ser Ala Leu Thr Lys Arg Ala Leu Asp Met Leu Glu Lys
	355 360 365
30	Leu Ala Lys Asp Asp Pro Glu Arg Tyr Lys Gly Val Trp Lys Asn Phe
	370 375 380
35	Gly Gln Val Leu Lys Glu Gly Pro Ala Gln Asp Phe Gly Asn Arg Glu
	385 390 395 400
40	Lys Ile Ala Gly Leu Leu Arg Phe Ala Ser Thr His Ser Gly Asp Asp
	405 410 415
	Ala Gln Asn Val Ser Leu Ala Asp Tyr Val Ala Arg Met Lys Asp Gly

270

Application of Royer, et al.

	420	425	430
5	Gln Asp Lys Leu Tyr Tyr Leu Thr Gly Glu Ser Tyr Ala Gln Ile Lys 435 440 445		
10	Asp Ser Pro His Leu Glu Val Phe Arg Lys Lys Gly Ile Glu Val Leu 450 455 460		
	Leu Leu Thr Asp Arg Ile Asp Glu Trp Leu Met Ser Tyr Leu Thr Glu 465 470 475 480		
15	Phe Asp Ser Lys Ser Phe Val Asp Val Ala Arg Gly Asp Leu Asp Leu 485 490 495		
20	Gly Lys Leu Asp Ser Glu Glu Glu Lys Gln Ala Gln Glu Glu Ala Ala 500 505 510		
25	Lys Ala Lys Gln Gly Leu Ala Glu Arg Ile Gln Gln Val Leu Lys Asp 515 520 525		
30	Glu Val Ala Glu Val Arg Val Ser His Arg Leu Thr Asp Ser Pro Ala 530 535 540		
	Ile Leu Ala Ile Gly Gln Gly Asp Met Gly Leu Gln Met Arg Gln Ile 545 550 555 560		
35	Leu Glu Ala Ser Gly Gln Lys Leu Pro Glu Ser Lys Pro Val Phe Glu 565 570 575		
40	Phe Asn Pro Ala His Pro Leu Ile Glu Lys Leu Asp Ala Glu Pro Asp 580 585 590		

Val Asp Arg Phe Gly Asp Leu Ala Arg Val Leu Phe Asp Gln Ala Ala  
595 600 605

5

Leu Ala Ala Gly Asp Ser Leu Lys Asp Pro Ala Ala Tyr Val Arg Arg  
610 615 620

10

Leu Asn Lys Leu Leu Leu Glu Leu Ser Ala  
625 630

15

<210> 48  
<211> 20  
<212> DNA  
<213> Xanthomonas albilineans

20

<400> 48  
gcgtaccggt gtccagtagg 20

25

<210> 49  
<211> 20  
<212> DNA  
<213> Xanthomonas albilineans

30

<400> 49  
gctggaaacc gagaatctga 20

35

<210> 50  
<211> 20  
<212> DNA  
<213> Xanthomonas albilineans

40

<400> 50  
gacacgatca gccgctagga 20

<210> 51

<400> 54  
cgttgaggat gcagcgctcg 20

## CLAIMS:

5

We claim:

- 1 1. DNA molecules encoding the Albicidin Biosynthetic Gene Clusters and  
2 proteins selected from the group consisting of:  
3 (a) isolated DNA fragments which encode proteins that in turn  
4 individually and collectively perform functions in Albicidin Biosynthesis;  
5 (b) isolated DNA which hybridizes to isolated DNA of (a) above and that  
6 encodes a protein that in turn performs an individual function in Albicidin  
7 Biosynthesis; and  
8 (c) isolated DNA differing from the isolated DNAs of (a) and (b) above  
9 in codon sequence due to the degeneracy of the genetic code, and which encodes  
10 a protein that in turn performs as function in Albicidin Biosynthesis  
11 (d) isolated DNA selected from the group of DNA molecules having a  
12 sequence that is at least 70% homologous with a DNA comprising one or more  
13 of SEQ. ID. Nos.1 to 25.
- 1 2. Isolated DNA molecules of claim 1 comprising any one of SEQ ID No.1, SEQ  
2 ID No. 2 or SEQ ID No. 3.
- 1 3. A vector comprising a purified and isolated DNA molecule(s) of claim 1  
2 operably linked to promoters.
- 1 4. A host cell comprising an isolated DNA molecule of claim 1.
- 1 5. A host cell comprising the isolated DNA molecule of claim 2.
- 1 6. A host cell comprising a vector of claim 3.



- 1        7.    A method of producing a protein, wherein said protein consists of an amino  
2            acid sequence selected from the group consisting of SEQ ID Nos. 26 to 48,  
3            comprising the steps of: expressing DNA molecules of Claim 1 in a host cell,  
4            wherein said DNA molecules encodes a protein, and wherein the expression of  
5            said DNA molecules leads to the production of Albicidins by said cell.
  
- 1        8.    A method of producing a polyketide carrying para-aminobenzoic acid and/or  
2            carbamoyl benzoic acid by inserting at least one DNA Fragment of Claim 1  
3            that encodes a PKS protein into a cell and causing the cell to express the  
4            encoded PKS protein under conditions such that the PKS protein functions to  
5            produce a polyketide carrying either a para-aminobenzoic acid or a carbamoyl  
6            benzoic acid or both.
  
- 1        9.    A method of producing polyketide/peptides carrying para-aminobenzoic acid  
2            and/or carbamoyl benzoic acid by inserting at least one DNA Fragment of  
3            Claim 1 that encodes a PKS protein into a cell and causing the cell to express  
4            the encoded PKS protein under conditions such that the PKS protein functions  
5            to produce a polyketide carrying either a para-aminobenzoic acid or a  
6            carbamoyl benzoic acid or both.
  
- 1        10.   A method of activating nonproteinogenic amino acids like paraminobenzoic  
2            acid and/or carbamoyl benzoic acid for incorporation into peptides or  
3            polyketides by inserting at least one DNA Fragment of Claim 1 that encodes a  
4            PKS protein into a cell and causing the cell to express the encoded PKS protein  
5            under conditions such that the PKS protein functions to produce a polyketide  
6            carrying either a para-aminobenzoic acid or a carbamoyl benzoic acid or both.
  
- 1        11.   Proteins encoded by the DNA of Claim 1.
  
- 1        12.   Proteins encoded by the DNA of Claim 2.
  
- 1        13.   An isolated and purified antibiotic produced by a process that includes at least  
2            three proteins coded by DNA sequences of claim 1 in combination with  
3            additional enzymes that modify the product to provide a non-naturally


- 1 occurring Albicidin-like product having at least one of the useful properties  
2 reported for albicidin.
- 1 14. An antibiotic or antibiotics of claim 13 having at least one of the general  
2 structures illustrated in Figure 11.
- 1 15. An antibiotic produced by the process of expressing the DNA of one or more  
2 of the genes included in the Albicidin Biosynthetic Gene Clusters of Claim 1 in  
3 a genetically modified host cell sustained in a culture media, and thereafter  
4 separating the antibiotic from the host cell and culture media.
- 1 16. A process for producing an antibiotic that comprises modifying a host cell to  
2 enhance expression of the DNA of claim 1 by insertion of expression  
3 enhancing DNA into the genome of a *Xanthomonas albilineans* strain,  
4 *Escherichia coli* strain, or other Albicidin producing microbial strain, in a  
5 position operative to enhance expression of the enzymes of the Albicidin  
6 Biosynthetic Gene Clusters, culturing the modified host cell to produce an  
7 antibiotic and isolating the antibiotic.
- 1 17. An isolated purified antibiotic having at least 4 of the structural elements  
2 illustrated in Figure 11, and an elemental composition of  $C_{40}H_{35}N_6O_{15}$ .
- 1 18. A method of protecting a plant against damage from albicidin that comprises  
2 applying an agent that blocks expression at least one gene in the Albicidin  
3 Biosynthetic Gene Clusters of claim 1 to the plant to be protected.
- 1 19. A method of obtaining agents useful in blocking expression of albicidin by  
2 screening materials against a modified host cell line that expresses the  
3 Albicidin Biosynthesis Gene Clusters of claim 1 and selecting for materials  
4 that stop or decrease albicidin production.
- 1 20. A method of protecting a plant against phytotoxic damage from an antibiotic  
2 that comprises inserting into the plant and operably expressing at least one

1 resistance gene from the Albicidin Biosynthesis Gene Clusters of claim 1 in  
2 the plant to be protected.

1 21. A plant reproductive part carrying an albicidin resistance gene of claim 1  
2 selected from the group consisting of seeds, propagative materials and plant  
3 parts.

# ABSTRACT

5 Three gene clusters that together encode albicidin biosynthesis, the complete gene DNA sequences, the deduced protein sequences for the enzymes and methods for using the DNA sequences are disclosed and discussed as well as methods for plant protection and creating new antibiotics. The novel Albicidin family of antibiotics is disclosed and their structure deduced.



~~\_\_\_\_\_~~




Figure 2

Sgl-TcmO	173	FVDLGARG	234	PRADVFIV	263	ALTPGGAVLV
Sgl-TcmN	331	IADLGGGDG	393	TGYDAYLF	423	IGDDARLLI
Smy-MdmC	64	VLEIGTFIG	135	GAFDIVFV	159	LVRPGGLVAI
Mxa-SafC	63	TLEVGVFTG	134	GTFDLAFI	158	LVRPGGLIIL
Ser-EryG	85	VLDVGFGLG	149	ETFDRTVS	178	VLKPGGVLAI
Spe-DauK	183	VLDVGGGKG	254	RKADAIIL	273	ALEPGGRILI
Sal-DmpM	208	VVDIGGADG	269	GGGDLIVL	298	AMPAHARLV
Shy-RapM	106	VLEVGCNGG	155	VQDAEEL	194	ALRRGGALSH
Sav-AveD	71	VLDVGCSSG	124	GSFDAAWA	151	VLKPGGRLAV
Sar-Cmet	158	VLDVACGNG	220	GPYDLSLI	251	ATPFGGRIGI
AlbII	174	VLDVAAGHG	236	SGYDVILL	267	ALNDDGMVIT
		Motif I		Motif II		Motif III

Figure 3







XALB1 Strand +											
29 bp downstream from the TGA stop codon of <i>albXVII</i>											
-40	-35	-30	-25	-20	-15	-10	-5	-1+	+5	p	s
17085=>	ACCAATTGTG	AACGGCCTTCCCGCTTCG	TCCATAGCGATTTCGATCGCGGC							4.30	0
		---	---	---	---	---					
XALB1 Strand +											
400 bp downstream from the TAA stop codon of <i>albIV</i>											
-40	-35	-30	-25	-20	-15	-10	-5	-1+	+5	p	s
55617=>	CATGGCTGCAGGCCGAGCTCGCTCAGCTACGGGGTGAGA	CCGAAGCTGCCC	<= 55667							4.13	12
		---	---	---	---	---					
XALB1 Strand -											
62 bp, 170 bp and 560 bp downstream from the TAG stop codon of <i>albXVI</i>											
-40	-35	-30	-25	-20	-15	-10	-5	-1+	+5	p	s
7030=>	GGGGGCGAGTTGCCCGACC	CCGGTTTCTGTAAACGTTTG	GCTGTCTGTAG	<= 6879						3.95	13
		---	---	---	---	---					
6922=>	AACTCTTAAAGAGATTGATTTAAATTTCCCTGCGTTTTTGTACGAGAATA	<= 6872								4.42	0
6532=>	TACTTAATATAAGATTGCGAAGCTTGCGTTGCGGAATGATTTTTTCAATAT	<= 6482								4.27	53
		---	---	---	---	---					
XALB3 Strand+											
-40	-35	-30	-25	-20	-15	-10	-5	-1+	+5	p	s
8065=>	GCAAAGAAAAGCGAAACGAAAAAGGGCCTACGGGCCCTTTTCTTCCA									4.78	0
8072=>	AAAGCGGAAACGAAAAAGGGCCTACGGGCCCTTTTCTTCCATCGTCGA									3.94	86
		---	---	---	---	---					

### Figure 6

14456 GTGTTGATCAGCACACAGTAAAGCTTCTCAGACCTTCCTTAAGTATACCCCGGAGAGGCTCTGCGAGCAGCGGAGTTGCTACATCGCAC  
CAGCACTAGTGTGGTGTATTCGACAGAGAGCTTGCAGTAGGATTTCTATGEGGCTTCGACGAGCGCTTCGTGCTTCAAGCATGTAGCGTGTG  
D N I L V L Y A Q E E F T M RBS

14552 AATCGATTGAGTGGACCAAGCAGACGACTATATCATAGCTCCTCAGAGATCTCAAGAAATAGCGGTGAGAGCAGCAGTAAAGGTGATGT  
TTAGCTAAGTCTACCTGGTTCTTTCGCTGATGTAAGTCTCAGAGTGAAGTCTTCTTATGCGCACTTCTCGTGCATTTCTCACTACA  
-10 (PalbXVII: operon 4) -35 (PalbXVII: operon 4)

14648 GTTTCGACCGCTGTAGTCCATTCGCAATCGCGCAAGCTTACAGAAATTCACAGGGCATGGTTCATATACCGGGTCAAGCATATATCC  
CAAGCGTGGCGACATGACGGTAGCGGTAGCGCTTTTCGAATGTCTTTTAACTGTCTCCGTACGCAAGTTATGCGCCCGAGTTTCTGTATAGG  
14744 TTGCGCTTTCAGAGCTATGTTGCTAAGCGCCAGGCAAGTGGGAGCAACACCTTGGGTTTGGTTAGGTGCGGTTAGCAATTTCTGCTTA  
AAGCGAACCTCTCGATACAGCAGCGATTTTCGGTTCGCTACCCCTGTTGTGGAACCCAAAGCCCACTCCACGCCCATCGTTAAAGACGAT

14840 ATATCCAGCGCGCGGCTTTTGTCTTTCGCGGCGTCAACTGTCTCATGAGCAGTCTTGGGAGGCTATTTTGGCTGCTTATCATTAATTAATAC  
TATAGGTGCGCGCGCCAAACAGAAACAGACCGCCGCGAGTTGACGAGTAGCTCTGTCAGACCCCTCCGATAAAGCGCAGCAGGATAGTATTTATTAAG  
M R C L I I N N Y

14840 ATATCCAGCGCGGCTTTTGTCTTTCGCGGCGTCAACTGTCTCATGAGCAGTCTTGGGAGGCTATTTTGGCTGCTTATCATTAATTAATAC  
TATAGGTGCGCGCGCCAAACAGAAACAGACCGCCGCGAGTTGACGAGTAGCTCTGTCAGACCCCTCCGATAAAGCGCAGCAGGATAGTATTTATTAAG  
M R C L I I N N Y

Figure 7A

17332 GATATGCCCCCAGCTTACGCGCAACAGAGCGGCTGTGATGATACGCGCGCGGCTGTGAGGGCTGCACACAGCAATCTGTTCCTCG  
CTTACTCCGGGGTGCAGATGCGCGCTTGTCTCTGCCAGCACTACTATGCGCGCCGCCCACTCCGAGCTCCGAGCTGTGTAGCAAGGAGC  
M R P P R L R A N Q D G L

17428 TCGAGAACGGGCATCTGGTACGCCCGACCTGGGCGTGGCGGCTCAGCGGATCATGCGAGGCGAGGTGATCGAATATGCGCGGCGAGCGCTC  
AGCTCTTTCGGTAGACCACTGCGGGCTGAGACCGCGCGCGAGTGCCTTAGTACGCTCCGCTCCACTAGCTTATACCGGCGCTGTGCGCAG  
17524 TCGCTGCGCGGTAAAGCAGCTCTATCCGAGCCAGCTAGTGTGCTCAGGAGGTCTTCTGACTAAGCGGCTGTTCGGCATTTCTGCTGGTGGCA  
AGCGAGCGCGCAATTTCTGTGAGATAGGCTGTGATCAGCAGAGTCTCTCCACAAAGACTGATTGCGGCAAGCGGTAAAGCAGCCAGCGGT  
-35 (PalbXIX: operon 5) -10 (PalbXIX: operon 5)


17620 GCATTGACGCTCAGAGCTACCGCATCGATCTTACCTGCTTACCGTGTGCTGAGTCCCTGCTGAGGCTATTTTCAAGAGGCTCACTATATC  
CGTAACGCGAGTGTGATGGCGTAGCTAGGACATGAGGACGCAACGAGCTACGGAACAGCTCCCGCATATTAAGTGGCTTCCAGTGTATGTAG  
RBS

17716 AGGTTCCATCCCGGCGCAAGACCTTGAAGCAGGATTAATGTCGAGAAAGCTTCTCAGGAGATGCTCCGGGCAATCGCTGGAGTGG  
TCCAAGGTGGTACCGCGGTTCTGGAACTTGTCTTATGACACTTCTTTCGAGAGCAGCTGCTTTCAGGAGGCGCCGTTAGGAGCTTACG  
M P A K L E S K D Y C G E S F V S

17716 AGGTTCCATCCCGGCGCAAGACCTTGAAGCAGGATTAATGTCGAGAAAGCTTCTCAGGAGATGCTCCGGGCAATCGCTGGAGTGG  
TCCAAGGTGGTACCGCGGTTCTGGAACTTGTCTTATGACACTTCTTTCGAGAGCAGCTGCTTTCAGGAGGCGCCGTTAGGAGCTTACG  
M P A K L E S K D Y C G E S F V S

Figure 7B

XALB2



XALB3






Figure 8



**Figure 9A**



**Figure 9B**

Rifa-1 LGRVDVLQACFAVMVGLAAVWESVGVVRPDVAVVGHSSQGEI  
 Rifa-2 LDQMTYTQCALFAVETALFRLFESWGVVRPGLLAGHSIGEL  
 Rifa-3 LDRVDVVQPASFAMVGLAAVWTSLSGVTDPDAVLGHSSQGEI  
 Rifa-1 LDRVDVVQPASFAMVGLAAVWESVGVVRPDVAVVGHSSQGEI  
 Rife-1 LNQTVFTGAGLFAVESALFRLAESWGVVRPDVVLGHSSIGEL  
 B1mVIII ADDTRAAQPALFAVEYALARTLMDWGVVRPAAMLGHSLGEV

Figure 10A

AlbXIII LEDRPRHIRAVIDTLTGHAQFGPAIQAHNVAVIGHSVGGY  
 FenF TRTMNAQPAILTVSVIAYQVVMQEIIGIKPHFLAGHSLGEY  
 LipA PDSRGRQLAALDYLTRSSVVRGRIDSGRLGVMGHSMGGG

Figure 10B

Figure 11A: Putative substrates of PKS and NRPS modules





Figure 11B: Compositions and structures of albidins



$C_{40}O_{15}NaH_{35}$   
(molecular weight : 839)